

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

RECEIVED

AUG 19 2010

Form ACO-1  
June 2009

Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

KCC WICHITA

ORIGINAL

OPERATOR: License # 32834  
Name: JTC Oil Inc.  
Address 1: P.O. Box 24386  
Address 2: \_\_\_\_\_  
City: Stanley State: KS Zip: 66283 + \_\_\_\_\_  
Contact Person: Patrick Everett  
Phone: ( 913 ) 549-8442  
CONTRACTOR: License # 32834  
Name: JTC Oil, Inc.  
Wellsite Geologist: NA  
Purchaser: Pacer Energy Marketing

Designate Type of Completion:

- New Well     Re-Entry     Workover
- Oil     WSW     SWD     SIOW  
 Gas     D&A     ENHR     SIGW  
 OG     GSW     Temp. Abd.  
 CM (Coal Bed Methane)  
 Cathodic     Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to ENHR     Conv. to SWD  
 Conv. to GSW  
 Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled    Permit #: \_\_\_\_\_  
 Dual Completion    Permit #: \_\_\_\_\_  
 SWD    Permit #: \_\_\_\_\_  
 ENHR    Permit #: \_\_\_\_\_  
 GSW    Permit #: \_\_\_\_\_

<u>5/1/2010</u>	<u>5/3/2010</u>	<u>5-25-2010</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15-107-24165-00-00

Spot Description: \_\_\_\_\_  
NE SW NW NE Sec. 21 Twp. 20 S. R. 22  East  West  
4,600 Feet from  North /  South Line of Section  
2,305 Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE     NW     SE     SW

County: Linn  
Lease Name: Ralph Nickell Sr Well #: 31  
Field Name: Goodrich-Parker  
Producing Formation: Squirrel

Elevation: Ground: 960 Kelly Bushing: NA  
Total Depth: 600 Plug Back Total Depth: NA  
Amount of Surface Pipe Set and Cemented at: 20 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: 20  
feet depth to: Surface w/ 3 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 1500-3000 ppm Fluid volume: 82 bbls  
Dewatering method used: Used on lease  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: Authorized Agent Date: 8/12/10

KCC Office Use ONLY

Letter of Confidentiality Received  
Date: \_\_\_\_\_  
 Confidential Release Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
ALT  I  II  III Approved by: DG Date: 8/24/10

Operator Name: JTC Oil Inc. Lease Name: Ralph Nickell Sr Well #: 31  
 Sec. 21 Twp. 20 S. R. 22  East  West County: Linn

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run: <b>Gamma Ray / Neutron</b>	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum No Geologist at well site
--	--

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9	6 1/4		20	Portland	3	
Completion	5 5/8	2 7/8		590	Portland	97	50/50 Poz.

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

RECEIVED  
AUG 19 2010  
KCC WICHITA

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or ENHR. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--



**CONSOLIDATED**  
Oil Well Services, LLC

TICKET NUMBER 26921  
LOCATION Ottawa KS  
FOREMAN Fred Madur

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

**FIELD TICKET & TREATMENT REPORT**  
**CEMENT**

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
5/25/10	4015	Nickell Sr. # 31	NE 21	20	22	EN
CUSTOMER		TRUCK #		DRIVER	TRUCK #	DRIVER
JTC Oil Inc.		506	FREMAD	Sally Mly		
MAILING ADDRESS						
Po O. Box 910						
CITY	STATE	ZIP CODE	OTHER			
Louisburg	KS	66053	268	CHALAM	CWCL	
			436	JOHNSON	JP	
			548	TIM WAR	EW	

JOB TYPE Long String HOLE SIZE 6" HOLE DEPTH 600' CASING SIZE & WEIGHT 2 7/8" EUE  
 CASING DEPTH 590' DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
 SLURRY WEIGHT \_\_\_\_\_ SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING 2 7/8" Plug  
 DISPLACEMENT 3.43 DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE 4BPM.

REMARKS: Establish circulation. Mix Pump 200# Premium Gel Flush  
 Mix + Pump 97 SKS 50/50 Poz Mix Cement 270 Grel 44"  
 Pheno Seal per sack. Cement to surface. Flush pump +  
 lines clean. Displace 2 7/8" Rubber plug to casing TDW/  
 3.43 BBLs Fresh water. Pressure to 600# PSI. Release pressure  
 to set float valve. Shut in casing.

*Fred Madur*

*JTC Drilling*

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE Cement Pump		900 <sup>00</sup>
5406	0	MILEAGE Truck on lease		N/C
5402	590'	Casing Footage		N/C
5407A	163.33	Ton Miles		220 <sup>00</sup>
5502C	2hrs	80 BBL vac Truck		692 <sup>00</sup>
1124	95 SKS	50/50 Poz Mix Cement		907 <sup>25</sup>
1118B	363 #	Premium Gel		61 <sup>71</sup>
1107A	24 #	Pheno Seal		26 <sup>88</sup>
4402	1	2 7/8" Rubber Plug		23 <sup>00</sup>
wot# 234412				
53%				SALES TAX ESTIMATED TOTAL
53%				53 <sup>99</sup>

RECEIVED  
AUG 19 2010

KCC WICHITA

Ravin 3737

AUTHORIZATION *Taylor Casil* TITLE \_\_\_\_\_ DATE 2384<sup>93</sup>

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.