## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

WELL HISTORY - DESCRI	API No. 15 - 203-20088-0001
OPERATOR: License # 31093	
Name: Becker Oil Corporation	Spot Description:
Address 1: P.O. Box 1150	SW_SE_SE_Sec. 32 Twp. 19 S. R. 36 East West
Address 2:	
City: Ponca City State: OK Zip: 74602 +	990 Feet from ✓ East / West Line of Section
Contact Person: Clyde M. Becker, Jr.	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 303 ) 816-2013	□ne □nw ☑se □sw
CONTRACTOR: License #	County: Wichita
Name: Trinidad Drilling, LP RECEIVED	Lease Name: Shimanek Well #: 1
Wellsite Geologist: N/A AUG 2 3 2010	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion: KCC WICHITA	Elevation: Ground: 3267' Kelly Bushing: 3273'
☐ New Well	Total Depth: 4632' Plug Back Total Depth: 4630'
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Amount of Surface Pipe Set and Cemented at: 335, existing Feet
☐ Gas	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to: w/sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator: Conoco, Inc.	Dalling Florid Stangagement Dion
Well Name: # 1 F.L. Hart	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: 10/23/10 Original Total Depth: 5250'	Chloride content:ppm Fluid volume:bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used:
Conv. to GSW	Dewatering method used.
Plug Back: 4630' Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
ENHR Permit #:	County: Permit #:
GSW Permit #:	,
Spud Date or Recompletion Date  Date Reached TD  Recompletion Date  Completion Date	
Kansas 67202, within 120 days of the spud date, recompletion, workover or c	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST with all temporarily abandoned wells.

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Clych M. Bechnif

President 8,

8/1	9/10
0//	טונו־

KCC Office Use ONLY	
<b>∑</b> Letter of Confidentiality Received	
Date:	
Confidential Release Date:	
Wireline Log Received	
Geologist Report Received	
Geologist Report Received UIC Distribution Wo - DC - 8/26/10	

t

Shimanek Operator Name: Becker Oil Corporation Lease Name: County: Wichita Sec. 32 Twp. 19 S. R. 36 ☐ East West INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report. Log Formation (Top), Depth and Datum □ Sample **V** No **Drill Stem Tests Taken** Yes (Attach Additional Sheets) Name Top Datum Samples Sent to Geological Survey Yes ✓ No Cores Taken ☐ Yes ☐ No Electric Log Run ✓ Yes RECEIVED **Electric Log Submitted Electronically** ☐ Yes **V** No (If no, Submit Copy) AUG 23 2010 List All E. Logs Run: KCC WICHITA GR/CBL New Used CASING RECORD Report all strings set-conductor, surface, intermediate, production, etc. Size Casing Size Hole Weight Setting Type of # Sacks Type and Percent Purpose of String Drilled Set (In O.D.) Lbs. / Ft. Depth Cement Used Additives Surface 12 1/4" 8 5/8", existing 335' 7 7/8" 4 1/2" 5% W-60, 10% salt, 6%C15 4630' Production 10.5# AA2 (Allied) 100 5# gilsonite, 1/4 de-foamer ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth # Sacks Used Type and Percent Additives Type of Cement Top Bottom Perforate Protect Casing Plug Back TD Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot (Amount and Kind of Material Used) Depth Specify Footage of Each Interval Perforated 3 spf 4561-4571, CIBP at 4551' 4534-4537, CIBP at 4514' 3 spf 3 spf 4455-4461, CIBP at 4406' TUBING RECORD: Set At: Packer At: Liner Run: Yes ☐ No Date of First, Resumed Production, SWD or ENHR. **Producing Method:** ☐ Flowing Pumping Gas Lift Other (Explain) Bbls. Gas-Oil Ratio Gravity Oil Gas Mcf Water **Estimated Production** Bbls. Per 24 Hours **DISPOSITION OF GAS:** METHOD OF COMPLETION: PRODUCTION INTERVAL: Open Hole Perf. Dually Comp. Commingled Vented Sold Used on Lease (Submit ACO-5) (Submit ACO-4) (If vented, Submit ACO-18.) Other (Specify)