RECEIVED



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

AUG 2 7 2010

Form ACO-1 October 2008 Form Must Be Typed

WELL COMPLETION FORM KCC WICHITA WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710	API No. 15 - 001-30062-00-00
Name: Laymon Oil II, LLC	Spot Description:
Address 1: 1998 Squirrel RD	NE_NW_NE_SE_Sec. 12_ Twp. 24_S. R. 18
Address 2:	2475 Feet from North / South Line of Section
City: Neosho Falls State: KS Zip: 66758 +	825 Feet from 🕢 East / 🗌 West Line of Section
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 963-2495	□NE □NW □SE □SW
CONTRACTOR: License #_32710	County: Allen
Name: Company Tools	Lease Name: East JR Lewis Well #: _05-10
Wellsite Geologist: none	Field Name: Iola
Purchaser: Coffeyville Resources	Producing Formation: Tucker
Designate Type of Completion:	Elevation: Ground: 1038 est Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 975 Plug Back Total Depth: 970
	Amount of Surface Pipe Set and Cemented at: 20 Feet
Oil SWD SIOW SIGW	Multiple Stage Cementing Collar Used? Yes No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet
Orly Other	
(Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from: 20
If Workover/Re-entry: Old Well Info as follows:	feet depth to: surface w/ 10 sx cmt.
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Docket No.:	Eccation of hule disposal in native distre.
Dual Completion	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
06-19-2010 06-23-2010 07-14-2010	QuarterSecTwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or or of side two of this form will be held confidential for a period of 12 months if rectiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidential report shall be attached with this form. ALL CEMENTING TICKETS MUST
All requirements of the statutes, rules and regulations promulgated to regulate t are complete and correct to the best of my knowledge.	the oil and gas industry have been fully complied with and the statements herein
Signature: Allalle Upru-	KCC Office Use ONLY
Title: Owner Date: 08-18-2010	
10	Letter of Confidentiality Received
Subscribed and sworn to before me this 18 day of 199	, If Denied, Yes Date:
20 10.	Wireline Log Received
Notary Public: Pachelle Raymon	Geologist Report Received
Date Commission Expires: 7/11/12	All 2 - Dig - 9/1/16
The state of the s	PUBLIC - State of Kanon

RACHELLE LAYMON My Appt, Expires 7

Side Two

Operator Name: Lay	mon Oil II, LLC		Lease Nai	me: E	ast JR Lewis		Well #: _05-1	10
Sec. 12 Twp. 2		✓ East ✓ West	County: _	Allen			- It-Wheel	
time tool open and cl	osed, flowing and shu es if gas to surface te	d base of formations per t-in pressures, whether s est, along with final chart report.	shut-in pressur	re reac	hed static level,	hydrostatic p	ressures, bottom h	hole temperature, fluid
Drill Stem Tests Taken (Attach Additional		☐ Yes ☑ No		∏Lo	g Formation	ı (Top), Dept	h and Datum	Sample
Samples Sent to Geo	logical Survey	☐ Yes ☑ No		Name	•		Тор	Datum
Cores Taken Electric Log Run (Submit Copy)	•	Yes No					RE	E CEIVE D
List All E. Logs Run:	mplotion						AU	JG 27 2010
Open hole co	mpletion						KC	CWICHITA
		CASING Report all strings set-		Nev	_	on. etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement		Type and Percent Additives
Surface	12 1/4"	10"	10#		20'	common	10	
Production	7 7/8"	4 1/2"	10.5#		955'	common	160	
Tubing		2 3/8"	5#		955'			
		ADDITIONAL	CEMENTING	/ SQUI	EEZE RECORD		•	
Purpose: Perforate	Depth Top Bottom	Type of Cement	#Sacks Use	s Used Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone		····						
Shots Per Foot	PERFORATION	ON RECORD - Bridge Plug	ıs Set/Type		Acid, Frac	ture, Shot, Ce	ment Squeeze Recor	d
311013 FEI 1 001	· · ·	Footage of Each Interval Per	frac with 10 sacks					Depth OFF 07F
	Open hole com	ipietion			mac with 10	sacks		955-975
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:	Yes [] No	
Date of First, Resumed 08-13-2010	Production, SWD or En	Producing Met		Flowing	Pumpin	g ∏Gá	as Lift Otho	er (Explain)
Estimated Production Per 24 Hours	Oil 1	Bbls. Gas	Mcf	Water			Gas-Oil Ratio	Gravity
DISPOSITI	ON OF GAS:		METHOD OF CO	OMPLE1	TION:		PRODUCTIO	ON INTERVAL:
Vented Sold	Used on Lease	Open Hole Other (Specify)	Perf.	Dually (Comp. Com	mingled		

Laymon Oil II LLC 1998 Squirrel Rd Neosho Falls, KS 66758

620-963-2495 fax 620-963-2921

East JR Lewis Well #5-10 API: 15-001-30062-00-00 Spud date: 06-19-2010

Completion date: 06-23-2010

12-24-18 Allen County

Formation	From	То
Soil	0	16
Shale	16	55
Sandy Lime	55	82
Lime	82	102
Shale	102	130
Lime	130	140
Shale	140	175
Lime	175	322
Big Shale	322	430
Lime & Shale	430	463
Lime	463	598
Black Shale	598	600
Shale & Lime	600	610
Sandy Lime	610	680
Shale	680	730
Lime & Shale	730	835
Bartlesville Sand	835	906
Shale	906	926
Sand	926	938
Shale	938	965
Tucker Sand	965	975

RECEIVED AUG 2 7 2010 KCC WICHITA

Total Depth 975

Set 20' of 10" surface, cemented w/ 10 sacks Ran 955' of 4 1/2" pipe Open hole completion

PO#		THE I	M.	LELIN LUMI Adison & Waln	BER CO.,	INC.	1		
)	$\bigcap_{i=1}^{n} 0$		A, KANSAS,		M	lanch	, 20	10
SOLD TO	antwon	UN		BILLING A	DDRESS				
Delivered To				Loaded By		H	lauled By		
		DES	CRIPTION			FEET	PRICE	TOTAL	_
200	Sarlo	AAH	0	Ana a		ļ	0.115		
		184	and	Lemen	₽	200	945	1890	00
					i. Na Carthagail (Sail State	<u> </u>	to.	/37	197
	2.34							2037	90
	Engli	1796							1-1-
		·							
				·					
									<u>_</u>
									
ECEIVED ABOV	'E IN GOOD ORDER				·	•	-		D
Ka	22-10								Ravin 3958
	23-10		D Das					,	
				cks					
	24-10	١		reserve					
	25-1D		-	acker					
Grisi	er 8-10			acho					
Gus	01-P si		10 0	3020					
Grusi	er 12-89		10 2	lacks					
CHIO	in 4-10			oacks					
Caro	un 5-10		10	wacks.					
	& Landa 1-1	10	10	Dacke					
COST Y	Rhowing 1-1	-10	10	Dacks					
East	an Louis 3	3-10	10	oks.					
Caux	R Levis	5-10	10	, socker			RI	-CEN /	
COUTS	at Office	•	,					ECEIVED	

RECEIVED AUG 2 7 2010 KCC WICHITA

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 ·Phone: (620) 365-5588

LADOS

LAYMON OIL; L.L.G.

1998 SQUIRREL RD.

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

RECEIVED

LA6/2

LAYMON OIL

AUG 2 7 2010 169 N TO WHODE ISLAND E 1

TO 1800 1/2 MI N 3/4 MI DOWNKCC WICHITA THE WE GETAG

947-JG				\$ #15 PA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	es estre en	<u>.</u>	
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				% CAL	WK	# AIR	
00:54:15a	WELL	8.00 yd	16.00 yd	6.60	35	0.00	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	to Date	7	52.00 yd				
96-23-10	Today	1	√8. 00 yd	13411	i	4.00 in	20(15)

NEOSHO FALLS KS

IRRITATING TO THE SKIN AND EYES" Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTA CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Contact With Skin or Eyes, Flush Thoroughly With Water, It Irritation Persist Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPER LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

ED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

WEIGHMASTER

Excess Delay Time Charged @ \$50/HR.			^	···	 ^		
QUANTITY	CODE	DESCRIPTION			 	UNIT PRICE	EXTENDED PRICE
8.00 2.50	WELL TRUCK ING	WELL (10	SACKS PER CHARGE	MAIA)	 8.96 2.50	. 76.00 . 70.00	608.00 125.00
8.0			•				1000

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	999 08
11/3	lover	1050	1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	1 Pr	20 8 6 2 8 446 9 10 10 10 10 10 10 10 10 10 10 10 10 10
LAFTYPLANE	ARRÍVED-JOB	START UNLOADING	CONTRACTOR BROKE DOWN 9. OTHER ADDED WATER.	TIME DUE	CORP II TO THE TOTAL COMMENT
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	A STATE OF THE STA	DELAY TIME	ADDITIONAL CHARGE 1
	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1				GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at oustomer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at outsomer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LANGS LAYMON DIL, L.L.C. 1998 SOUTHREL RD.

> NEOSHO FALLS KS CC 750

LA6/2 LAYMON OIL

169 N TO RHODE ISLAND E 1 MX TO 1800 1/2 HI N 3/4 HI DOWN

HILL W SD RED GATE FOLLOW RD PALO NO ECTAD

16.00

		63664 636	7	ಹಿಚ್ಚು ್ಗ 19€	a wara		
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				% CAL	WK	% AIR	
07:03:26a	HELL	8.00 yd	16.00 yd	0.00	35	Ø. 00	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
****	lo Date	8	60.00 yd				
06-23-10	Today	2	16.00 yd	13412		4.00 in	26866
WARNING >				AGE RELEASE	Excessive Water	er is Detrimental to Con	crete Performance

driver of this truck in presenting this PELEASE to

IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTAC CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case Contact With Skin or Eyes, Flush Thoroughly With Water Writation Polish Gen dedic Attention. KEEP CHILDREN AWAY.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

MELL

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPER LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL TELEPHONED to the OFFICE BEFORE LOADING STARTS.

any sums owed.

A. MO

damage to the premises and/or adjacent

tional considera nless the driver the premises

H₂0 Added By Request/Authorized By GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR. QUANTITY CODE DESCRIPTION

WELL (10 SACKS PER UNIT)

UNIT PRICE EXTENDED PRICE

75. MM

GRAND TOTAL

608.00

RETURNED TO PLANT LEFT JOB DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED abTotal S 598.90 JOB NOT READY 6. TRUCK BROKE DOWN 6.300 38.30 an % 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION otal S 646.30 4. CONTRACTOR BROKE DOWN 9. OTHER ARRIVED JOB START UNLOADING TIME DUE 5. ADDED WATER ංත්ලාශ යි 23425.48 ADDITIONAL CHARGE 1 _ TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME **DELAY TIME** ADDITIONAL CHARGE 2