RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION


AUG 2 7 2010

Form ACO-1 October 2008 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

KCC WICHTAIGINAL

OPERATOR: License #	API No. 15 - 001-30060-00-00
Name: Laymon Oil II, LLC	Spot Description:
Address 1: 1998 Squirrel RD	NE _NE _NW _SE Sec. 12 Twp. 24 S. R. 18
Address 2:	2475 Feet from North / A South Line of Section
City: Neosho Falls State: KS Zip: 66758 +	1485 Feet from East / West Line of Section
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 963-2495	□ne □nw □se □sw
CONTRACTOR: License #_32710	County: Allen
Name: Company Tools	Lease Name: East JR Lewis Well #: 03-10
Wellsite Geologist: none	Field Name: lola
Purchaser: Coffeyville Resources	Producing Formation: Tucker
Designate Type of Completion:	Elevation: Ground: 1032 est Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 976 Plug Back Total Depth: 960
Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: 20 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet
Dry Other(Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from:
If Workover/Re-entry: Old Well Info as follows:	feet depth to: surface w/ 10 sx cmt.
Operator:	Drilling Elvid Management Dian
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used:
Plug Back: Plug Back Total Depth	
Commingled Docket No.:	Location of fluid disposal if hauled offsite:
Dual Completion	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
06-16-2010 06-18-2010 07-14-2010	Quarter Sec. TwpS. R. East West
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover or confusive two of this form will be held confidential for a period of 12 months if requitality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	nversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information sested in writing and submitted with the form (see rule 82-3-107 for confiden- report shall be attached with this form. ALL CEMENTING TICKETS MUST
All requirements of the statutes, rules and regulations promulgated to regulate the are complete and correct to the best of my knowledge.	
Signature: All Control of the contro	KCC Office Use ONLY
Title: Owner Date: 08-18-2010	Letter of Confidentiality Received
Subscribed and sworn to before me this \(\frac{1}{8} \) day of \(\overline{\text{Duage}} \)	, If Denied, Yes Date:
20 10.	Wireline Log Received
Notary Public: Rachelle Laymon	Geologist Report Received
Date Commission Expires: 7 11 12	Alt 2 - D/C - G//O



Side Two

Operator Name: Lay	mon Oil II, LLC		Lease N	lame: _	ast JR Lewis	4	Well #: _03-1	10
	24 S. R. 18	✓ East West	County:					
time tool open and cl recovery, and flow rate	osed, flowing and shut	I base of formations per in pressures, whether s it, along with final chart(eport.	hut-in press	ure read	ched static level,	hydrostatic (pressures, bottom h	nole temperature, fluid
Drill Stem Tests Take		☐ Yes 🗹 No			og Formatio	n (Top), Dep	th and Datum	Sample
Samples Sent to Geo	ological Survey	☐ Yes ☑ No	:	Nam	е		Тор	Datum
Cores Taken Electric Log Run (Submit Copy)		☐ Yes ☑ No ☐ Yes ☑ No					RE	CEIVED
List All E. Logs Run: Open hole co	ompletion						AUG	6 2 7 2010 WICHITA
·	·						KCC	WICHITA
		CASING	RECORD	☐ N∈	w Used			
		Report all strings set-	T			T	f # Sacks	Type and Percent
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig Lbs. /		Setting Depth	Type of Cemen	I	Additives
Surface	12 1/4"	10"	10#		20'	common	10	
Production	7 7/8"	4 1/2"	10.5#		950'	common	160	
Tubing		2 3/8"	5#		950'			
		ADDITIONAL	CEMENTIN	IG / SQL	EEZE RECORD			
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks I	Used		Туре	and Percent Additives	
Shots Per Foot		ON RECORD - Bridge Plug ootage of Each Interval Per					ement Squeeze Recon	d Depth
	Open hole com	pletion			frac with 1	5 sacks		950-976
TUBING RECORD:	Size:	Set At:	Packer At	:	Liner Run:			
				····		Yes [No	
Date of First, Resumed 08-13-2010	d Production, SWD or Enh	r. Producing Met	hod:	Flowing	g 🗹 Pumpii	ng 🔲 G	ias Lift 🔲 Oth	er (Explain)
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DISPOSITI	ION OF GAS:		METHOD OF	COMPLE	TION:		PRODUCTION	ON INTERVAL:
☐ Vented ☐ Sol	d Used on Lease	Open Hole	Perf.	_	_	nmingled		
(If vented, Su	ibmit ACO-18.)	Other (Specify)						

Laymon Oil II LLC 1998 Squirrel Rd Neosho Falls, KS 66758

620-963-2495 fax 620-963-2921

East JR Lewis Well #3-10 API: 15-001-30060-00-00 Spud date: 06-16-2010

Completion date: 06-18-2010

12-24-18 Allen County

Formation	From	То
Soil	0	19
Shale	19	50
Shale & Lime	50	65
Sandy Lime	65	90
Shale	90	122
Lime	122	135
Shale	135	150
Lime & Shale	150	200
Black Shale	200	203
Lime	203	250
Shale	250	270
Lime	270	290
Big Shale	290	465
Lime	465	515
Black Shale	515	518
Lime & Shale	518	590
Shale	590	600
Lime	600	635
Shale	635	840
Lime	840	850
Bartlesville Sand	850	935
Shale	935	956
Tucker Sand	956	976
Total Depth		976

RECEIVED
AUG 2 7 2010
KCC WICHITA

Set 20' of 10" surface, cemented w/ 10 sacks Ran 950' of 4 1/2" pipe Open hole completion

Locally Owned and Operated "Courtesy" - "Quality" - "Service"

PO#		THE NEV	V KLEIN LUMBE MADISON & WALNUT	R CO., INC.) •	nce 1903	
SOLD TO	•	$(\mathcal{L}, \mathcal{L})$	IOLA, KANSAS,		March	, 20	10
Delivered To	antwon	UU	BILLING ADDR	RESS			
QUANTITY		DESCRIP	Loaded By		Hauled By		
		DESCRIP	TION	FE	ET PRICE	TOTAL	
200	Sarlo	Portlan	d Cemen	20	0 945	1890	00
	- Control of the Cont				toy	/37	97
						2057	97
	Say of the				20- 20- 21- 21-	2027	14
					:: .		
							<u>:</u>
CEIVED ABOV	-						
_	'E IN GOOD ORDER					!	Ravin 3958
	22-10	10	Dacks				
Kee	23-10	10					
Kee	24-10	10	Dacke				
Kee	25-10	. 16	Dacker				
Grisi	er 8-10	10	· Aaches				
Gara.	O1-P AS	10	, socke				
Grusi	er 12-89		Dacks		DEC		
Grass	en 4-10		0 packs			EIVED	
GARD	m 5-10	į	o yacka		AUG	2 7 2010	
FANA A	RASINA 1-1	0	10 Dacks		KCC I	VICHITA	
FARE	Rhewis 1-1 Rhewis 2-	10	10 Dacks				
East	JR Lewis 3	3-10	10 DES.				

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading frucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LAYMON OIL, L.L.C. 1994 SQUIRREL RD.

NEOSHO FALLS KS

56758

LA6/2

LAYMON GIL 169 N TO RHODE ISLAND E 1 MI.

TO 1800 1/2 MI N 3/4 MI DOWN

HILL W SD RED SATE FOLLOW RD

IOLA, KS 55749

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	•	DRIVER/TRUCK		PLANT/TRANSACTION #
				% CAL	MK -	r air	
12:37:50p	WELL	8.00 yd	16.00 yd	0.90	35	0.09	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	To Date		36.00 yd				
06-18-10	Today	1 .	3.00 yd	13374		4.00 in	26839

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eves and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

WELL

8.00

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to

you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the other is requesting that you fail we did not seem to the other is requesting that you fail the did not seem to the other is requesting that you fail this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver

of this truck and this supplier for any and all damage to the premises

and/or adjacent property which may be claimed by anyone to have

arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSUIGE CURB LINK: LOAD RECEIVED BY:

QUANTITY CODE DESCRIPTION

(10) SACKS PER UNIT) UNIT PRICE EXTENDED PRICE

AUG 2 7 2010

KCC WICHITA

RETURNED TO PLANT FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED SubTotal \$ 608.00 1. JOB NOT READY 6. TRUCK BROKE DOWN Tax % 5.300 38.30 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION o isder 646.30 4. CONTRACTOR BROKE DOWN 9. OTHER LEFT PLANT **RARRIVED JOB** STARE UNLOADING TIME DUE 5. ADDED WATER Order S 646.30 ADDITIONAL CHARGE 1 _____ TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME **DELAY TIME** ADDITIONAL CHARGE 2 _ GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 _ Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, concrete to be celivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LAMOS LAYMON OIL, L.L.C. 1998 SMITRREL RD.

> NEOSMO FALLS KG 66758

LAGIR

LAYMON OIL

169 N TO RWINE ISLAND E TO 1800 1/2 MI N 3/4 MI DOWN

HILL W SD RED GATE FOLLOW RD

IOLA. KS 66749

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				% CAL	WK	% HIK	
12:47:35p	WELL	8.00 yd	16.00 yd	0. <i>9</i> 0	35	0.00	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	o Date	(a	44.00 ya				
05-18-10	Today	2	16. 0 0 yd	13375	2	4.00 in	26849

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eves and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per a

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to

you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this our wan to neipy our in every way trial we can, but in doze in the and his supplier from any responsibility from any damage that may occur to the premises and/or adjacant property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises

and/or adjacent property which may be claimed by anyone to have

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

arisin out of delivery of this order. LOAD RECEIVED BY:

, , -				
QUANTITY	CODE	DESCRIPTION		
8. ØØ 1.59	WELL TRUCK ING	WELL (10 TRUCKING	SACKS PER CHARGE	UNIT
200	•	1	0	1.1

UNLOADING TIME

16.00

DELAY EXPLANATION/CYLINDER TEST TAKEN

SOB. DO

EXTENDED PRICE

RETURNED TO PLANT FINISH UNLOADING ARRIVED JOB LEFT PLANT START UNLOADING 5 ADDED WATER

TOTAL AT JOB

TOTAL ROUND TRIP

1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER

TIME ALLOWED

TIME DUE

DELAY TIME

∿der ŝ ADDITIONAL CHARGE 1

726.93 1372, 33

ADDITIONAL CHARGE 2



GRAND TOTAL