#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION



Form ACO-1
October 2008
Form Must Be Typed

KCC MICHITA

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #32710	API No. 15 - 001-30053-00-00
Name: Laymon Oil II, LLC	Spot Description:
Address 1: 1998 Squirrel RD	SE SE SE NE Sec. 12 Twp. 24 S. R. 18 FEast West
Address 2:	2805 Feet from North / South Line of Section
City: Neosho Falls State: KS Zip: 66758 +	165 1485 Feet from [7] East / [7] West Line of Section
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (620_) 963-2495	□ NE □ NW □ SE □ SW
CONTRACTOR: License # 32710	County: Allen
	Lease Name: East JR Lewis Well #: 2-10
Name: Company Tools	
Wellsite Geologist: none	Field Name: Iola
Purchaser: Coffeyville Resources	Producing Formation: Tucker
Designate Type of Completion:	Elevation: Ground: 1010 est Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 970 Plug Back Total Depth: 960
Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet
Dry Other (Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from:20
If Workover/Re-entry: Old Well Info as follows:	feet depth to: surface w/ 10 sx cmt.
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used:
Plug Back: — Plug Back Total Depth	
Commingled Docket No.:	Location of fluid disposal if hauled offsite:
Dual Completion Docket No.:	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
06-07-2010 06-10-2010 06-29-2010	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workover or of side two of this form will be held confidential for a period of 12 months if re-	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST rm with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate are complete and correct to the best of my knowledge.	the oil and gas industry have been fully complied with and the statements herein
Signature: MCMU Tyru	KCC Office Use ONLY
7	A1
Subscribed and sworn to before me this $18$ day of $222$	, If Denied, Yes Date:
20 10	Wireline Log Received
Notary Public: Rachelle Laymon	Geologist Report Received
Date Commission Expires: 111112	Alt 2-DIG - 9 RECEIVED
NOTARY PUBLIC - S. RACHELLE LA	

#### Side Two

Operator Name: Layr	mon Oil II, LLC			_ Lease	Name: _E	ast JR Lewis		Well #: _2-10	<u> </u>	
Sec. 12 Twp. 24		<b>✓</b> East □	West	County	: Allen					
INSTRUCTIONS: Shi time tool open and clo recovery, and flow rate surveyed. Attach final	sed, flowing and shu es if gas to surface te	t-in pressures st, along with	, whether sh	nut-in pres	sure read	thed static level	hydrostatic p	oressures, bottom h	ole temperature,	, fluid
Drill Stem Tests Taken (Attach Additional S		☐ Yes	☑ No	,	□ Lo	og Formatio	n (Top), Depl	th and Datum	Sample	
Samples Sent to Geol	ogical Survey	☐ Yes	<b>✓</b> No		Nam	е		Тор	Datum	
Cores Taken Yes No Electric Log Run (Submit Copy)						RECEIVED AUG 2 7 2010				
List All E. Logs Run: Open hole co	mpletion						k	CC WICHI	TA	
			CASING I		☐ Ne	_				
Purpose of String	Size Hole Drilled	Size Ci Set (In	asing	onauctor, si Wei Lbs.	ght	rmediate, product Setting Depth	Type of Cemen		Type and Perce Additives	ent
Surface	12 1/4"	10"		10#		20'	common	10		
Production	7 7/8"	4 1/2"		10.5#		955'	common	150		
Tubing		2 3/8"		5#		955'				
		A	DDITIONAL	CEMENTI	NG / SQL	EEZE RECORD				
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of C	Cement	#Sacks	SUsed		Туре	and Percent Additives		
Shots Per Foot		ON RECORD -						ement Squeeze Recon	d Dept	
	Open hole com	<del></del>				frac with 20 sacks 955-970				
					<del>.</del>					
TUBING RECORD:	Size:	Set At:		Packer A	At:	Liner Run:	Yes [	] No		
Date of First, Resumed 08-13-2010	Production, SWD or En	hr. Pr	oducing Meth		Flowing	g 📝 Pumpi	ng 🔲 G	as Lift	er (Explain)	
Estimated Production Per 24 Hours	Oil 1	Bbls.	Gas I	Mcf	Wate	er E	Bbls.	Gas-Oil Ratio	Gravit	ty
DISOCITIO	ON OF GAS:			ETHOD O	F COMPLE	TION:		PRODUCTIO	ON INTERVAL:	
Vented Sold	_			Perf.			mmingled			

### Laymon Oil II LLC 1998 Squirrel Rd Neosho Falls, KS 66758

#### 620-963-2495

fax 620-963-2921

East JR Lewis Wellせみ-1D
API: 15-001-30053-00-00
Spud date: 06-07-2010
Completion date: 06-10-2010

12-24-18 Allen County

Formation	From	То
Soil	0	12
Shale	12	30
Lime	30	75
Shale	75	150
Lime & Shale	150	270
Big Shale	270	445
Lime & Shale	445	450
Lime	450	500
Shale	500	515
Lime	515	525
Shale	525	555
Lime	555	575
Shale	575	585
Lime	585	630
Shale	630	810
<b>Bartlesville Sand</b>	810	835
Shale	835	955
Tucker Sand	958	970

<b>Total Depth</b>	970

Set 20' of 10" surface, cemented w/ 10 sacks Ran 955' of 4 1/2" pipe Open hole completion

RECEIVED
AUG 2 7 2010
KCC WICHITA

"Courtesy" - "Quality" - "Service"

Since 1903

PO#		MADISON & W.	MBER CO.,	INC.		ncc 1 <del>3</del> 03	
,	P	IOLA, KANSAS, _	ALNUT	Cy	10- 1	1	
SOLD TO	antwon		NG ADDRESS		factive	2	0 <u>1C</u>
Delivered To		Loaded E	- · · · · · · · · · · · · · · · · · · ·		Inulad D		<u> </u>
		DESCRIPTION		FEET	Iauled ByPRICE	ТОТА	
200	Sarlos	DINA				IOTA	1
		Milland Ceme	1	200	945	1890	00
					toy	/27	97
	122		Manager Manage	10 S			
	Francis (Constitution of Constitution of Const					2027	97
					1		
			200 (A. Section 1)				
							· · · · · · · · · · · · · · · · · · ·
CEIVED ABOVE	E IN GOOD ORDER		L				
						R	lavin 3958
	22-10	10 Dacks					-
	23-10	10 Aacks					
	24-10	10 Dacke					
	25-10	16 Racker					
Grisia	V 8-10	10 Aacha					
Grisia	01-10	10 socies		•	1		
Grusie	~ 12-b9	10 Dayes					
Consore	a 4-10	10 packs					
Great	5-10	10 Dacks					
FANT OF	April 1-10	10 Dacks					
East gr	Remo 1-10 R hours 2-	10 10 Dacks					

RECEIVED AUG 2 7 2010 KCC WICHITA

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

## Payless Concrete Products, Inc.

YARDS ORDERED

YARDS DEL.

20.50 vd

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

LROOS LAYMON OIL, L.L.C. 1998 SWIIRREL RD.

LA6/2 LAMON DIL

169 N TO REDDE ISLAND E 1 MI

TO 1806 1/2 MI N 3/4 DOWN

701 a. KS 66740

DRIVER/TRUCK

HILL W SD RED CATE FOLLOW RD

NEOGHO FALLS KS

TIME

MT. FF. FP.

DATE

7.50 und

I OAD #

LOAD SIZE

3

% CAL 15.00 vd

病 病の BATCH#

WK % AIR 75 **偏。 角扇** WATER TRIM SLUMP

TICKET NUMBER

WARNING **IRRITATING TO THE SKIN AND EYES** 

o Date

12204 7. 写像 4.6 PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE-

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By GAL X

4. MM in

CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY. CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY Of the PURCHASTER LIPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL WASTRUSTIONS MUST be

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY

**FORMULA** 

TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' feed incurred in collecting any sums owed All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

you lonyour signature it of the opinion that the size and weight truck may possibly cause damage to the premises and/or ad property if it places the material in this load where you desire it

way that we can, but in order to that you sign this RELEASE relieving him and appropriately from any dumage that may occur an allocation properly, buildings, sidewalks, but the delivery of this indicating, and that you be moved mud from the wheels of his vehicle so this supplier from any to the premises ar driveways curtis, etc. y and held harmless the driver

and all damage to the premises be claimed by anyone to have

VEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

UNIT PRICE EXTENDED PRICE

QUANTITY CODE

DESCRIPTION

WELL (10 SACKS PER UNIT)

RECEIVED

76.00

PLANT/TRANSACTION #

7.50 OHR TRUCKING

AUG 2 7 2010

**KCC WICHITA** 

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	TIME ALLOWED	670-
6:20	W: W	1004	JOB NOT READY     SLOW POUR OR PUMP     TRUCK AHEAD ON JOB	TRUCK BROKE DOWN     ACCIDENT     CITATION		BubTotal & L/2.2 570:00
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN     ADDED WATER	9. OTHER	TIME DUE	Total S 695.791
4:32	44	454				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	_ ADDITIONAL CHARGE 2
AIR					~?	GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Lola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

Lers: LAYMUN DIL, L.L.C. 1998 SMUIRREL RD.

NEOSHO FALLS KS

P. 12 17 182 13

LAE/2 LAMON OIL 169 N TO BINDE ISLAND E 1 MI

TO 1800 1/2 ME N 3/4 6 DOWN HILL W SD RED GATE FOLDOW RD

THE WE CETAG

	FOR FARE AND LONG TO THE PARTY OF THE PARTY									
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #			
				% CAL	· Use	% AIR				
M6:15:M1n		7.50 vd	15.00 vd	0.00	35	9,00				
DATE	•	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER			
	To Date	La	28.00 yd							
A5-1A-1A	Today	. 2	15.00 vd	13295		4.00 in	26786			
	MA DAHAIO		Excessive Wate	r is Detrimental to Conc						

WAKNING IRRITATING TO THE SKIN AND EYES
Contains Porland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Waln. In Case of
A contains the Contact With Eyes and Prolonged Contact With Waln. Pars of Irritation Parsiss. 6et Metica

Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persis Attention, KEEP CHILDREN AWAY. CONCRETE IS A PERISHABLE COMMODITY AND BECOMES the PROPERTY OF the PURCHAS LEAVING the PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL NISTRUCTIONS

TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

Material is Delivered. A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. ou for your signature is of the truck may possibly cause dar property if it places the reservi-our wish to help you in every you desite in it the driver is request all damage to the premises claimed by anyone to have

FO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

presenting this RELEASE

at the size and weight of premises and/or adjacent

Dear Customer-The driver of this truck

H<sub>2</sub>0 Added By Request/Authorized By GAL X WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I MAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. LOAD RECEIVED BY:

Excess Delay Time Charged @ \$50/HR. QUANTITY CODE DESCRIPTION

7.50

UNIT PRICE EXTENDED PRICE

14 PA

WELL

WELL (10 SACKS PER UNIT)

15.00

76. 99

ENURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED SubTatal 6 570.00 JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 35.91 Tax % 6.300 3. TRUCK AHEAD ON JOB B. CITATION 4. CONTRACTOR BROKE DOWN 9. OTHER Total S 605.91 LEFT PLANT ARRIVED JOB START UNLOADING TIME DUE 5. ADDED WATER Order S ADDITIONAL CHARGE 1 DELAY TIME TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME ADDITIONAL CHARGE 2 \_ GRAND TOTAL