

ORIGINAL

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

8/06/10

Operator: License # 5135	API No. 15 - 033-21,526-00-00
Name: John O. Farmer, Inc.	County: Comanche
Address: P.O. Box 352	SE - SE - SE - NW Sec. 32 Twp. 32 S. R. 20 East West
City/State/Zip: Russell, KS 67665	feet from S /(N)(circle one) Line of Section
Purchaser:	2325 feet from E /(W)(circle one) Line of Section
Operator Contact Person: Marge Schulte	Footages Calculated from Nearest Outside Section Corner:
Phone: (785) 483-3145, Ext. 214	(circle one) NE SE (NW) SW
Contractor: Name: Val Energy, Inc.	Frink Unit "B"
License: 5822	Field Name: (wildcat)
Wellsite Geologist: Steven P. Murphy	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 1868' /86 2 Kelly Bushing: 1868'
New Well Re-Entry Workover	Total Depth: 5250' Plug Back Total Depth:
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 719 Fee 1
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
✓ Dry Other (Core, WSW, Expl: @athodic; etc.)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: AUG 0 6 2008	feet depth to
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan PANH 10-9-08
Deepening Re-perf Conv. to Enhr./SWD	(Data must be collected from the Reserve Pit)
Plug BackPlug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No.	Dewatering method used evaporation
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
,	Lease Name: License No.:
7-13-08	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
•	
Kansas 67202, within 120 days of the spud date, recompletion, worko Information of side two of this form will be held confidential for a period of	ith the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. If 12 months if requested in writing and submitted with the form (see rule 82-3-gs and geologist well report shall be attached with this form. ALL CEMENTING IIIs. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ulate the oil and gas industry have been fully complied with and the statements
Signature: ACO. FAME II	KCC Office Use ONLY
Title: President Date: 8-6-08	Letter of Confidentiality Received
Subscribed and sworn to before me this 6th day of uaus	If Denied, Yes Date:
20.08	Wireline Log Received
Notary Public: Margaret a, Jeh	Geologist Report Received RECEIVED UIC Distribution KANSAS CORPORATION COMMISSION
Date Commission Expires: A NOTARY PUBLIC - State of Kansas	AUG 0 7 2008
MANGARET A SCHULLE	
My Appi. Eup. 1-27-09	CONSERVATION DIVISION

Side Two

Operator Name: John	perator Name: John O. Farmer, Inc. Lease Name:			Frink Unit "B"		. Well #: 1	əll #;		
ec. 32 Twp. 32 S. R. 20 East V West County: Com			ıty: <u>Coma</u>	nche		***************************************			
INSTRUCTIONS: Shot tested, time tool open a temperature, fluid reco Electric Wireline Logs	and closed, flowing very, and flow rate:	g and shut- s if gas to	in pressures, surface test, a	whether a long with	shut-in pre	essure reached s	static level, hydro:	static pressur	es, bottom hole
Drill Stem Tests Taken (Attach Additional Sheets) ✓ Yes No				✓ Log Formation (Top), Depth			nd Datum	☐ Sample	
·	les Sent to Geological Survey			Name Heebner				Top 4154'	Datum (-2286)
Cores Taken	Cores Taken ☐ Yes ☑ No				Lansing			4346'	(-2478)
Electric Log Run		✓ Ye	s 🗌 No		Base	/KC		4822'	(-2954)
(Submit Copy)					Marm	naton		4872'	(-3004)
List All E. Logs Run:					Cher	okee		5008'	(-3140)
Dual Induction	Log Borehol	le Com	pensated		Morr	ow Shale		5122'	(-3254)
Sonic Log, Dua					Morr	ow Sand		5142'	(-3274)
.	·		, ,		Miss	ssippi		5178'	(-3310)
			CASING) V Ne	ew Used			
Purpose of String	Size Hole		t all strings set-c e Casing	T	surface, inte	ermediate, product Setting	ion, etc. Type of	# Sacks	Type and Percent
Surface	Drilled 12-1/4"	Set 8-5/8"	(In O.D.) Lbs. / F		s. / Ft.	Depth 719'	Class A & 65/35 Pozmix	Used 500	Additives 3% C.C., 1/4# flocele/sk.
Surface	12-1/4"	8-5/8"	23#			719'	Class A	100	3% C.C., 1/4# flocele/sk.
Note - on 2nd surface- w/10	cement jo	b on s	urface p		ran 10				hen cemented t
	7	I	ADDITIONAL	CEMENT	TING / SQL	JEEZE RECORD			
Purpose: Depth Type of Top Bottom Perforate Top Bottom Protect Casing Plug Back TD Plug Off Zone		Type of Cement		#Sacks Used		Type and Percent Additives			
		L				I			
Shots Per Foot	nots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			10	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
	- 1111221112								
TUBING RECORD	Size	Set At		Packer	r At	Liner Run	Yes No		
Date of First, Resumerd	Production, SWD or E	Enhr.	Producing Met	hod	Flowin	g Pumpir	ng Gas Lift	Oth	er (Explain)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls. G	as-Oil Ratio	Gravity
Disposition of Gas	METHOD OF C	COMPLETIC	DN .			Production Inter	val		
Vented Sold	Used on Lease		Open Hole	∏ P€	erf. 🗔 [Dually Comp.	Commingled		
(If vented, Subi			Other (Speci		·	,			

ALLIED CEMENTING CO., LLC. 32358

REMIT TO P.O. BOX 31			SERV	ICE POINT:		
RUSSELL, KANSA	S 67665			Medicin	e lodge	
DATE 7/14/08 SEC. 2 TW 3	P. RANGE 2 < 20 W	CALLED OUT	ON LOCATION	JOB START	JOB FINISH	
in Kunit B	LOCATION 760 kc		and 1/201	COUNTY	STATE	
OLD OR VEW Circle one)	East into	X101.1 F. C			Mor	17
CONTRACTOR 1 2		OWNER 7	ioho O Fe	COPE C) /
TYPE OF JOB Surface		_				-
HOLE SIZE 1214 CASING SIZE 1218	T.D. 719 DEPTH 722	CEMENT	RDERED 2502	5x1051351	Lo+3%cc	
TUBING SIZE	DEPTH DEPTH	- + /4 + /o	Scal			
DRILL PIPE	DEPTH	250 SX A		% gel		
TOOL	DEPTH		2 = 2	@ 15.45	3862.50	7
PRES. MAX 400 MEAS. LINE	MINIMUM SHOE JOINT4 >	_ COMMON_& POZMIX	* 3 <i>0</i> H	_@ <u>_/3.92</u> _ _@	300 dist	
CEMENT LEFT IN CSG.	SHOE JOINT 4 Z	GEL	5	@ 20.80		
PERFS.		CHLORIDE _	17	_@ <u>58,20</u>	_989.40)
DISPLACEMENT 44 BB	1stics Lt20	_ ASC		_@		^
EQUIPM	IENT ·	ALW ELASO	250 AL 125 #		3700.00	
		<u></u>	110 165	@		
PUMP TRUCK CEMENTER	L KIKC.			@		
# <mark>343 HELPER ?</mark> BULK TRUCK	CONFIDENTI	AL				
#421 DRIVER A	P COMPINER			-@ @		
BULK TRUCK	AUG 0 6 200	<u> </u>		_ @		
# DRIVER	MOO T	HANDLING_		@ 2,40	1296.00	7
	KCC	MILEAGE	5 x540		3510.00	
REMAR	RKS:	•		TOTAL	13774.40	2
pre on bottom loroal	Cr Dump 3 Also	d.				
nixesosxlead mixe	200x fell good	<u>.</u>	SERVI	CE		
e lease play Disp	to Rive Plason	DEPTH OF JO	DP 72.7			
Dec 1944 tolels.	& Boat did Cen		K CHARGE <u>0</u> -	300'	1018.00)
Ad not Circ. Rus	100 of 1 TOP		TAGE 422'		358.70	
Dist with 100 5X	A+30/xct20/oce	_ MILEAGE _	65	@ 7.00	455,00)
•		_ MANIFOLD	lead Kentel		113.00	
				_@		
	<u>-</u>			_@		
CHARGE TO: John OF		-		тотат	1944.70	2
STREET		_		IOIAL	1 1 4 71 70	
CITYSTATE		-6, "				
CITTBIRTE		- 83/8	PLUG & FLOAT	EQUIPMEN'	Т	
			•		113.00	
		1- Kulder	<u>phy</u>	_@ <i>[]3.00</i>	186.00	
		S-Centle	<u> </u>		496.00)
To Allied Cementing Co., LLC		I-AFU IV	usect		377.00	
You are hereby requested to rem				@		
and furnish cementer and helpe contractor to do work as is liste			į.			
done to satisfaction and superv				TOTAL	1172.00	/
contractor. I have read and unc		,				
TERMS AND CONDITIONS"		CALCCTAY/	If Any)		<u> </u>	
		TOTAL CHAI	RGES		<u> </u>	
PRINTED NAMEY RICK	Smith	_ DISCOUNT		IF PAIR	O IN 30 DAYS	DE0
PRINTED NAMEY Rick SIGNATURE Y Rick	~	_ DISCOUNT _		11 1/11/		RECEIVED
SIGNATURE AS R	Sm. 71	ANY A	PPLICABLE	ΓΑΧ	· viitono (CORPORATION COMMISSION
SIGNATURE V 1) Lek)	orney		BE CHARGE	BD.	Δ	UG 0 7 2008
		**	NI INIVOTATION		_	100 U / 2008

UPON INVOICING

AUG 0 7 2008 CONSERVATION DIVISION WICHITA, KS

ALLIED CEMENTING CO., LLC. 31262

REMIT TO P.O. BOX 31	SI	ERVICE POINT:	44** / \
RUSSELL, KANSAS 67665 - FRIAK Unit		MEDICIN	10 Lodge
DATE 7-24-08 SEC. TWP. RANGE 32.5	CALLED OUT ON LOCATIO	m 71.45am	JOB FINISH
LEASE WELL# 8- LOCATION PLOTS	ction, 145, 2 WEST,	COUNTY	STATE STATE
EDOR NEW (Circle one) 1/2 NONTH,	•		DOVE
CONTRACTOR VAL-2	OWNER JOHNO	FARMEN	
TYPE OF JOB LOTALY PLUG			
HOLE SIZE 7% T.D. 250'	CEMENT AMOUNT ORDERED /93	1 1	• • •
CASING SIZE 856" DEPTH 722 TUBING SIZE DEPTH	_ AMOUNT ORDERED //	JX BUINE	~ 7
DRILL PIPE 412" DEPTH 250			
TOOL DEPTH			. 9 / _
PRES. MAX 250 MINIMUM /00	_ COMMON <i>117_A</i> POZMIX		1807.65 624.00
MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG.	POZMIX 78 GEL 7		145.60
PERFS.	CHLORIDE	@	
DISPLACEMENT AND FRESH WATER	ASC	@	
EQUIPMENT		@ <i></i> _	
			
PUMPTRUCK CEMENTER SILL M.	_	@	
# 4/4 HELPER KAYNOVD K. BULK TRUCK	7 164	@	
# 768 DRIVER DONALD MINITED	1 CAIL	@	
BULK TRUCK AIG OF	2008		4
# DRIVER	HANDLING 202	@ 2.40	484.80
KC(\mathcal{G} mileage 45×20		1313.00
REMARKS:		TOTAL	<u>4375.0</u> 5
1 ST PLUL 950', LOAD HOLE, PUNT SOSK	- crn	VICE	
6:46;4, DISPLACE FLAT MUD/FAESH WATCH 2nd ILV4 236', LUND HOWE. INNI 605x	y Sek	VICE	
6:40:4, DISPLACE WITH EXEMINATER,	DEPTH OF JOB 950		
3 rd ILVL 250', LOAD HOLE, PUND 40 5X	PUMP TRUCK CHARGE		1017.00
LO:40:4, DISPLACE WITH FROM WATER, 4.14 AND 60', LAND HOLE, PLAN 20 SX	EXTRA FOOTAGE		use on
LOSSIY. CILCULATE COMOUT TO SULFA	MILEAGE	@_ <i>_7.00_</i> @	<u> 455.07</u>)
LUL LATO MOUSE MOVES WHAZEN	- WANIFOLD	@	
60:4034		@	
CHARGE TO: JOHN O FAMMEN	-		1//70 /20
STREET	_	TOTAL	<u>1472.0</u> 0
CITYSTATEZIP			
CIT I STATE ZII	PLUG & FLO	AT EQUIPMENT	Γ
	·		
		@ ;	
To Alliad Committee Co. LLC			
To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment			
and furnish cementer and helper(s) to assist owner or		@	· · · · · · · · · · · · · · · · · · ·
contractor to do work as is listed. The above work was			
done to satisfaction and supervision of owner agent or		TOTAL .	
contractor. I have read and understand the "GENERAL	SALES TAX (If Any)		_
TERMS AND CONDITIONS" listed on the reverse side	TOTAL CHARGES		5
5 1			RECEIVED
PRINTED NAME Sco TT KOSS	DISCOUNT	IF PAID	IN 30 DAMANSAS CORPORATION COMMISSIO
SIGNATURE SIGNATURE	ANY APPLICABL WILL BE CHAR	E TAX	AUG 0 7 2008
•	UPON INVOICE	NG	
•			CONSERVATION DIVISION WICHITA, KS