

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

SEP 0 1 2010

June 2009 Form Must Be Typed

Form must be Signed Board WICHITAII blanks must be Filled **WELL COMPLETION FORM**

31280		API No. 15
Did Deheleum	<u></u>	
Marrie:	6.05 Year	Spot Description: NE_NE_NE_NW Sec. 23 Twp. 22 S. R. 16
Address 1: 874 12th Rd SW		
Address 2:		5,115 Feet from North / South Line of Section
City: Burlington State: Kansas Zip: 66	OO3 +	Feet from East / West Line of Section
Contact Person: Brian L. Birk		Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-5875		□ NE □NW ☑SE □SW
CONTRACTOR: License # 31280		County: Coffey
Name: Birk Petroleum		Lease Name: Well #: Well #:
Wellsite Geologist: None		Field Name: Neosho Falls-LeRoy
Purchaser: Coffeyville Resources		Producing Formation Squirrel
Designate Type of Completion:		Elevation: Ground: 1036 Est. Kelly Bushing:
· · · · · · · · · · · · · · · · · · ·	/orkover	Total Depth: 1024' Plug Back Total Depth: 1024'
✓ oii ☐ wsw ☐ swd	□ slow	Amount of Surface Pipe Set and Cemented at: Feet
Gas D&A ENHR	☐ sigw	Multiple Stage Cementing Collar Used? Yes No
☐ og ☐ Gsw	Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)		If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	Marking and the Control of the Contr	feet depth to:w/sx cmt.
If Workover/Re-entry: Old Well Info as follows:		leat depth to.
Operator:		
Well Name:		Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total De		
	Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW		Dewatering method used:
Plug Back: Plug Back		Location of fluid disposal if hauled offsite:
		Operator Name:
Dual Completion Permit #:		Lease Name: License #:
SWD Permit #:		
ENHR Permit #:		Quarter Sec. Twp. S. R. East West
GSW Permit #:		County: Permit #:
	24/10	
	npletion Date or completion Date	
INSTRUCTIONS: An original and two copies of this Kansas 67202, within 120 days of the spud date, reco of side two of this form will be held confidential for a p	form shall be filed with mpletion, workover or c eriod of 12 months if red to logs and geologist wo	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidensell report shall be attached with this form. ALL CEMENTING TICKETS MUST rm with all temporarily abandoned wells.
	occupa du Estado America a Contra de Caracteria de Caracte	
AFFIDAVIT		KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of	f the statutes, rules and	regu-

and the statements herein are complete and t	correct to the best of my knowledge.
Signature: Aunda XX	Bil
Signature:	Due -
Title: Agent	Date: August 25, 2010

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☐ Wireline Log Received
Geologist Report Received
☐ UIC Distribution
ALT

Operator Name: Birl	Retroleum		Lease Nam	ne: Gilbert		_ Well #:16	<u> </u>	
Sec. 23 Twp.22		✓ East	County: _C					
time tool open and clo	osed, flowing and shu es if gas to surface to	nd base of formations per ut-in pressures, whether s est, along with final chart(I well site report.	hut-in pressure	reached static leve	I, hydrostatic pres	sures, bottom	hole tempe	erature, fluid
Drill Stem Tests Taker		☐ Yes 🗸 No		☐ Log Formati	on (Top), Depth a	nd Datum	□s	Sample
(Attach Additional S				Name		Тор	0	Datum
Samples Sent to Geo Cores Taken	logical Survey	☐ Yes ☑ No ☐ Yes ☑ No	So	quirrel		1011	RE	CEIVED
Electric Log Run Electric Log Submitte (If no, Submit Copy	·	Yes No					SEP	0 1 2010
List All E, Logs Run:	en e	ender and the second of the se		ا مراح			KCC	WICHIT
			RECORD [New Used				
D	Size Hole	Report all strings set- Size Casing	conductor, surface Weight	e, intermediate, productions Setting	tion, etc. Type of	# Sacks		and Percent
Purpose of String	Drilled	Set (In O.D.)	Lbs. / Ft.	Depth	Cement	Used		dditives
Surface	9 7/8"	7"	17#	60'	Portland	21sx	Calcium	
Longstring	5 7/8"	2 7/8"	6.5#	1009'	Portland	120sx		
TOWNS OF THE PARTY		ADDITIONAL	CEMENTING	SQUEEZE RECOR	<u> </u>			
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Use			Percent Additive	s	
Protect Casing Plug Back TD Plug Off Zone								
Shots Per Foot	PERFORAT Specify	ION RECORD - Bridge Plug Footage of Each Interval Pe	gs Set/Type rforated		acture, Shot, Cemer Amount and Kind of M		ord	Depth
None	Open hole comp	etition	CHAMBE THE PROPERTY OF THE PRO	Frac w/42	sx sand			1009'-1024'
								•
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No	0		
Date of First, Resumed 6/05/10	Production, SWD or Ef	NHR. Producing Met	hod: Pumping	Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	OII 5	Bbls. Gas	Mcf	Water 2	Bbls.	Gas-Oil Ratio		Gravity
DIAGOST.	ON OF CAS:		METHOD OF CO	MPI ETION:		PRODUCT	ION INTER	
DISPOSITI	ON OF GAS: I Used on Lease		Perf.	Dually Comp. 🔲 C	ommingled			th.
per , perm	bmit ACO-18.)	Other (Specify)	(Su	ibmit ACO-5) (St	ıbmit ACO-4)			

TIME	(785) 23	ACCOUNT	TRUCK	FAX # 233-9947 DRIVER (ブジッパ ERY ADDRESS	TICKET
OMER NAME	1,00	Gilbert 16	3	lickas at Plant	l SLUMP
HASE ORDER		ORDER # TAX		ORDERED DELIVERED	UNIT PRICE AMOU
TTY PRODUCT				Come	440 W
VE PLANT	ARRIVE JOB SITE	NOTE	ISH DISCHARGE	ARRIVE PLANT SUBTOTAL TAX t be held responsible for damage delivering delivering	1128.00
lded and how much.		We are not responsible for concrete freezing after placement.	. caused	to be need tesponstate of the need to be not trucks when delivering the curb-line. Not respond the curb-line. Not responding the curb-line water is	

RECEIVED SEP 0 1 2010 KCC WICHITA