Notary Public.

## 757-00-00 IG RECORD

| STATE COPPORATION COMMISSION                                                                             | 15-051-20                                                                                         |
|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division | WELL PLUGGIN                                                                                      |
| State Corporation Commission<br>212 No. Market<br>Wichita, Kansas 67202<br>NORTH                         | Ellis County. Sec_<br>Location as "NE/CNW%SW%" or footage from lines_<br>Shields Oil Productions. |
|                                                                                                          | Lease Name Amoco-Carmichae Office Address Shields Bldg., Ru                                       |
|                                                                                                          | Character of Well (completed as Oil, Gas or Dry H                                                 |

 $\begin{array}{c|cccc} Twp. & 11 & Rge. & 17 \\ \hline NW & NE & SE \end{array}$ ers, Inc. 1 Well No.\_ 67665 ssell, Kansas Hole). <u>Dry hole</u> <u>9-6 1971</u> Date well completed. <u>9-6 1971</u> Application for plugging filed. <u>9-6 1971</u> Application for plugging approved. <u>9-6 <sub>19</sub> 71</u> Plugging commenced\_  $9-6_{19}71$ Plugging completed\_ Dry hole Reason for abandonment of well or producing formation -If a producing well is abandoned, date of last production\_\_\_ 19 Was permission obtained from the Conservation Division or its agents before plugging was com-Locate well correctly on above Section Plat Yes menced? \_\_ Name of Conservation Agent who supervised plugging of this well\_ Leo Massey Total Depth of Well 3, 180 Feet \_\_ Bottom\_\_\_ Depth to top\_ Producing formation Show depth and thickness of all water, oil and gas formations. CASING RECORD OIL, CAS OR WATER RECORDS PULLED OUT PUT IN FROM SIZE CONTENT FORMATION 8 5/8" Cmtd. w/185 sax 2621 Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_feet for each plug set. Fill hole w/heavy mud Push bridge plug to 550' Spotted 70 sax cement on plug thru 4 1/2" drill pipe Fill hole w/heavy mud Push bridge plug to 240' Spotted 20 sax cement on plug thru 4 1/2" drill pipe Fill hole w/heavy mud Push bridge plug to 40' w/1/2 sax hulls on plug Dump 10 sax cement on plug to cellar (If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor Shields Drilling Co., Inc. Shields Bldg., Russell, Kansas 67665 \_, COUNTY OF \_\_\_RUSSELL KANSAS STATE OF R.J. Shields \_(rmployee of cownex) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God (Signature). Russell, Kansas SUBSCRIBED AND SWORN TO DESORE ME this. . 19<u>71</u> day of





## WELL LOG 15-051-20757-00-00

Operator:

Shields Oil Producers, Inc.

Well:

Amoco - Carmichael #1

Commenced:

September 1, 1971

Completed:

September 6, 1971

Contractor:

Shields Drilling Co., Inc.

CASING RECORD

**Size** 8 5/8<sup>11</sup>

Run 2621 Pulled

Cmtd. w/185 sax

Well Description:

NW NE SE

Sec. 5-11S-17W

Ellis County, Kansas

Elevation:

1,947' R.B.

Treatment:

Production:

D & A

Tops:

CONSERVATION DIVISION

. . . . Figures Indicate Bottom of Formations .

| Shale                | 2681       |  |
|----------------------|------------|--|
| Shale & blue shale   | 610'       |  |
| Sand, shale & redbed | 1,145'     |  |
| Shale                | 1,1931     |  |
| Anhydrite            | 1,223'     |  |
| Shale, salt & shells | 1,610'     |  |
| Shale & Lime         | 3, 0.971   |  |
| Lime                 | 3,180' RTD |  |