KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31763	API No. 15 - 19.579 19"1 - 19072 - 00-01
Name:Blake Production Company, Inc.	Spot Description:
Address 1:1601 NW Expressway Ste 1200	<u>SW_SW_NESec4Twp14SR10</u>
Address 2:	2,310 2968 Feet from North / South Line of Section
City: Oklahoma Ctiy State: OK Zip: 73118 +	2,3/10 255 Feet from Fast / West Line of Section
Contact Person: Brian Rickard	GPS / CCC - D C Footages Calculated from Nearest Outside Section Corner:
Phone: (405) 286-9800 ext 14	□ne □nw ☑se □sw
CONTRACTOR: License #30141	County:_Wabaunsee
Name: Summit Drilling Company	Lease Name: G.H. Davis "B" Well #: 4
Wellsite Geologist: NA	Field Name: Davis Ranch
Purchaser: NA	Producing Formation: Viola
Designate Type of Completion:	Elevation: Ground: 1396.5' Kelly Bushing: 1400'
New Well ☐ Re-Entry ✓ Workover	Total Depth: 3200' Plug Back Total Depth:
☐ Oil ☐ WSW 📝 SWD ☐ SIOW	Amount of Surface Pipe Set and Cemented at: 160' Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used?
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: NA Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: NA
Cathodic Other (Core, Expl., etc.):	feet depth to: NA w/ NA sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator: Exon Corporation	Drilling Fluid Management Plan
Well Name: _G.H. Davis "B" 4	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: _11/1949	Chloride content: Freshwaterppm Fluid volume: bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name: NA
Dual Completion Permit #:	Lease Name: NA License #: NA
SWD Permit #:	Quarter NA Sec TwpS. R East West
ENHR Permit #:	County: NA Pormit #: NA
GSW Permit #:	RECEIVED
Spud Date or Date Reached TD Completion Date or	SEP 1 3 20
Recompletion Date Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requirality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	uested in writing and submitted with the form (see rule 82-3-107 for confiden- Il report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and relations promulgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowledge.	with Letter of Confidentiality Received
2 26 1	Confidential Release Date: Wireline Log Received
Signature: SRUM Michael	
Title:	UIC Distribution ALT I III Approved by: Date: 9 15 10

	Blake Production Company, Inc.								Well #: 4		
Sec. 4 Twp. 14	s. R. <u>10</u>	✓ East	West	Coun	_{ty:} Wab	aunsee					
INSTRUCTIONS: Shortime tool open and clos recovery, and flow rates line Logs surveyed. Att	ed, flowing and shu s if gas to surface te	t-in pressu st, along w	res, whether s ith final chart	shut-in pre	ssure rea	ched static level	hydrostatic pre	ssures, bottom	hole temp	erature, flo	
(Attach Additional Sheets)		Yes	Yes ☑ No ☐ I			Log Formation (Top), Depth and Datum				Sample	
		Yes	Yes No		Nam	ne		Тор	Datum		
Cores Taken		Yes									
Electric Log Run Electric Log Submitted (If no, Submit Copy)	Electronically	☐ Yes									
ist All E. Logs Run:			, 				_ ~~_			- v 1m	
				RECORD		ew Used					
Purpose of String	Size Hole	Size	Casing	We	eight	Setting	Type of	# Sacks		and Percent	
Surface	Drilled	Set (In O.D.)		Lbs. / Ft.		Depth 160'	Cement 125 SX	125	Additives 2% CACL		
Casing	9"	7"		20		3196'	400 SX	400	J-55 Grade		
			ADDITIONAL	_ CEMENT	ING / SQL	JEEZE RECORD					
Purpose: Perforate	Depth Top Bottom	Type of Cement		# Sacks Used		Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone	NA	NA		NA		NA			<u></u>		
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
6	3067'-3114'							·			
								la la companya da Alba Parana da Referencia da Alba Parana da Alba Parana da Alba Parana da Alba Parana da Alba			
TUBING RECORD: 2.5	Size: 5"	Set At: 3156'		Packer / 3156'	At:	Liner Run:] Yes ✓ N	o			
Date of First, Resumed Pr	oduction, SWD or ENF	fR.	Producing Meth	nod: Pumpi	ng 🗌	Gas Lift 🔲 O	ther (Explain)				
Estimated Production Per 24 Hours	Oil B	Bbls. Gas NA		Mcf	Water NA		Bbls. Gas-Oil Ratio		Gravity		
DISPOSITION	I OF GAS:			METHOD O		_		PRODUCTION	ON INTER	/AL:	
Vented Sold (If vented, Submi	Used on Lease		en Hole 👢	Perf.	Dually (Submit)		nmingled nit ACO-4)			RECEI	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

SEP 1 3 2010