

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 3728
Name: Roger Kent dba R J Enterprises
Address 1: 22082 Northeast Neosho Road
Address 2: _____
City: Garnett State: KS Zip: 66032 + 1918
Contact Person: Roger Kent
Phone: (785) 448-6995 or 448-7725
CONTRACTOR: License # 3728
Name: Roger Kent dba R J Enterprises
Wellsite Geologist: nn/a
Purchaser: n/a

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SLOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth: _____
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____

| | | |
|-----------------------------------|--------------------|---|
| <u>April 29, 2010</u> | <u>May 3, 2010</u> | <u>May 3, 2010</u> |
| Spud Date or Recompletion Date | Date Reached TD | Completion Date or Recompletion Date |

API No. 15 - 001-30003-00-00
Spot Description: _____
SE SE NW NW Sec. 34 Twp. 23 S. R. 21 East West
4,125 Feet from North / South Line of Section
4,125 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Allen
Lease Name: Rife Well #: 2-A
Field Name: Davis-Bronson
Producing Formation: Mississippian
Elevation: Ground: 1007 Kelly Bushing: n/a
Total Depth: 789 ft. Plug Back Total Depth: 783.3 ft.
Amount of Surface Pipe Set and Cemented at: 20'-7" Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: surface
feet depth to: 783.3 ft. w/ 72 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls
Dewatering method used: Drilled with fresh water - air dry
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License #: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Permit #: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Danna Thanda
Title: Agnet Date: September 20, 2010

KCC Office Use ONLY

Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: Dlg Date: 9/24/10

Operator Name: Roger Kent dba R J Enterprises Lease Name: Rife Well #: 2-A

Sec. 34 Twp. 23 S. R. 21 East West County: Allen

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

| | |
|--|---|
| <p>Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i></p> <p>Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(If no, Submit Copy)</i></p> <p>List All E. Logs Run: Gamma Ray/Neutron/CCL</p> | <p><input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample</p> <p>Name Top Datum</p> <p>See attached Log</p> |
|--|---|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Surface | | 7" | | 20'-7" | Portland | 72 sxs | |
| Production | | 2-7/8" | | 783.3' | | | |
| | | | | | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|---|------------------|----------------|--------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate | | | | |
| <input type="checkbox"/> Protect Casing | | | | |
| <input type="checkbox"/> Plug Back TD | | | | |
| <input type="checkbox"/> Plug Off Zone | | | | |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i> | Depth |
|----------------|---|--|-------|
| 13 perms | 733.0 - 739.0 ft. | | |
| | | | |
| | | | |
| | | | |

| | | | | | |
|---|-----------|---------|--|---------------|---|
| TUBING RECORD: | | Size: | Set At: | Packer At: | Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Date of First, Resumed Production, SWD or ENHR. | | | Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____ | | |
| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio | Gravity |

| | | |
|---|---|---|
| <p>DISPOSITION OF GAS:</p> <p><input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i></p> | <p>METHOD OF COMPLETION:</p> <p><input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i></p> <p><input type="checkbox"/> Other <i>(Specify)</i> _____</p> | <p>PRODUCTION INTERVAL:</p> <p>_____</p> <p>_____</p> |
|---|---|---|

R. J. Enterprises
22082 NE Neosho Rd
Garnett, KS 66032

RECEIVED
SEP 22 2010
KCC WICHITA

Rife 2-A

Start 4-29-10

Finish 5-3-10

| | | | |
|-----|-------------|-----|-------------------|
| 1 | soil | 1 | |
| 6 | clay & rock | 7 | |
| 45 | lime | 52 | |
| 4 | shale | 56 | |
| 4 | lime | 60 | |
| 4 | shale | 64 | |
| 44 | lime | 108 | |
| 162 | shale | 270 | set 20' 7" |
| 24 | lime | 294 | ran 783.3' 2 7/8 |
| 69 | shale | 636 | cemented |
| 29 | lime | 392 | to surface 72 sxs |
| 39 | shale | 431 | |
| 19 | lime | 450 | |
| 8 | shale | 458 | |
| 6 | lime | 464 | |
| 96 | shale | 560 | |
| 3 | lime | 563 | |
| 166 | shale | 729 | |
| 3 | sand | 732 | odor |
| 6 | oil sand | 738 | good show |
| 1 | dk sand | 739 | show |
| 50 | shale | 789 | T.D. |

GARNETT TRUE VALUE HOMECENTER
 410 N Maple
 Garnett, KS 66032
 (785) 448-7108 FAX (785) 448-7135

Merchant Copy
INVOICE
 THIS COPY MUST REMAIN AT
 MERCHANT AT ALL TIMES!

Page: 1 Invoice: **10155886**

Special : Time: 13:29:59
 Instructions : Ship Date: 03/08/10
 Invoice Date: 03/08/10
 Due Date: 04/08/10

Sale rep #: MIKE Acct rep code:

Sold To: ROGER KENT Ship To: ROGER KENT
 22082 NE NEOSHO RD (785) 448-6985 NOT FOR HOUSE USE
 GARNETT, KS 66032 (785) 448-6985

Customer #: 0000357 Customer PG: Order By:

| ORDER | SHIP | L | U/M | ITEM# | DESCRIPTION | Alt Price/Uom | PRICE | EXTENSION |
|---|--------|---|-----|-------|---------------------|---------------|------------------|-----------|
| 6.00 | 6.00 | P | PL | CPMP | MONARCH PALLET | 14.0000 PL | 14.0000 | 84.00 |
| 540.00 | 540.00 | P | BAG | CPPC | PORTLAND CEMENT-84# | 8.0900 EA | 8.0900 | 4389.80 |
| | | | | | | Sales total | \$4452.60 | |
| FILLED BY _____ CHECKED BY _____ DATE SHIPPED _____ DRIVER _____ SHIP VIA ANDERSON COUNTY RECEIVED COMPLETE AND IN GOOD CONDITION | | | | | | Taxable | 4452.60 | |
| | | | | | | Non-taxable | 0.00 | |
| | | | | | | Sales tax | 302.78 | |
| | | | | | | TOTAL | \$4755.38 | |

1 - Merchant Copy



GARNETT TRUE VALUE HOMECENTER
 410 N Maple
 Garnett, KS 66032
 (785) 448-7108 FAX (785) 448-7135

Merchant Copy
INVOICE
 THIS COPY MUST REMAIN AT
 MERCHANT AT ALL TIMES!

Page: 1 Invoice: **10156299**

Special : Time: 16:33:31
 Instructions : Ship Date: 03/18/10
 Invoice Date: 03/18/10
 Due Date: 04/08/10

Sale rep #: MIKE Acct rep code:

Sold To: ROGER KENT Ship To: SPRAYER PARTS
 22082 NE NEOSHO RD (785) 448-6985 NOT FOR HOUSE USE
 GARNETT, KS 66032 (785) 448-6985

Customer #: 0000357 Customer PG: Order By:

| ORDER | SHIP | L | U/M | ITEM# | DESCRIPTION | Alt Price/Uom | PRICE | EXTENSION |
|--|------|---|-----|--------------------|--------------------------------------|---------------|----------------|-----------|
| 1.00 | 1.00 | L | EA | AL162000AV/SEAL | AL 162000AV/SEAL PRIME BUTTON | 8.9900 EA | 8.9900 | 8.99 |
| 1.00 | 1.00 | L | EA | AL159500SV/SERVICE | AL 159500SV/SERVICE KIT PRIME BUTTON | 20.9900 EA | 20.9900 | 20.99 |
| 1.00 | 1.00 | P | EA | 999 | SHIPPING | 5.1400 EA | 5.1400 | 5.14 |
| | | | | | | Sales total | \$35.12 | |
| FILLED BY _____ CHECKED BY _____ DATE SHIPPED _____ DRIVER _____ SHIP VIA Customer Pick up RECEIVED COMPLETE AND IN GOOD CONDITION | | | | | | Taxable | 35.12 | |
| | | | | | | Non-taxable | 0.00 | |
| | | | | | | Sales tax | 2.57 | |
| | | | | | | TOTAL | \$37.69 | |

1 - Merchant Copy



RECEIVED
 SEP 22 2010
 KCC WICHITA