CONFIDENTIAL

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 September 1999 Form Must Be Typed

CONSERVATION DIVISION WICHITA, KS

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #	API No. 15 - 137-20489-00-00
Name: Vincent Oil Corporation	County: Norton
Address:155 N. Market, Suite 700	N/2 -NW - SW - SE Sec. 32 Twp. 5 S. R. 22 ☐ East ✓ West
City/State/Zip: Wichita, Kansas 67202	feet from \$\infty\$ / N (circle one) Line of Section
Purchaser: None - D&A	2310 feet from E / W (circle one) Line of Section
Operator Contact Person: M.L. Korphage	Footages Calculated from Nearest Outside Section Corner:
Phone: (_316) _262-3573	(circle one) NE (SE) NW SW
Contractor: Name: W-W Drilling LLC	Lease Name: Reed Trust Well #: 2-32
License: 33575	Field Name: LeNort
Wellsite Geologist: Jeff Christian	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 2351 Kelly Bushing: 2356
New Well Re-Entry Workover	Total Depth: 3800 Plug Back Total Depth:
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expression of Control o	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:AUG 0 5 2008	feet depth tow/sx cmt.
Well Name: Original Total Depth:	Drilling Fluid Management Plan PA NH 10 14 08 (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	
Plug Back Plug Back Total Depth	Chloride content 26,000 ppm Fluid volume 1000 bbls
Commingled Docket No	Dewatering method used Allow to dry by evaporation and backfill
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
Other (SWD of Linit.:)	Lease Name: License No.:
7/10/2008 7/15/2008 7/15/2008 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East _ West
Recompletion Date Date Place Pl	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove	
All requirements of the statutes, rules and regulations promulgated to regular herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
$m \leq K_{\bullet}$	
Signature: /// Oil) Oyh y	KCC Office Use ONLY
Title: Geologist Date: August 5, 2008	Letter of Confidentiality Received
Subscribed and sworn to before me this 5th day of August	If Denied, Yes Date:
	Wireline Log Received
20_08	Geologist Report Receives CORPORATION COMMISSION
Notary Public: Calanda Culton	UIC Distribution
Date Commission Expires: YOLANDA EUBANKS	AUG 0 6 2008
STATE OF KANSAS Finy Apple End. 10 - 7-09	CONSERVATION DIVISION

ORIGINAL

Side Two

CONFIDENTIAL

Operator Name: VInce	ent Oil Corporation			Lea	se Name:	Reed Trust		_ Well #:	-32	
Sec5	S. R. <u>22</u>	Eas	st 🗹 West	Cou	nty: Norto	n				
INSTRUCTIONS: She tested, time tool open temperature, fluid reco Electric Wireline Logs	and closed, flowin	g and shu s if gas to	it-in pressures, o surface test, a	whether along wit	shut-in pr	essure reached	static level, hydro	static pressu	ires, bottoi	m hole
Drill Stem Tests Taken (Attach Additional S		✓ Y Attache			∑ ι	.og Formatio	on (Top), Depth a	nd Datum		Sample
Samples Sent to Geological Survey				Nam Anhy			Top 1978		Datum -378	
Cores Taken				'	nhydrite		2007		-349	
Electric Log Run		✓ Y	es No			ner Shale		3522 -1166		1166
(Submit Copy)					Lans	ing		3570 -1214		1214
List All E. Logs Run:					Starl	Shale		3727	7 -1371	
Dual Induction,	, Neutron-De	nsity			B.K.	C .		3751 -1395		395
					RTD	/ LTD		3800 -1444		444
		Repo	CASING			w Used	on, etc.			
Purpose of String	Size Hole	Siz	e Casing	W	eight	Setting 4	Type of	# Sacks		and Percent
Surface Casina	Drilled		t (in O.D.)		s. / Ft.	Depth 259'	Cement	Used	1	dditives
Surface Casing	12 1/4"		3 5/8"	23	S# 	259	Common	175	2% Gei	, 3% CC
									-	
			ADDITIONAL	CEMENT	ring / squ	JEEZE RECORD				
Purpose:	Depth Top Bottom	Туре	of Cement	#Saci	ks Used	red Type and Percent Additives				
Perforate Protect Casing	,									
Plug Back TD Plug Off Zone										
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type				е	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
Shots Per Foot Specify Footage of Each Interval Perforated				(Amount and Nind of Waterial Osed)						
										-
			,							
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes No			
Date of First, Resumerd P	roduction, SWD or Er	ıhr.	Producing Meth	od						
Dry and Abandoned					Flowing	Pumping			er (Explain) .	
Estimated Production Per 24 Hours	Oił E	lbis.	Gas N	√lcf	Water	Bbl:	s. Ga	s-Oil Ratio		Gravity
Disposition of Gas	METHOD OF CO	OMPLETIO	N	L		Production Interva	I			· · · · · · · · · · · · · · · · · · ·
VentedSold	Used on Lease		Open Hole	Per	f. De	ually Comp.	Commingled			
(If vented, Subm		:	Other (Specify	/)	-					

ALLIED CEMENTING CO., LLC. 34794

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT:					
			J ussell			
DATE 7-15-2008 SEC. 32 TWP RANGE 22	ALLED OUT	ON LOCATION	JOB START	JOB FINISH G:OOM		
LEASERGED TRUST# 2-32 LOCATION HILL CIT	2 14N1	SE YAN	COUNTY KORTON	STATE		
OLD OF NEW (Circle one)	7 117 1	2 - T/Y) (O() O)	1) ansas		
CONTRACTOR W-W DRLQ, Rig #4 TYPE OF JOB ROTARY Plug	OWNER					
HOLE SIZE 7 7/8 T.D. 3800'	CEMENT		. 100	•		
CASING SIZE 85/8 SURFAY DEPTH	AMOUNT OR	dered 1 <i>95</i>	SK 6/40	4% Gel		
TUBING SIZE DEPTH		14.# F10.	Seal	Per SX.		
DRILL PIPE DEPTH						
TOOL DEPTH		—	مر د	1000 50		
PRES. MAX 200# MINIMUM	COMMON	-42	_@ <u>/3.5</u>	1579,		
MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG	POZMIX		_@ <u></u>	588,7		
33773777 227 7 477 000.	GEL	- </td <td>_@ <u>20.82</u></td> <td>19/1 -</td>	_@ <u>20.82</u>	19/1 -		
PERFS. AUG 0 5 2008 DISPLACEMENT	CHLORIDE _ ASC_		_@ ,	,		
EQUIPMENTICC		49 165.	-@ - 2. 12	120.05		
EQUIPMENTING	7707.47	, , , , , , ,	@	100.		
DIO (DEDVICE)						
PUMPTRUCK CEMENTER STRANGE # 398 HELPER STARY			@			
# 398 HELPER GARY BULK TRUCK			@			
200			@			
BULK TRUCK			_ @	· · · · · · · · · · · · · · · · · · ·		
# DRIVER	***************************************		- @ 1 25 -			
	HANDLING_ MILEAGE	CHI	@)	454.		
REMARKS:	WILLEAGE	3/7/10	<i>y</i> . , -	11202		
KEMAKIS.				4298,1-		
15 CK @ 1000		OFFICE		•		
		SERVI	CE	,		
40 SK @ 310	DEPTH OF JO	D	\.			
10 SK @ 40 + Plug		CHARGE		99/ 00		
20 SK @ Ruthole	EXTRA FOOT		@	_//(: -		
		70		525 00		
/AANK'S						
			_ @	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
1/. 0			@			
CHARGE TO: VINCENT OIL CORPORA	TION		T.			
STREET			TOTAL	1516.00		
		t				
CITYSTATEZIP		PLUG & FLOA	r eathdaea	Jac		
	054	LUG & FLOA	LQUIFNIEN	0- 00-		
	DYB DR	y Hole Plug		39,		
		<i>O</i>		-		
To Allied Companies Co. LLC			@			
To Allied Cementing Co., LLC.			_ @ @			
You are hereby requested to rent cementing equipment			_ @			
and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was				,		
done to satisfaction and supervision of owner agent or			ТОТАТ	39,00		
contractor. I have read and understand the "GENERAL"			IOIAL			
TERMS AND CONDITIONS" listed on the reverse side.	SALES TAX (If Any)	•			
isted on the levelse side.	`	• •		•		
		RGES				
PRINTED NAME Rodney Doberty	DISCOUNT _		IF PAI	D IN 30 DAYS		
SIGNATURE AS A STATE OF A			•			
NICHARDE ALS III A. I. III						

ALLIED CEMENTING CO., LLC. 32131

REMIT TO P.O. BO RUSSE	OX 31 ELL, KAN	SAS 6766	55 MS(03/08		SERVICE POINT:				
DATE 7-10-08	SEC Z2	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START 7:300.	JOB FINISH		
MELL - THUST	WELL# 🗢		LOCATION H'//	1014 18 N	IE	COUNTY	STATE		
OLD OR NEW Circ	ele one)		Wit						
CONTRACTOR 4		Orillity	R's # 4	OWNER	<u>-</u> -				
TYPE OF JOB Je			260	CEMENT					
	Ve		TH253		DERED _ / 7	- Con i	32.Cc 28.G		
TUBING SIZE		DEF							
DRILL PIPE		DEI	PTH						
TOOL		DEI			. — . —	·- 50			
PRES. MAX MEAS. LINE			NIMUM DE LOINTE	_ COMMON	175		- <u>2362, 5</u>		
CEMENT LEFT IN	CSG Zs		DE JOINT	POZMIX	7	$-\frac{@}{2a}\frac{1}{2a}$	10 20		
PERFS.	,			GEL CHLORIDE _		_@ <u>20, 25</u>	309 0		
DISPLACEMENT	15 6	7/GO	NIDENTAL	CHEORIDE ASC	_6	@ <u>\$7,=</u> @	307		
1121	EOIII	PMEN	UG 0 5 2008			_			
	EQUI.	11112111	1/00						
PUMP TRUCK C	EMENTE	R. Sha			•				
	ELPER		2.6			@			
BULK TRUCK						_ @			
	RIVER	mike				_@			
BULK TRUCK	Drimo					_@			
#D	RIVER			HANDLING	184	- @ 2 22	4/4 1		
		٠		MILEAGE		1.10	1288.		
	REM	ARKS:			,	TOTAL	4434.2		
	culati	inculati	Mixed Const		SERVI	CE			
Displacel			C (E () C ()	_ DEPTH OF JO	B				
			\sim /		CHARGE_		99/ 0		
	cat	(/ce/	_ EXTRA FOOT		@			
				MILEAGE	70	@ 7. 50	525. 2		
				MANIFOLD _		@			
						@			
CHARGE TO:	lincan	4 1	24	·		@			
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		/	_		· ·	15,100		
STREET						TOTAL	1516.		
CITY	STA	TE	ZIP		PLUG & FLOAT	r EQUIPMEN	VΤ		
			Marks!	-					
			Marks			_ @			
To Allied Cementin	ac Co. I i		•	£57	wood Hy	@	11 00		
You are hereby req	nested to	LC. rent cem	enting aguinment		- Cosa My	@	_66		
and furnish cement	er and he	Iner(s) to	assist owner or			_			
contractor to do wo	ork as is li	sted. Th	ie above work was						
done to satisfaction	and supe	ervision	of owner agent or	•		TOTAL	66.00		
contractor. I have a	read and u	ınderstar	nd the "GENERAL			, ~ 0 11 112			
TERMS AND CON					f Any)		·		
					GES				
PRINTED NAME_	Rod ne	er Da	hertu				D DYCC -		
		,		_ DISCOUNT _		IF PAI	D IN 30 DAYS		
CICNIATELIDE A	1	01	1						