KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED OR AUG 2 6 2010

June 2009 Form Must Be Typed

Form must be Signed **WELL COMPLETION FORM** WELL HISTORY - DESCRIPTION OF WELL & LEASE C WICHITA All blanks must be Filled

OPERATOR: License # 31280	API No. 15 - 031-22630-00-00					
Name: Birk Petroleum	Spot Description:					
Address 1: _ 874 12th Rd SW	NE_NW_SE_NW Sec. 23 Twp. 22 S. R. 16 V East West					
	3,795 Feet from North / South Line of Section					
Address 2:	2.405					
,	Feet nom ▼ East 7 West Line of Section					
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:					
Phone: (620) 364-5875	□ NE □ NW ☑ SE □ SW					
CONTRACTOR: License #_31280	County: Coffey					
Name: Birk Petroleum	Lease Name: Gilbert Well #: 10					
Wellsite Geologist: None	Field Name: Unnamed NEOSho Falls - Le Roy					
Purchaser: Coffeyville Resources	Producing Formation: Squirrel					
Designate Type of Completion:	Elevation: Ground: 1034 Est. Kelly Bushing:					
✓ New Well	Total Depth: 1022 Plug Back Total Depth: 1022					
☑ Oil ☐ wsw ☐ swd ☐ slow	Amount of Surface Pipe Set and Cemented at: 40 Feet					
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No					
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet					
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 1010					
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.					
If Workover/Re-entry: Old Well Info as follows:	sx cm.					
Operator:						
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Original Comp. Date: Original Total Depth:	,					
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbis					
Conv. to GSW	Dewatering method used:					
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:					
Commingled Permit #:	0					
Dual Completion Permit #:	Operator Name:					
SWD Permit #:	Lease Name: License #:					
ENHR Permit #:	Quarter Sec TwpS. R					
GSW Permit #:	County: Permit #:					
7/13/10 7/14/10 7/14/10						
Spud Date or Date Reached TD Completion Date or Recompletion Date						
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requitality in excess of 12 months). One copy of all wireline logs and geologist well.	enversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden-					

BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

	Kinda K. Birk
Signature:	/ /\dryllly T\a(\X\I\a\)
	0 1
Title: Agent	Date: August 24, 2010

KCC Office Use ONLY
M Letter of Confidentiality Received
Date:
Confidential Release Date:
☐ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT Approved by:

Side Two

Operator Name: Bi	rk Petroleum		Lease N	lame: _	Gilbert		Well #:1	0	
Sec. 23 Twp. 22 S. R. 16				County: Coffey					
time tool open and or recovery, and flow ra	losed, flowing and sh	nd base of formations per ut-in pressures, whether s est, along with final charte il well site report.	shut-in press	ure rea	iched static level	, hydrostatic	pressures, bottom	hole tem	perature, fluid
Drill Stem Tests Take		☐ Yes ✓ No		L	.og Formatio	on (Top), De	pth and Datum	- [/	Sample
Samples Sent to Ge	ological Survey	Yes 🗸 No		Name			•		Datum
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		Yes No Yes No Yes No	☐ Yes ☑ No ☐ Yes ☑ No		Squirrel Sand				2 6 2010
List All E. Logs Run: None			į				ŀ	CC V	VICHITA
	-	-				/ _ //= #****			
		CASING Report all strings set-	RECORD conductor, sur		ew 🗸 Used ermediate, product	ion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weigh Lbs. / I		Setting Depth	Type Ceme			and Percent Additives
Surface	9 7/8"	7"	17#		60'	Portland	21sx	Calcium	
Long String	6 1/8"	2 7/8"	6.5#		1010'	Portland	120sx		
	The second secon								
Purpose:	Depth		Γ		JEEZE RECORD				
Perforate Protect Casing	Top Bottom	Type of Cement # Sac)sea 	ed Type and Percent Additive			s 	
Plug Back TD Plug Off Zone									
Shots Per Foot		ON RECORD - Bridge Plug					ement Squeeze Reco	rd	Depth
None	Specify Footage of Each Interval Performance Open Hole Completition 1010'-1022'			Frac w/40 sx sand					1010'-1022'
	s		-						
	- 1 V O W O O O O O O O O O O O O O O O O O								
		The Market Control of the Control of	·						
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:	Yes [□ No		
Date of First, Resumed 7/14/10	Production, SWD or EN		od: Pumping		Gas Lift 🔲 O	ther (Explain)			
Estimated Production Per 24 Hours	OII 1	Bbls. Gas I	Vicf	Wate		ls.	Gas-Oil Ratio		Gravity
DISPOSITION	ON OF GAS:	M	ETHOD OF C	OMPLE	TION:		PRODUCTION	ON INTER	VAL:
Vented Sold	Used on Lease	I — —	Perf.	Dually Submit A	Comp. Com	mingled ait ACO-4)			

PLANT TIME	Plant P.O. (785) 233-9900	[18] · [18] [18] · [18	他们是说到 fight (s. fast)	/ Wix , Rd.•Topeka, Kansas	and the second of the control of the
17:50	7 14 16	GG.	1. /11///	Houston,	HORE
CUSTOMER NAME 3.50	1 Gilbe	2r+ DE	ELIVERY ADDRESS		,
		10			
PURCHASE ORDER	ORDER # TA	AX .			SLUMP
LOAD OTY PRODUCT	DESCRIPTION OF STATE	KARA		DERED DELIVERED	UNIT PRICE AMOUNT
3 hours	and the		(ement		940
LEAVE PLANT ARRIVE J	OB SITE START DISCHÂRGE	FINISH DISCHARG	E ARRIVE PLANT		
DRIVER Note here if water has been added and how much.	n NOTE We are not responsible for freezing after placement.	caused material sible fo	IMPORTANT not be held responsible for one of trucks when de beyond the curb-line. Not or quality of concrete if we purchaser.	elivering respon- ater is PREVIOUS TOTAL	11780
	Caution: FRESH CONCRET Body or eye contact with fresh	E		GRAND TOTAL	1478.00
<i></i>	concrete should be avoided b	ecause	1 By	**	157101

19.59

RECEIVED
AUG 2 6 2010

KCC WICHITA

3089.07