

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

AUG 26 2010

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM KCC WICHITA
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280
Name: Birk Petroleum
Address 1: 874 12th Rd SW
Address 2: _____
City: Burlington State: Kansas Zip: 66839 + _____
Contact Person: Brian L. Birk
Phone: (620) 364-5875
CONTRACTOR: License # 31280
Name: Birk Petroleum
Wellsite Geologist: None
Purchaser: Coffeyville Resources

Designate Type of Completion:
☒ New Well ☐ Re-Entry ☐ Workover
☒ Oil ☐ WSW ☐ SWD ☐ SIOW
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW
☐ OG ☐ GSW ☐ Temp. Abd.
☐ CM (Coal Bed Methane)
☐ Cathodic ☐ Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD
☐ Conv. to GSW

☐ Plug Back: _____ Plug Back Total Depth _____

☐ Commingled Permit #: _____

☐ Dual Completion Permit #: _____

☐ SWD Permit #: _____

☐ ENHR Permit #: _____

☐ GSW Permit #: _____

6/22/10 6/25/10 6/25/10

Spud Date or
Recompletion Date Date Reached TD Completion Date or
Recompletion Date

API No. 15 - 031-22621-00-00

Spot Description: _____

SW SW NE NW Sec. 23 Twp. 22 S. R. 16 ☒ East ☐ West

4,125 Feet from ☐ North / ☒ South Line of Section

3,795 Feet from ☒ East / ☐ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☒ SE ☐ SW

County: Coffey

Lease Name: Gilbert Well #: 4

Field Name: Unnamed Neosho Falls-Lefroy

Producing Formation: Squirrel

Elevation: Ground: 1038 Est. Kelly Bushing: _____

Total Depth: 1015 Plug Back Total Depth: 1015

Amount of Surface Pipe Set and Cemented at: 40 Feet

Multiple Stage Cementing Collar Used? ☐ Yes ☒ No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: 993

feet depth to: surface w/ 120 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West

County: _____ Permit #: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Rinda L. Burt

Title: Agent Date: August 24, 2010

KCC Office Use ONLY

☒ Letter of Confidentiality Received

Date: _____

☐ Confidential Release Date: _____

☐ Wireline Log Received

☐ Geologist Report Received

☐ UIC Distribution

ALT ☐ I ☒ II ☐ III Approved by: Dlg Date: 8/31/10

Operator Name: Birk Petroleum Lease Name: Gilbert Well #: 4
 Sec. 23 Twp. 22 S. R. 16 ☒ East ☐ West County: Coffey

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run: None	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample <table style="width: 100%;"> <tr> <td style="width: 60%;">Name</td> <td style="width: 20%;">Top</td> <td style="width: 20%;">Datum</td> </tr> <tr> <td>Squirrel Sand</td> <td>995</td> <td></td> </tr> </table> <div style="text-align: right; padding-top: 20px;"> RECEIVED AUG 26 2010 KCC WICHITA </div>	Name	Top	Datum	Squirrel Sand	995	
Name	Top	Datum					
Squirrel Sand	995						


CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9 7/8	7"	17#	50'	Portland	21sx	Calcium
Long String	6 1/8"	2 7/8"	6.5#	993'	Portland	120sx	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
None	Open Hole Completion 993-1015	Frac w/42 sx sand	993-1015

TUBING RECORD:		Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or ENHR. 7/13/10			Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____		
Estimated Production Per 24 Hours	Oil Bbls. 5	Gas Mcf	Water Bbls. 2	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	--	---



Meier's Ready Mix, Inc.

Plant
(785) 233-9900

P.O. Box 8477 • 1105 N.W. Lower Silver Lk Rd • Topeka, Kansas 66608
FAX: (785) 233-9947

Office
(785) 233-2423

PLANT	TIME	DATE	ACCOUNT	TRUCK	DRIVER	TICKET
		4/25/10		6100 DWH		
CUSTOMER NAME			DELIVERY ADDRESS			
Birk Oil			Pick up at Plant			
Gilbert			#4			
PURCHASE ORDER		ORDER #	TAX			SLUMP
LOAD QTY	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT

20 Bag Cement		Water 940		
LEAVE PLANT	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT
DRIVER Note: No water has been added and how much.				
NOTE: We are not responsible for concrete freezing after placement.				
294651				
Caution: FRESH CONCRETE				
Body or eye contact with fresh (moist) concrete should be avoided because it contains alkali and is caustic.				
IMPORTANT: We cannot be held responsible for damage caused by our trucks when delivering material beyond the curb-line. Not responsible for quality of concrete if water is added by purchaser.				
SUBTOTAL 1187.78				
TOTAL 1187.78				
PREVIOUS TOTAL				
GRAND TOTAL 1187.78				

RECEIVED
AUG 28 2010
KGC WICHITA