

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

8/18/10

Operator: License # 32825
Name: Pioneer Exploration, LLC
Address: 15603 Kuykendahl Suite 200
City/State/Zip: Houston, Texas 77090
Purchaser: NCRA
Operator Contact Person: Cynthia B. Gray
Phone: (281) 893-9400 x.259
Contractor: Name: Warren Drilling LLC
License: 33724
Wellsite Geologist: Mike Engelbrecht

API No. 15 - 055-21978-00-00
County: Finney
 NW NE Sec. 19 Twp. 22 S. R. 33 East West
330 feet from S N (circle one) Line of Section
2310 feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Garden City "B" Well #: 4-19

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

Field Name: Damme
Producing Formation: Morrow
Elevation: Ground: 2902 Kelly Bushing: 2915
Total Depth: 4931 Plug Back Total Depth: 4880
Amount of Surface Pipe Set and Cemented at 353 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 2755 Feet
If Alternate II completion, cement circulated from 4931
feet depth to surface w/ 1125 sx cmt.

If Workover/Re-entry: Old Well Info as follows: AUG 18 2008
Operator: _____
Well Name: KCC

Drilling Fluid Management Plan AT II NH (1520-08)
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____


Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____
5/10/08 5/10/08 5/20/08
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Cynthia B. Gray
Title: Field Operations Date: 08/18/08
Subscribed and sworn to before me this 18th day of August,
20 08
Notary Public: Clark Ordes
Date Commission Expires: DEC. 13, 2010

KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
RECEIVED
KANSAS CORPORATION COMMISSION
AUG 20 2008



CONSERVATION DIVISION
WICHITA, KS

Operator Name: Pioneer Exploration, LLC Lease Name: Garden City "B" Well #: 4-19
 Sec. 19 Twp. 22 S. R. 33 East West County: Finney

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:

Log Formation (Top), Depth and Datum Sample
 Name Top Datum

SEE ATTACHED

CNL/CDL MEL, DIL, CBL

CONFIDENTIAL

AUG 18 2008

KCC CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	24	353	Common	225	3% cc w/ 2% gel
Production	7-7/8"	4-1/2"	10.5	4931	C/C-lite/ASC	1125	10% salt, 2% gel, 5# gilsonite; 1/4# flo-seal


ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	4738-4745, 4752-4755, 4762-4764, 4767-4771	1500 gal 7 1/2 NEFE w/ 80 balls	4738-4771
TUBING RECORD		Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Size Set At Packer At 2-3/8" 4680			
Date of First, Resumerd Production, SWD or Enhr. 5/30/08	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls. 80	Gas Mcf 0	Water Bbls. 8 Gas-Oil Ratio 0 Gravity 28.0

RECEIVED
 KANSAS CORPORATION COMMISSION
 AUG 20 2008
 CONSERVATION DIVISION
 WICHITA, KS

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)
 METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled
 Production Interval Other (Specify)



PIONEER

EXPLORATION, LLC

August 18, 2008

Kansas Corporation Commission
Finney State Office Building
130 S. Market, Room 2078
Wichita, Kansas 67202-3802

CONFIDENTIAL
AUG 18 2008

*KCC
MAY 20/08*

Tel: (316) 337-6200
Fax: (316) 337-6211

KCC

APLA: 15-055-21978-0000

Ref: Garden City "B" No. 4-19 Completion Report (Form ACO-1)

Attached please find completion report for the Garden City "B" No. 4-19 submitted by Pioneer Exploration, LLC for your review, approval and further handling.

Included in this submission are all of the following forms for each of the wells listed above:

1. Form ACO -1 – original and 2 copies
2. Cementing Reports – Surface and Production
3. One Copy of all wireline logs and geologist reports

*Please hold any information on the above referenced well in "Confidential Custody" for the maximum time as prescribed in K.A.R. 82-3 107 (e) (1). An additional one year extension will also be requested as is authorized by K.A.R. 82-3 107 (e) (4).

If additional information is needed, please contact me.

Sincerely,

Cynthia B. Gray

Cynthia B. Gray
Field Operations

Office # (281) 893-9400 ext. 259
Fax # (281) 893-7629

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 20 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

PRIORITY

INVOICE

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906

Voice: (785) 483-3887
Fax: (785) 483-5566

Invoice Number: 113941
Invoice Date: May 13, 2008
Page: 1

RECEIVED
MAY 19 2008

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

Customer ID	Well Name(s) or Customer P.O.	Payment Terms	
PioExp	Garden City #4-19B	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS	Oakley	May 13, 2008	6/12/08

CONFIDENTIAL

Quantity	Item	Description	Unit Price	Amount
150.00	MAT	Class C Premium Plus	17.35	2,602.50
575.00	MAT	Lightweight Class A	12.65	7,273.75
2,875.00	MAT	Gilsonite	0.80	2,300.00
144.00	MAT	Flo Seal	2.25	324.00
915.00	SER	Handling	2.15	1,967.25
73.00	SER	Mileage 915 sx @.09 per sk per mi	82.35	6,011.55
1.00	SER	Production String - Top Stage	1,075.00	1,075.00

DESCRIPTION Cementing

ACCOUNT # 1600-15
WELL NAME GARDEN CITY #4-19 KS 15904
AFES
DATE 5-19-08 APPROVED

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF

\$ 2155.40

ONLY IF PAID ON OR BEFORE

Jun 12, 2008

Subtotal	21,554.05
Sales Tax	775.02
Total Invoice Amount	22,329.07
Payment/Credit Applied	
TOTAL	22,329.07

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 20 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 31945

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>5-11-08</u>	SEC. <u>19</u>	TWP. <u>22</u>	RANGE <u>33</u>	CALLED OUT	ON LOCATION <u>6:30 am</u>	JOB START <u>5:00 pm</u>	JOB FINISH <u>5:30 pm</u>
LEASE <u>Garden City</u>	WELL # <u>4-19B</u>	LOCATION <u>Friedo 3 1/2 W 9 S 1/2 Sinto</u>	COUNTY <u>Finney</u>	STATE <u>KS</u>			
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Warren Drilling Rig 18
 TYPE OF JOB Production (TOP stage)
 HOLE SIZE 2 7/8 T.D. 4936'
 CASING SIZE 4 1/2 DEPTH 4921.25'
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL OV DEPTH 2714'
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT 42.33'
 CEMENT LEFT IN CSG. 42.33'
 PERFS.
 DISPLACEMENT 43.15 BBL

OWNER same

CEMENT
 AMOUNT ORDERED 650 sks Lite 5# Gilsonite
4# Flo-seal 150 sks class "C"
used 525 sks Lite 150 sks "C"

COMMON	@	
POZMIX	@	
GEL	@	
CHLORIDE	@	
ASC	@	
<u>Class "C" 150 sks</u>	@	<u>17.35 2602.50</u>
<u>Lite 525 sks</u>	@	<u>13.65 7223.25</u>
<u>Gilsonite 2825#</u>	@	<u>.80 2300.00</u>
<u>Flo-seal 144#</u>	@	<u>2.25 324.00</u>
HANDLING <u>915 sks</u>	@	<u>2.15 1967.25</u>
MILEAGE <u>98 sk/mile</u>		<u>6011.55</u>
		TOTAL <u>20479.05</u>

CONFIDENTIAL

AUG

EQUIPMENT

PUMP TRUCK # 423-881 CEMENTER Andrew
 # 373 HELPER Alvin
 BULK TRUCK DRIVER Rex
 BULK TRUCK DRIVER Jerry

REMARKS:

mix 525 sks lite followed by
150 sks class "C" wash pump
and line clean. Displace plug
down 1000' LIFT pressure 1600'
land plug tool closed plug
landed cement did circulate
plug rat hole 15 sks mouse hole tests
circulated approx 50 sks 2 1/2 hrs
Thank you

SERVICE

DEPTH OF JOB
 PUMP TRUCK CHARGE 1025.00
 EXTRA FOOTAGE @
 MILEAGE 23 miles @ N/C
 MANIFOLD @
 @
 @

TOTAL 1025.00

CHARGE TO: Pioneer Exploration
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

 @ _____
 @ _____
 @ _____
 @ _____
 @ _____

RECEIVED
 KANSAS CORPORATION COMMISSION
 AUG 20 2008

TO CONSERVATION DIVISION
 WICHITA, KS

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME Larry Priest
 SIGNATURE [Signature]



ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

PRIORITY INVOICE

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906
Voice: (785) 483-3887
Fax: (785) 483-5566

RECEIVED
MAY 19

Invoice Number: 113940
Invoice Date: May 13, 2008
Page: 1

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

Customer ID	Well Name/ or Customer P.O.	Payment Terms	
PioExp	Garden City #4-19B	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS	Oakley	May 13, 2008	6/12/08

Quantity	Item	Description	Unit Price	Amount
4.00	MAT	Gel	18.75	75.00
200.00	MAT	ASC Class A	16.75	3,350.00
200.00	MAT	Lightweight Class A	12.65	2,530.00
19.00	MAT	Salt	21.60	410.40
1,000.00	MAT	Gilsonite	0.80	800.00
50.00	MAT	Flo Seal	2.25	112.50
460.00	SER	Handling	2.15	989.00
73.00	SER	Mileage 460 sx @.09 per sk per mi	41.40	3,022.20
1.00	SER	Production String - Bottom Stage	1,969.00	1,969.00
73.00	SER	Mileage Pump Truck	7.00	511.00
1.00	EQP	AFU Float Shoe	434.00	434.00
1.00	EQP	Latch Down Plug Assembly	405.00	405.00
10.00	EQP	Centralizers	51.00	510.00
3.00	EQP	Baskets	169.00	507.00
1.00	EQP	Stage Collar	4,219.00	4,219.00

DESCRIPTION Cementing
 ACCOUNT # 11000-15
 WELL NAME Garden City #4-19B KS 15904
 DATE 5-19-08 APPROVED _____

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF

\$ 194.45

ONLY IF PAID ON OR BEFORE

Jun 12, 2008

Subtotal	19,844.10
Sales Tax	827.88
Total Invoice Amount	20,671.98
Payment/Credit Applied	
TOTAL	20,671.98

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 20 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 31944

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>5-11-08</u>	SEC <u>19</u>	TWP. <u>22</u>	RANGE <u>33</u>	CALLED OUT	ON LOCATION <u>6:30 AM</u>	JOB START <u>1:00 PM</u>	JOB FINISH <u>1:30 PM</u>
LEASE <u>Green city</u>				WELL# <u>4-29B</u>	LOCATION <u>Friend 3/4 W 9 S 1/2 W S1/4</u>	COUNTY <u>Finney</u>	STATE <u>KS</u>
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR <u>Warren Drilling Rig 18</u>	OWNER <u>Same</u>
TYPE OF JOB <u>Production (Bottom stage)</u>	
HOLE SIZE <u>2 1/4</u>	T.D. <u>4930'</u>
CASING SIZE <u>4 1/2</u>	DEPTH <u>4921.75'</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL <u>DV</u>	DEPTH <u>2714'</u>
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT <u>42.33'</u>
CEMENT LEFT IN CSG. <u>42.33'</u>	
PERFS.	
DISPLACEMENT <u>34.43 oil water 43.15 mud</u>	ASC <u>200 sks</u>
EQUIPMENT <u>77.58 TOTAL</u>	<u>Lite 200 sks</u>

CEMENT		
AMOUNT ORDERED <u>200 sks Lite K[#] Flo-seal</u>		
<u>200 sks Asc 10% salt 5% Gilsonite</u>		
<u>200 gel</u>		
COMMON	@	
POZMIX	@	
GEL <u>4 sks</u>	@ <u>18.75</u>	<u>75.00</u>
CHLORIDE	@	
ASC <u>200 sks</u>	@ <u>16.25</u>	<u>3350.00</u>
<u>Lite 200 sks</u>	@ <u>12.65</u>	<u>2530.00</u>
	@	
<u>salt 19 sks</u>	@ <u>21.60</u>	<u>410.40</u>
	@	
<u>Gilsonite 1000#</u>	@ <u>.80</u>	<u>800.00</u>
	@	
<u>Flo-seal 50#</u>	@ <u>2.25</u>	<u>112.50</u>
	@	
HANDLING <u>460 sks</u>	@ <u>2.15</u>	<u>989.00</u>
MILEAGE <u>94 sk/mile</u>		<u>3022.20</u>
		<u>TOTAL 11289.10</u>

PUMP TRUCK # <u>423-281</u>	CEMENTER <u>Andrew</u>
	HELPER <u>ALVIN</u>
BULK TRUCK # <u>373</u>	DRIVER <u>REX</u>
BULK TRUCK # <u>386</u>	DRIVER <u>Larene</u>
<u>394</u>	<u>Jerry</u>

REMARKS:

MIX 200 sks Lite followed by
200 sks Asc. wash pump and
lines clean displace plug
down 900' lift pressure
plug landed float field, 1900'
land plug, open DV TOOL
800'
Thank you

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>1969.00</u>
EXTRA FOOTAGE	@	
MILEAGE <u>23 miles</u>	@ <u>2.00</u>	<u>511.00</u>
MANIFOLD	@	
	@	
	@	
	@	
		<u>TOTAL 2480.00</u>

PLUG & FLOAT EQUIPMENT

<u>4 1/2</u>		
<u>1 1/2" float shoe</u>	@	<u>434.00</u>
<u>1 latch down plug Assy</u>	@	<u>405.00</u>
<u>10 centralizers</u>	@ <u>51.00</u>	<u>510.00</u>
<u>3 Baskets</u>	@ <u>169.00</u>	<u>507.00</u>
<u>1 stage collar</u>	@	<u>4219.00</u>
		<u>TOTAL 6075.00</u>

CHARGE TO: Pioneer Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Larry Prich

SIGNATURE Larry Prich

SALES TAX (if any) _____

TOTAL CHARGE _____

DISCOUNT AUG 20 2008 IF PAID IN 30 DAYS

RECEIVED
KANSAS CORPORATION COMMISSION
CONSERVATION DIVISION
WICHITA, KS

ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services


PRIORITY

INVOICE

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906

Voice: (785) 483-3887
Fax: (785) 483-5566

Invoice Number: 113823
Invoice Date: May 6, 2008
Page: 1



Bill To:

Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

Customer ID PioExp	Well Name# or Customer P.O. Garden City #4-19 B	Payment Terms Net 30 Days	
Job Location KS	Camp Location Oakley	Service Date May 6, 2008	Due Date 6/5/08

Quantity	Item	Description	Unit Price	Amount
225.00	MAT	Class A Common	14.20	3,195.00
4.00	MAT	Gel	18.75	75.00
8.00	MAT	Chloride	52.45	419.60
237.00	SER	Handling	2.15	509.55
73.00	SER	Mileage 237 sx @.09 per sk per mi	21.33	1,557.09
1.00	SER	Surface	917.00	917.00
55.00	SER	Extra Footage	0.80	44.00
73.00	SER	Mileage Pump Truck	7.00	511.00
1.00	SER	Manifold Head Rental	113.00	113.00
1.00	EQP	Wooden Plug	68.00	68.00

DESCRIPTION cementing

ACCOUNT # 1600-15

WELL NAME Garden City #4-19 KS15904

AFE# _____

DATE 5-9-08 APPROVED _____

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF

\$ 740.92

ONLY IF PAID ON OR BEFORE

Jun 5, 2008

Subtotal	7,409.24
Sales Tax	232.97
Total Invoice Amount	7,642.21
Payment/Credit Applied	
TOTAL	7,642.21

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 20 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC.

32275

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: D & K Leg K

DATE <u>5/3/08</u>	SEC <u>79</u>	TWP <u>22</u>	RANGE <u>33</u>	CALLED OUT	ON LOCATION <u>2:30 pm</u>	JOB START <u>5:30 am</u>	JOB FINISH <u>6:00 am</u>
LEASE <u>Garden City</u>	WELL # <u>4-19</u>	LOCATION <u>Friend Ks 3 1/2 W, 95, 1/2 W</u>			COUNTY <u>Finney</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one)				SINTO			

CONTRACTOR Warren 18 OWNER Samal

TYPE OF JOB Sur Face

HOLE SIZE 12 1/4 T.D. 356

CASING SIZE 8 5/8 DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

CEMENT AMOUNT ORDERED 225 SK, 37' CL
20' Gel

COMMON	<u>225</u>	@	<u>14.20</u>	<u>3195.00</u>
POZMIX		@		
GEL	<u>7</u>	@	<u>10.75</u>	<u>75.25</u>
CHLORIDE	<u>8</u>	@	<u>52.15</u>	<u>417.20</u>
ASC		@		

EQUIPMENT

PUMP TRUCK CEMENTER Alan

422 HELPER Wayne

BULK TRUCK # 218 DRIVER Omri n

BULK TRUCK # 208 DRIVER

HANDLING	<u>237 SK</u>	@	<u>2.15</u>	<u>509.55</u>
MILEAGE	<u>99 SK/mile</u>	@		<u>1557.00</u>
TOTAL				<u>5756.24</u>

REMARKS:

Cement O-D or on late

Thank You

Alan, Wayne, Darrell

SERVICE

DEPTH OF JOB 355

PUMP TRUCK CHARGE 917.00

EXTRA FOOTAGE 55' @ .80 F 44.00

MILEAGE 23 miles @ 7.00 161.00

MANIFOLD Head @ 113.00

CHARGE TO: Pioneer Exp

STREET _____

CITY _____ STATE _____ ZIP _____

TOTAL 1585.00

PLUG & FLOAT EQUIPMENT

1 8 1/8 Wooden Plug @ 68.00

_____ @ _____

_____ @ _____

_____ @ _____

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

RECEIVED
KANSAS CORPORATION COMMISSION

TAX _____ TOTAL 67.00

TOTAL CHARGE AUG 20 2008

DISCOUNT _____ IF PAID IN 30 DAYS

CONSERVATION DIVISION
WICHITA, KS

SIGNATURE [Signature]

PRINTED NAME

**Garden City "B; #4-19
Damme Field
Finney County
API No. 15-055-21978-00-00**

Log Formation (Top), Depth and Datum Sample

Heebner 3813 (-898)

Lansing 3860 (-945)

BKC 4347 (-1432)

Pawnee 4446 (-1531)

Cherokee 4492 (-1577)

Morrow Shale 4686 (-1771)

Morrow SD 4739 (-1823)

Miss 4850 (-1935)

CONFIDENTIAL
AUG 18 2008
KCC

RECEIVED
KANSAS CORPORATION COMMISSION
AUG 20 2008
CONSERVATION DIVISION
WICHITA, KS