

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

8/13/10

Operator: License # 5316
Name: FALCON EXPLORATION, INC.
Address: 125 N. MARKET, SUITE 1252
City/State/Zip: WICHITA, KS 67202
Purchaser: NA
Operator Contact Person: MIKE MITCHELL
Phone: (316) 262-1378
Contractor: Name: VAL ENERGY INC.
License: 5822
Wellsite Geologist: TED JOCHEMS JR

API No. 15 - 063-21712-0000
County: GOVE
SW NW SE SW Sec. 27 Twp. 11 S. R. 30 East West
847 feet from (S) / N (circle one) Line of Section
1399 feet from E / (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: LLOYD Well #: 1-27
Field Name: WC

Producing Formation:
Elevation: Ground: 2207 Kelly Bushing: 2212
Total Depth: 4380 Plug Back Total Depth:
Amount of Surface Pipe Set and Cemented at 233 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set Feet
If Alternate II completion, cement circulated from
feet depth to w/ sx cmt.

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows AUG 13 2008
Operator:
Well Name: KCC
Original Comp. Date: Original Total Depth:
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No.
 Dual Completion Docket No.
 Other (SWD or Enhr.?) Docket No.

4/25/08 5/02/08
Spud Date or Date Reached TD Completion Date or Recompletion Date
Recompletion Date

Drilling Fluid Management Plan PA NATI-20-08
(Data must be collected from the Reservoir)
Chloride content ppm Fluid volume bbls
Dewatering method used
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License No.:
Quarter Sec. Twp. S. R. East West
County: Docket No.:

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: PRESIDENT Date: 8/12/2008
Subscribed and sworn to before me this 12TH day of AUGUST,
20 08 State of Kansas
Notary Public: Rebecca J. Cunningham
Date Commission Expires: Oct. 28th 2010

REBECCA J. CUNNINGHAM
Notary Public - State of Kansas
My Appt. Expires 10/28/10

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date:
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
RECEIVED
KANSAS CORPORATION COMMISSION
AUG 13 2008

CONSERVATION DIVISION
WICHITA, KS

Operator Name: FALCON EXPLORATION, INC. Lease Name: LLOYD Well #: 1-27
 Sec. 27 Twp. 11 S. R. 30 East West County: GOVE

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:

CNL/CDL;DIL;BHCS;MEL

Log Formation (Top), Depth and Datum Sample

Name	Top	Datum
ANHYDRITE	2414	+498
B/ANHYDRITE	2442	+470
LANSING	3968	-1056
BKC	4249	-1337
MARMATON	4280	-1368
PAWNEE	4374	-1462
CHEROKEE	4472	-1560
MISS	4540	-1628

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12-1/4	8-5/8"	23#	233'	COMMON	175	2% GEL, 3% CC

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

ALLIED CEMENTING CO., LLC. 31855

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

OAKLEY

DATE <u>4-25-08</u>	SEC. <u>27</u>	TWP. <u>11S</u>	RANGE <u>30W</u>	CALLED OUT	ON LOCATION <u>9:30 PM</u>	JOB START <u>12:00 AM</u>	JOB FINISH <u>12:15 AM</u>
LEASE <u>L104d</u>	WELL # <u>1-27</u>		LOCATION <u>GRINNELL 45-1/2W-N INTD</u>		COUNTY <u>GOVE</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR VAL DRILL RIG # 4

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4" T.D. 238'

CASING SIZE 8 5/8" DEPTH 233'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG 15'

PERFS. AUG 13 2008

DISPLACEMENT 13 3/4 BBLs

OWNER SAME

CEMENT AMOUNT ORDERED 175 SKS COM 39% CC 29% GEL

COMMON	<u>175 SKS</u>	@	<u>14.20</u>	<u>2485.00</u>
POZMIX		@		
GEL	<u>3 SKS</u>	@	<u>18.75</u>	<u>56.25</u>
CHLORIDE	<u>6 SKS</u>	@	<u>52.46</u>	<u>314.76</u>
ASC		@		

EQUIPMENT

PUMP TRUCK # 431 CEMENTER TERRY HELPER WALT

BULK TRUCK # 347 DRIVER TERRY

BULK TRUCK # _____ DRIVER _____

HANDLING	<u>184 SKS</u>	@	<u>2.15</u>	<u>395.60</u>
MILEAGE	<u>94 PER SK / MILE</u>			<u>282.00</u>
MINIMUM CHARGE				
TOTAL				<u>3533.55</u>

REMARKS:

Cement did not calculate

THANK YOU

CHARGE TO: FALCON EXPLORATION

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB	<u>233'</u>		
PUMP TRUCK CHARGE			<u>917.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>17 MILE</u>	@	<u>7.00</u>
MANIFOLD		@	
<u>HEAD RENTAL</u>		@	<u>113.00</u>
TOTAL <u>1149.00</u>			

RECEIVED
KANSAS CORPORATION COMMISSION

AUG 13 2008

To Allied Cementing Co., LLC. CONSERVATION DIVISION
WICHITA, KS
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Tim Fabricius

SIGNATURE Tim Fabricius

PLUG & FLOAT EQUIPMENT

<u>8 5/4 SURFACE PLUG</u>			<u>68.00</u>
	@		
	@		
	@		
	@		
TOTAL <u>68.00</u>			

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

ALLIED CEMENTING CO., INC.

32274

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley, KS

DATE <u>5/21/08</u>	SEC <u>27</u>	TWP. <u>11</u>	RANGE <u>30</u>	CALLED OUT	ON LOCATION <u>6:00 pm</u>	JOB START <u>12:00 am</u>	JOB FINISH <u>1:00 am</u>
LEASE <u>Haych</u>	WELL # <u>1-27</u>	LOCATION <u>Grinnell, 4S, 1/2 W Ninto</u>			COUNTY <u>Gove</u>	STATE <u>Ks</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Val Drilling #4

TYPE OF JOB Rotary Plug

HOLE SIZE 7 7/8 T.D. 4630

CASING SIZE 8 5/8 DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE CONFIDENTIAL

CEMENT LEFT IN CSG.

PERFS. AUG 13 2008

DISPLACEMENT

OWNER Same

CEMENT AMOUNT ORDERED 200 bags / 40,470 gel
1/4 lb Flo Seal

COMMON	<u>120</u>	@	<u>14²⁰</u>	<u>1704⁰⁰</u>
POZMIX	<u>80</u>	@	<u>7²⁰</u>	<u>576⁰⁰</u>
GEL	<u>7</u>	@	<u>18²⁵</u>	<u>131²⁵</u>
CHLORIDE		@		
ASC		@		
<u>Flo Seal - 50 lb</u>		@	<u>2²⁵ 16</u>	<u>112⁵⁰</u>
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING <u>209 SKs</u>		@	<u>2¹⁵</u>	<u>449³⁵</u>
MILEAGE <u>94 SK/mile</u>				<u>319⁷⁷</u>
TOTAL				<u>3292⁸⁷</u>

EQUIPMENT KCC

PUMP TRUCK CEMENTER Alan

422 HELPER Wayne

BULK TRUCK

347 DRIVER Lonnie

BULK TRUCK

DRIVER

REMARKS:

mix 25 SKs - 2430'

mix 100 SKs - 1509'

mix 40 SKs - 283'

mix 10 SKs - 40'

mix 15 SKs - Act Hole

mix 10 SKs - manue Hole

Thank You
Alan Wayne
Lonnie

CHARGE TO: Falcon Exploration

STREET

CITY STATE ZIP
RECEIVED
KANSAS CORPORATION COMMISSION

AUG 13 2008

CONSERVATION DIVISION
WICHITA, KS

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SERVICE

DEPTH OF JOB	<u>2430'</u>		
PUMP TRUCK CHARGE			<u>1025⁰⁰</u>
EXTRA FOOTAGE		@	
MILEAGE <u>17 miles</u>		@	<u>7⁰⁰</u>
MANIFOLD		@	
		@	
		@	
TOTAL <u>1194⁰⁰</u>			

PLUG & FLOAT EQUIPMENT

<u>8 5/8</u>			
<u>Dry Hole Plug</u>		@	<u>1</u>
		@	<u>40⁰⁰</u>
		@	
		@	
		@	
TOTAL <u>40⁰⁰</u>			

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

SIGNATURE Joe Muller

Joe Muller
PRINTED NAME