RECEIVED

SEP 07 2010

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled
ORIGINAL

OPERATOR: License # 31280	API No. 15 - 031-22658-00 - 🗪				
Name: Birk Petroleum	Spot Description:				
Address 1: 874 12th Rd SW	SW_SE_SE_NW Sec. 23 Twp. 22 S. R. 16 ▼ East West				
Address 2:	2,805 Feet from North / South Line of Section				
City: Burlington State: Kansas Zip: 66839 +					
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:				
Phone: (620) 364-5875	□NE □NW ☑SE □SW				
CONTRACTOR: License #_31280	County: Coffey				
Name: Birk Petroleum	Lease Name:Well #:				
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy				
Purchaser: Coffeyville Resources	Producing Formation: Squirrel				
Designate Type of Completion:	Elevation: Ground: 1032 Est. Kelly Bushing:				
✓ New Well	Total Depth: 1016' Plug Back Total Depth: 1016'				
✓ Oil	Amount of Surface Pipe Set and Cemented at: 40' Feet				
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No				
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet				
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:				
Cathodic Other (Core, Expl., etc.):	feet depth to: w/ sx cmt.				
If Workover/Re-entry: Old Well Info as follows:	100t doptil to 3x ont.				
Operator:	B.W. Platate and Plan				
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls				
Deepening Re-perf. Conv. to ENHR Conv. to SWD					
Conv. to GSW	Dewatering method used:				
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled Permit #:	Operator Name:				
Dual Completion Permit #:	Lease Name: License #:				
SWD Permit #:	Quarter Sec TwpS. R				
☐ ENHR Permit #:	County: Permit #:				
7/20/10 7/22/10 7/22/10					
Spud Date or Date Reached TD Completion Date or Recompletion Date					
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or confidential for a period of 12 months if required the time of 12 months. One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden- II report shall be attached with this form. ALL CEMENTING TICKETS MUST				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Anda K. Bulk				
Title: Agent	Date: August 25, 2010			

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
☐ Wireline Log Received					
Geologist Report Received					
☐ UIC Distribution					
ALT I I III Approved by: DC Date: 91010					

Side Two

Operator Name: Bir	k Petroleum		Lease Name	Gilbert		_Well #:30)			
Sec. 23 Twp.22	s. R. <u>16</u>	✓ East West	County: <u>Co</u>	offey			· · · · · · · · · · · · · · · · · · ·			
INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report.										
Drill Stem Tests Taken Yes V No (Attach Additional Sheets)			Log Formation (Top), Depth		and Datum [Sample			
·		Yes No	1	Name Squirrel		Top Datum 999				
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		Yes No Yes No Yes No				· · · · · · · · · · · · · · · · · · ·				
List All E. Logs Run:	or products × process	and the second of the second o	name page 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ي مستعدد در بخ		د معود استاد	*			
		CASING Report all strings set-o	RECORD []	New Used intermediate, product	ion, etc.					
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent dditives		
Surface	9 7/8"	7"	17#	40'	Portland	16sx	Calcium			
Longstring	6 1/8"	2 7/8"	6.5#	996'		120sx				
		ADDITIONAL	CEMENTING / S	QUEEZE RECORD]	1.	1			
Purpose: Depth Typ — Perforate Top Bottom — Protect Casing — Plug Back TD — Plug Off Zone		Type of Cement # Sacks Use		Type and Percent Additives						
Those on Bond		OSUICOVE					<u> </u>			
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
None	None Open hole Completition			Frac w/42 sx	Frac w/42 sx sand 996'-1016'					
		STATE OF THE STATE	-				OF 11 /F	n		
					RECEIVED					
						SE	P 07	7010		
TUBING RECORD: Size: Set At: Packer At: Line					RECEIVED SEP 07 2010 Liner Run: No KCC WICHITA					
Date of First, Resumed 7/27/10	Production, SWD or EN	HR. Producing Meth		Gas Lift C	Other (Explain)					
Estimated Production Per 24 Hours	Oii 5	Bbls. Gas	Mcf V	Vater Bi	bls. (Gas-Oil Ratio		Gravity		
DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL: PRODUCTION INTERVAL: Open Hole Perf. Oually Comp. (Submit ACO-4) (Submit ACO-4) Other (Specify) Other (Specify)							'AL:			

Meier's Ready Mix, Inc. P.O. Box 8477 • 1105 N.W. Lower Silver Lk. Rd. • Topeka, Kansas 66608 Plant Office (785) 233-9900 FAX # 233-9947 (785) 233-2423 ACCOUNT TRUCK DRIVER TICKE 09:24AM 07/22/10 10000 35 CARROLL, STEVE CUSTOMER NAME DELIVERY ADDRESS CASH SALES GILBERT LEASE #30 washout BIRK OIL LEROY PURCHASE ORDER 3.00 LOAD OTY PRODUCT ORDERED AMOUNT DELIVERED UNIT PRICE 1.00 yd PLANT SALE 1.00 ·1.00 EAC SHORTLOA SHORT LOAD DBLIV 2.00 80.00 30.30 11280.00POUZBULK CE BULK CEMENT 11280.0011280.00 0.10 1128.00 LEAVE PLAN ARRIVE JOB SITE START DISCHARGE FINISH DISCHARGE DRIVER Note here If water has been NOTE IMPORTANT added and how much. We cannot be held responsible for an caused by our trucks when deriver material beyond the curb-tina, Not responsible for quality of contrate if water added by purchaser. We are not responsible for congrete freezing after placement. PREVIOUS TOTAL 294857 GRAND TOTAL Caution: FRESH CONCRETE Body or eye contact with fresh (molet) concrete should be avoided because it contains alkall and is caustic. LOGIN 12002837 CODE OTY REQUIRED **BATCHED** %MOISTURE NATER 1.0 gl 1.0 gl NON-SIMULATED NUM BATCHES: 1 LOAD TOTAL: 0 lb DESIGN W/C: 0.000 WATER/CEMENT:??????? SLOWP: 3.00 WATER IN TRUCK: 0.0 gl ADJUST WATER: 0. ?T DESIGN WATER: 1.0 gl 0.0 gl /load TRIK WATER: 0.0 gl TC ADD:

RECEIVED
SEP 07 2010
KCC WICHITA