KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

SEP 1 5 2010 Form Must be Signed Form must be Signed All blanks must be Filled

OPERATOR: License # 31280	API No. 15 - 031-22641-0466C WILTIA				
Name: Birk Petroleum	Spot Description:				
Address 1: _ 874 12th Rd SW	NE_NW_SE_SE Sec. 15 Twp. 22 S. R. 16 ▼ East West				
Address 2:	1,155 Feet from North / South Line of Section				
City: Burlington State: Ks Zip: 66839 +	825 Feet from ▼ East / □ West Line of Section				
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:				
Phone: (620) 364-1311 - office	□ NE □ NW ☑ SE □ SW				
CONTRACTOR: License #_31280	County: Coffey				
Name: Birk Petroleum	Lease Name: Klaus Well #: 78				
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy				
Purchaser: Coffeyville Resources	Producing Formation: _Squirrel				
Designate Type of Completion:	Elevation: Ground: 1036 est. Kelly Bushing:				
✓ New Well ☐ Re-Entry ☐ Workover	Total Depth: 1032 Plug Back Total Depth: 1032				
☑ Oil □ wsw □ swd □ slow	Amount of Surface Pipe Set and Cemented at: 60 Feet				
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No				
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet				
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 1016				
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.				
If Workover/Re-entry: Old Well Info as follows:	sx crit.				
Operator:					
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Original Comp. Date: Original Total Depth:	, , , , , , , , , , , , , , , , , , ,				
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: ppm Fluid volume: bbls				
Conv. to GSW	Dewatering method used:				
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled Permit #:	Operator Name:				
Dual Completion Permit #:	Lease Name: License #:				
SŴD Permit #:	Quarter Sec TwpS. R East _ West				
ENHR Permit #:	County: Permit #:				
GSW Permit #:	County				
08/03/2010 08/04/2010 08/05/2010 Spud Date or Date Reached TD Completion Date or					
Recompletion Date Recompletion Date					
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requirality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden-II report shall be attached with this form. ALL CEMENTING TICKETS MUST				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with

and the statements herein are o	complete and correct to the	ne best of m	y knowledge.
(()			
ATI	10/ 10/15/	1	
Signature:	W W W W) ,	
Man A		0/10	10
Title: COM	Date:	4/10	//0
7)		T	

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☐ Wireline Log Received
Geologist Report Received
☐ UIC Distribution
ALT I I II Approved by: DC Date: 16/10

Side Two

Operator Name: Birl	k Petroleum		Lease	Name: _	Klaus		_ Well #:78	3	
Sec. 15 Twp.22	s. R. <u>16</u>								
time tool open and clo	osed, flowing and shues if gas to surface to	d base of formations per it-in pressures, whether s ist, along with final chart well site report.	shut-in pres	ssure rea	ched static level,	hydrostatic pres	sures, bottom	hole tem	perature, fluid
Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)				Log Formation (Top), Dep		pth and Datum		✓ Sample	
		☐ Yes ☑ No ☐ Yes ☑ No		Nam Squim			Top 1019'		Datum +17
List All E. Logs Run:						a ja en			
		CASING Report all strings set-	RECORD		ew / Used	on, etc.	_		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)		ight	Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface	9 7/8"	7"	17#		60'	Portland	24	Calciu	m
Long String	6 1/8"	2 7/8"	6.5#		1016'	Portland	120		
		ADDITIONA	L CEMENTI	NG / SQL	JEEZE REÇORD		1	1]
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks	s Used		Type and I	Percent Additive	s	
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per				ture, Shot, Cemen		ord	Depth
None Open hole completion 1016-10		etion 1016-1032'		•	Frac w/42 sx	sand			1016-1032
								RE	CEIVED P 1 5 29 0
TUBING RECORD:	Size:	Set At:	Packer A	t:	Liner Run:	Yes No		KC	CWICH
Date of First, Resumed 08/20/2010	Production, SWD or EN	HR. Producing Met	hod: Pumpin	ng 🗌	Gas Lift O	ther (Explain)			
Estimated Production Per 24 Hours	0il I 5	Bbls. Gas	Mcf	Wate		ls. (Gas-Oil Ratio	•	Gravity
DISPOSITIO	Used on Lease		METHOD OF	COMPLE Dually (Submit A	Comp. Com	mingled nit ACO-4)	PRODUCTI	ON INTER	VAL:

leiems Keany i P.O. Box 8977-100 N.W. Lower Silver Lc. Rd. - Silver CUSTOMER NAME DELIVERY ADDRESS juck up at plant PURCHASE ORDER ORDER # TAX SLUMP LOAD OTY PRODUCT DESCRIPTION ORDERED DELIVERED AMOUNT LEAVE PLANT ARRIVE JOB SITE START DISCHARGE FINISH DISCHARGE ARRIVE PLANT SUBTOTAL DRIVER Note here if water has been NOTE IMPORTANT TAX added and how much. We are not responsible for concrete freezing after placement. We cannot be held responsible for damage caused by our trucks when delivering material beyond the curb-line. Not responsible for quality of concrete if water is TOTAL 2200 PREVIOUS TOTAL 294930 **GRAND TOTA** Caution:

FRESH CONCRETE

Body or eye contact with fresh (moist)
concrete should be avoided because
it contains alkali and is caustic.

THE RESERVE OF THE PARTY OF THE

RECEIVED
SEP 1 5 2010
KCC WICHITA