KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

June 2009

Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE WICHITA

OPERATOR: License # 45-08	11 22700-00 0 0 3128()	API No. 15 - 031-22708-00-00
Name:Birk Petroleum		Spot Description:
Address 1: 874 12th Rd SW		NE_NE_SW_SE Sec. 15 Twp. 22 S. R. 16 ▼ East West
Address 2:		1,155 Feet from North / South Line of Section
	tate: Ks Zip: 66839 +	1,485 Feet from ✓ East / ☐ West Line of Section
Contact Person: Brian L. Birk	tate zip	
Phone: (620) 364-1311 -	- office	Footages Calculated from Nearest Outside Section Corner:
· ·		□ NE □ NW ☑ SE □ SW
CONTRACTOR: License # 312 Name: Birk Petroleum		County: Coffey
TVAINO.		Lease Name: Well #:
Wellsite Geologist: None		Field Name: Neosho Falls-LeRoy
Purchaser: Coffeyville Resource	es	Producing Formation: Squirrel
Designate Type of Completion:		Elevation: Ground: 1025 est. Kelly Bushing:
✓ New Well	-Entry Workover	Total Depth: 1025 Plug Back Total Depth: 1025
☑ oil ☐ wsw	SWD SIOW	Amount of Surface Pipe Set and Cemented at: 40' Feet
☐ Gas ☐ D&A	☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used?
□ og	GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)		If Alternate II completion, cement circulated from: 1011
Cathodic Other (Con	e, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well In	fo as follows:	
Operator:		Drilling Fluid Management Plan
Well Name:		(Data must be collected from the Reserve Pit)
Original Comp. Date:	Original Total Depth:	Chloride content:ppm Fluid volume:bbls
Deepening Re-perf.	. Conv. to ENHR Conv. to SWD	Dewatering method used:
	Conv. to GSW	
	Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled	Permit #:	Operator Name:
Dual Completion	Permit #:	Lease Name: License #:
SWD	Permit #:	Quarter Sec TwpS. R
☐ ENHR ☐ GSW	Permit #:	County: Permit #:
08/05/2010 08/27/2		
Spud Date or Date Rea	ached TD Completion Date or	
Kansas 67202, within 120 days of side two of this form will be he tiality in excess of 12 months).	of the spud date, recompletion, workover or oleld confidential for a period of 12 months if re	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information equested in writing and submitted with the form (see rule 82-3-107 for confidencell report shall be attached with this form. ALL CEMENTING TICKETS MUST form with all temporarily abandoned wells.
lations promulgated to regulate the	AFFIDAVIT that all requirements of the statutes, rules and oil and gas industry have been fully complient and correct to the best of my knowled	d with Letter of Confidentiality Received
Signature: XWV 01 C	1 W W U	Geologist Report Received

Date: 09/13/2010

Title: Agent

Geologist Report Received

UIC Distribution

Side Two

Operator Name: Birk Petroleum			Lease Name	Lease Name: Klaus			Well #:76		
Sec. 15 Twp.22	s. R. <u>16</u>	✓ East	County: Co						
time tool open and clo	osed, flowing and shues if gas to surface to	nd base of formations pen ut-in pressures, whether s est, along with final chart(well site report.	hut-in pressure r	eached static level	, hydrostatic press	sures, bottom	hole temperature, fluid		
Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey ☐ Yes			-	on (Top), Depth ar	(Top), Depth and Datum				
		Yes No		ame uirrel Sand		Top 1014'	Datum +11		
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Copy	•	☐ Yes		roi cuita					
List All E. Logs Run:									
		CASING Report all strings set-c	RECORD conductor, surface.		ion, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
Surface	9 7/8"	7"	17#	40'	Portland	16	Calcium		
Long String	6 1/8"	2 7/8"	6.5#	1011'	Portland	120			
		ADDITIONAL	CEMENTING / S	QUEEZE RECORD					
Purpose: Depth Top Bottom Protect Casing		Type of Cement # Sacks Us		d Type and Percent Additives					
Plug Back TD Plug Off Zone									
A PART OF THE PART									
Shots Per Foot	is Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
None				REC	EIVED				
			SEP 1 4 2010						
N.S.					· · · · · · · · · · · · · · · · · · ·		-		
						KUU V	VICHITA		
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No	· - ·			
Date of First, Resumed pending	Production, SWD or EN	HR. Producing Meth		☐ Gas Lift ☐ C	Other (Explain)				
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf V	Vater B	bls. (Gas-Oil Ratio	Gravity		
DISPOSITION Sold	ON OF GAS:		TETHOD OF COME Perf. Du	-	nmingled	PRODUCTION	ON INTERVAL:		
(If vented, Sub	_	Other (Specify)			mit ACO-4)				

LANT TIME		ALL SOFT MITCHES FRANCE	110514W.	DRIVER	POLICE STATE OF THE STATE OF TH		TICKET	
USTOMER NAME	1 of alliv		DELIVE	L RY ADDRESS			1 (1995 1903)	
	ızt			•				
Birkol	1st Klai	ष्म ५४						
URCHÁSE ORDER	ORDER#	TAX	. 120				SLU	JMP
AD OTY PRODUCT	DESCRIPTION	ans 76	<u> </u>	ORDE	the state of the s	D UNI	PRICE A	MOUNT
	**************************************		16.	C	ement) Jater	940		
120 Bag. C.		DOE FINISH I	DISCHARGE	ARRIVE PLANT		a a in	wik:	
LEAVE PLANT ARRIVE JOE	START DISORA	nge riviori	JOHNIGE	74447212747	SUBTOTAL		1129	.00
DRIVEH-Note have if water has been added and how much.	We are not respons freezing after place 2 9 5 0 9	ible for concrete ment.	material bey	IMPORTANT be held responsible for dour trucks when delond the curb-line. Not reality of concrete if we haser.	espon- PREVIOUS	TOTAL	1129	
and make the contract of the contract of	Caution: FRESH CONC Body or eye contact with reconstructions already it contains alkali and	fresh (moist)	Received By	Win	left Bi	in, T		
.	y wer this area			r. while	dely you	an again, along proper description	1128	,06
	March	Mund	84.10	tony .	*	Z X .	199	0
	June June			Arman galakan	+ otali	- -	394	4
		t I makka mag	· Santa S					

RECEIVED SEP 1 4 2010 KCC WICHITA