KCC WICHITA

## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:				(	Jee msnuci	ions on He	rerse side,	,			
	n Flow			Test Date	<b>ə</b> :			API	No. 15		
	erabilty		<del></del>					15-0	)23-20065 <b>C</b>	000	Mall Number
Company _one Wolf	f Operati	ing Compan	y, LP			Lease Shay				1-3	Well Number
County Cheyenne	)	Locati CSWNI		Section 03		TWP 03		RNG (E/\ 39W	<b>N</b> )		Acres Attributed 40
ield Cherry Cre	eek Niol	brara Gas A	rea	Reservoir Niobrara				Gas Gath Souther	ering Conne n Star	ction	,
ompletion 6/15/1978				Plug Bac 1438'	k Total Dept	h		Packer S	et at		
Casing Size	e	Weigh 9.5	t	Internal [	Diameter	Set a		Perfor		To 1363	
ubing Size	9	Weigh	t	Internal [	Diameter	Set a	-	Perfor	ations	То	
ype Compl			<del></del>	Type Flui	d Production			Pump Un	it or Traveling	Plunger? Yes	/No
<u> </u>	ge	(Gas)	<u> </u>	Sal	t Wat	er					
			3)	% C	arbon Dioxi	de		% Nitroge	en	Gas G	ravity - G <sub>g</sub>
ertical Dep	pth(H) 스	7			Press	sure Taps				(Meter	Run) (Prover) Size
ressure Bu	uildup:	Shut in <u>3</u> .	<u>24</u> 2	0 <u>0</u> at	7:30	(AM) (PM)		·25	20 <b>(</b>	09 at 10:3	BO (AM) (PM)
/ell on Line						$\overline{}$				at	
					OBSERVE	D SURFACE	DATA			Duration of Shut	t-in 24 Hour
ynamic	Orifice Size (inches)	Circle one: Meter Prover Pressu		Flowing Well Head Temperature		Casing Wellhead Pressure		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Duration (Hours)	Liquid Produced (Barrels)
		psig (Pm)	Inches H <sub>2</sub> 0	•	<u> </u>	psig	psia	psig	psia		
Shut-In						230			-	<del> </del>	
Flow								·····			
	<del></del>			1	FLOW STR	EAM ATTRI	BUTES				<del></del>
Plate Coeffiecient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd	1	Circle one: Meter or over Pressure psia	Press Extension  P <sub>m</sub> x h	Grav Fact F <sub>g</sub>	or T	Flowing Temperature Factor F <sub>It</sub>		Deviation Meter Factor F <sub>pv</sub> (N		GOR (Cubic Fo Barrel	eet/ Fluid
°c)2 =		(P <sub>w</sub> ) <sup>2</sup> =		(OPEN FLO	DW) (DELIVI	ERABILITY)	CALCULA - 14.4) +			(P <sub>a</sub>	) <sup>2</sup> = 0.207
(P <sub>c</sub> ) <sup>2</sup> - (P <sub>a</sub> ) <sup>2</sup>	12 (D		Choose formula 1 or 2:	LOG of		Backpres	sure Curve	1		\' d	Open Flow
or $(P_c)^2 - (P_d)^2$		$(P_c)^2 - (P_w)^2 \qquad 1. P_c^2 - P_a^2$ $2. P_c^2 - P_d^2$ $divided by: P_c^2 - P_w^2$		formula 1. or 2. and divide by:		Slope = "n" or Assigned Standard Slope		π x LOG		Antilog Deliverability Equals R x Antilog (Mcfd)	
			- C W			-					
pen Flow			Mcfd @ 14.6	55 psia		Deliverabi	lity		<u> </u>	lcfd @ 14.65 ps	ia
The und	dersigned	I authority, on		··· · · · · · · · · · · · · · · · · ·	tates that he	<del> </del>		make the			as knowledge of
			id report is true					ay of _Ma		. who that He III	, 20 <u>09</u>
							0	> <del>'</del> ۔ٰ	= .2	· ·	<u>ה</u>
		Witness (if	anv)	VANCAC CO	RPORATION C	CAMICCION			For Cor	mnami	RECEIV

RECEIVED

-
re true and ase records rein named.
1

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
APR 2 0 2009
KCC WICHITA