KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:						(See Instr	uçt	ions on Re	verse Si	de)						
✓ Open Flow Deliverabilty				Test Date: 4/15/2006				API No. 15 023-20658-00 ♥ ♥									
Company		esou	rces, Inc.		·· ·· · · · · · · · · · · · · · · · ·		-8		Lease Neitzel					<u> </u>	23-30	Vell Nu	ımber
County Location Cheyenne NESW				Section 30			TWP 3S					Acres Attributed 80					
Field Cherry Creek						Reservoir Niobrara				Gas Gathering Conn Branch Systems In					on		
Completion 3/13/200		te				Plug Bac 1423'	ck Total D	ept	h			Packer S	Set at				
Casing Size 4 1/2"			Weight 10.5#			Internal Diameter 4.052			Set at 1423'			Perforations 1272'			To 1308'		
Tubing S NONE	Tubing Size We			jht		Internal	Internal Diameter			Set at			rations		То		
Type Con Single (•	,	,			Type Flu Dry G	id Product	tion)			Pump Ur	nit or Travelin	g Plu	nger? Yes	(No)
Producing	-	(An	nulus / Tubi	ng)		% (% Carbon Dioxid			le			en		Gas Gravity - G _g .6		
Vertical E	Depth(I	H)					Pr Fla		sure Taps ge							un) (P	rover) Size
Pressure	Buildu														. at		(AM) (PM)
Well on L	ine:		Started 4	15	2	0 06 at 1	:30		(AM)(PM)	Taken_	1-1	6	20	_06	at 2:00	((AM)(PM)
							OBSER	VEI	D SURFAC	E DATA				Dur	ation of Shut-i	24	Hours
Static / Dynamic Property	Orif Siz (inct	ze	Circle one Meter Prover Pres psig (Pm	sure	Pressure Differential in Inches H ₂ 0	Flowing Temperature t	Well Hea Temperatu		Cas Welfhead (P _w) or (F psig	Pressure		Wellhe	ubing ad Pressure (P ₁) or (P _c) psia		Duration (Hours)		d Produced Barrels)
Shut-In									137	151.	4	paig	рыа				
Flow				1					40	54.4	1						
							FLOW S	TRI	EAM ATTR	IBUTES				<u> </u>			
Plate Coeffiec (F _b) (F Mcfd	ient ,)	Pro	Circle one: Meter or over Pressure psia		Press Extension P _m xh	Grav Fac	tor	Te	Flowing emperature Factor F _{tt}	1	evia Fact F _p ,		Metered Flo R (Mcfd)	W	GOR (Cubic Fee Barrel)	t/	Flowing Fluid Gravity G _m
<u> </u>													1.				
(P _c) ² =		_:	(P _w) ²		:	•	OW) (DEL	.IVE	E rability 6 (f) CALCU ² 。- 14.4)			:		(P _a) ²	= 0.2	07
(P _o) ² - (F or (P _o) ² - (F		(F	°c)²- (Pw)²	1	se formula 1 or 2 P _o ² - P _a ² . P _o ² - P _d d by: P _o ² - P _w ²	LOG of formula 1. or 2. and divide	P _c ² - P _w ²		Sloj As	ssure Curvoe = "n" or signed ard Slope		nxl	.og		Antilog	Deli Equals	en Flow verability R x Antilog Mcfd)
Open Flor	w				Mcfd @ 14.	65 psia			Deliverab	ility				Mcfd	I		
			n, and that s	aid r	eport is true							make th	e above repo		nd that he has		edge of
***			Witness								£	3E/\=	W. (E.D.	Compa		, ^-:	\ /E''
			For Com	nissior					ŀ	ANSAS			IVED che NON COMMI	cked by	אכ "	JEI C	VED
											DI	EC 2	6 2006		SEP	U 7	2006

CONSERVATION DIVISION WICHITA, KS

KCC WICHITA

exempt status under and that the forego correct to the best of of equipment install	r penalty of perjury under the laws of the state of Kansas that I am authorized to request at Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. Soing pressure information and statements contained on this application form are true and of my knowledge and belief based upon available production summaries and lease records lation and/or upon type of completion or upon use being made of the gas well herein named. Set a one-year exemption from open flow testing for the Neitzel 23-30 unds that said well:
. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
Date: 8/25/2006	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be December 31 of the year for which its interiors to acquire signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

KANSAS CORPORATION COMMISSIONEP 0 7 2006

DEC 26 2006

KCC WICHITA

CONSERVATION DIVISION WICHITA, KS

Well Name: Deitzel 23-30

2

Totals

26

27

28 29 30

31

5.4

44

Ÿ. .

TRS Month Pumper: SPM CP Cycle Remarks TP Diff MCF Wtr Day Static 2 3 4 5 6 7 8 Gnosly must up 9 10 11 12 13 14 First Gas 1,30pm Purged line very little flow 15 16 17 18 414 19 20 21 Ø 35 22 23 24 25

RECEIVED SEP 0 7 2006 KANSAS CORPORATION COMMISSION C WICHITA

RECEIVED

DEC 26 2006

CONSERVATION DIVISION WICHITA, KS

Well Name: Dutzel 23-30

Pumper: Month 6/06

	SPM							
Remarks	Cycle	CP	TP	Wtr	MCF	Diff	Static	ay
		33			Ø		46	1 .
		33 32			8		46	2
		34			0		45	3
Chahes		43			8		5¢	4
Walles		SC			20		63	5
	, ,,,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	39			10		ϵ)	6
		39			0		52	7
Colhe		- 			1		59	8
W I De		40			Ø		53_	9
		63			1 6		76	10
		44			Ø		56	11
		38		ļ	19		5/	12
		35	-		9		51	13
		35	 		1	<u> </u>	48	14
		33	<u> </u>		0		48	15
		33			X		46	16
		33		-	100	-	46	17
		31	 	 		 	46	18
(1)2		33			18	+	444	19
		41		 	8	-	54	20
		35	1		X	-	US.	21
		63	1		0	 	176	23
				1	V,	 	72	24
		61			Ø	 	74	25
		46			1		(9	26
		32			08		145	27
		32			6		45	28
		34			8		95	29
RECEIV		3)			8		44	30
SEP 0 7 20							 	31

RECEIVED KCC WICHITA KANSAS CORPORATION COMMISSION

DEC 26 2006

CONSERVATION DIVISION WICHITA, KS

Well Name: 11-20

 $\tilde{\chi}_{i,k}$

Pumper: Month $\frac{7/66}{}$

					•	• •			/
: .[Ÿ.	, ,						SPM	•
Ĺ	Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
-	1	44		Ø			31		
	2	45		20			32		
-	3	45		-0			32		
	4	(/)(65		,	31		
	5	44		0			31		
;	6	44		0			31		
	7	44		Ø			31		
:	88	44.		Ø			31		
1	9	44		Ø			31	· · · · · · · · · · · · · · · · · · ·	
	10	44		Ø			31		1,
	11	4.5		0			31	`	:
	12	43		0			30		
1	13	44		8			31		
-	14	65		8			52		
	15	50		850	• .		37	· · · · · · · · · · · · · · · · · · ·	
-	16	45		10		\ <u></u>	32		
	17	49	· .	7		·. ·,	36		
	18	49		7			36	٠٠,	
:	19	50		6			37		
:	20	49		6			36	*	
:	21	49		6			36		
-	22	49		5		·····	36		
	23	49		4		 	36	•	
Γ	24	49		4			36		:
Γ	25	49		5			36		S/ + > + 1 4 Passing
	26	101		1		·	88		200 Ch
<u> </u>	27			Ø			125	·	Shot in to build Pressur Open to Son How 24 hr Shot in Press @ 1
	28	138		26 sc	:		132	· .	Fine shot in Press C.
	29	145		C			132	· · · · · · · · · · · · · · · · · · ·	
	30	145		Ø			132		
!	31	174		0		· · · · · · · · · · · · · · · · · · ·	161		RECEIVED RECEIVED
			Totals			· · · · · · · · · · · · · · · · · · ·	<u> </u>	KANSAS CO	PRECEIVED REPORTION COMMISSIONER 0 7 2006
			[Union commission P. C. CANA

DEC 26 2006

KCC WICHITA