## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t: en Flov	, <b>1</b>	<b>AST</b>			,	(See Ins	truction	s on Re	everse Sid	e)							
De	liverabi	lty										PI No. 23-20	15 561-00	$\mathfrak{D}$				
Company		soui	rces, Inc.			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Lease Zimbel	man					1-24	Well N	umber	
County Cheyenr	County Location Cheyenne NESW						Section TWP 24 3S				RNG (E/W) 41W				Acres Attributed 80			
							Reservoir Niobrara					Gas Gathering Connection Branch Systems Inc.						
Completion Date 9-10-2004						Plug Bac 1496'	Plug Back Total Depth 1496'					Packer Set at					·····	
Casing Size Weight 4 1/2" 10.5#					Internal I 4.052	Internal Diameter 4.052			Set at 1539'			Perforations 1326'			то 1364'			
Tubing Si NONE	ze		Wei	ght		Internal I	Diametei		Set	at	Perforations				То			
Type Com Single (	Conve	enti	ional)			Type Flui Dry Ga		ction				Unit or <b>ping</b> (	Travelin Unit	g Plun	ger? (Yes	/ No		
Annulus	6		nulus / Tubi	ng)		% C	Carbon D	···			% Nitrogen				Gas G .6	Gas Gravity - G <sub>g</sub> .6		
Vertical D 1364'	epth(H)				·		Pressure Taps Flange							(Meter Run) (Prover) Size 2"				
Pressure	Buildup		Snut in	18			09 at 9:10 (PM) Taker						9:25		(PM)			
Well on Li	ine:		Started 7-	פו	2	09 at 9	.20	(A)	M) (PM)	Taken 7-	-20		20	09	at 10:10		(AM) (PM)	
		T			ı		OBSE	RVED S	URFAC	E DATA				Dura	tion of Shut	<sub>-in</sub> 24	Hours	
Static / Dynamic Property	Orifice Size (inches	ize Meter E		in Temperature Temperature			t (		Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Tubing Wellhead Pressure $(P_w)$ or $(P_1)$ or $(P_c)$		Duration (Hours)		Liquid Produced (Barrels)			
Shut-In	•		psig (Pm		Inches H <sub>2</sub> 0			5	psig O	64.4	·		psia					
Flow			· · ·						40	154.4				24		0		
	-						FLOW S			IBUTES		1		-			<del></del>	
Coeffiecie	Coefficient (F <sub>b</sub> ) (F <sub>p</sub> ) Prov		rover Pressure		Press Extension P <sub>m</sub> xh	Gravity Factor F <sub>g</sub>		Temp Fa	Temperature Factor		ation Metered Flo ctor R (Mcfd)		ow GOR (Cubic Fe Barrel)			Flowing Fluid Gravity G <sub>m</sub>		
													68					
D \2	7,00.1		<b>/</b> F 12			(OPEN FLO	DW) (DE			•		1		·		² = 0.2	207	
P <sub>c</sub> )² =		:	(P <sub>w</sub> ) <sup>2</sup>	_	ose formula 1 or 2:	$P_d = \frac{1}{2}$		<u>_</u> %_		P <sub>c</sub> - 14.4) +			<del>:</del>		(P <sub>d</sub> )	² =	<del></del>	
or	$(P_c)^2 - (P_a)^2$ $(P_c)^2 - (P_w)^2$		)²- (P <sub>w</sub> )²	Choose formula 1 or 2:  1. P <sup>2</sup> - P <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>   Choose formula 1 or 2:   1. or 2.   and divide by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>			P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>	2	Backpressure Curve Slope = "n" or Assigned Standard Slope			n x LOG			Antilog		Open Flow Deliverability Equals R x Antilog (Mcfd)	
****														-				
Open Flow					Mcfd @ 14.6	55 psia			eliverab	ilitv				Mefd (	@ 14.65 psi	а		
The ur	ndersigr	ned	authority, o		ehalf of the	-	tates tha				make t	the abo					ledge of	
e facts sta	ated the	rein	, and that s	aid ı	report is true	and correct	. Execu	ted this	the _18	3	day of _	Noven	nber		7/		20	
			Witness	(if any	·)			-	_	_/	om	7 6	For C	ompany	ulp		RECEIV	
	<del>-</del> ·		For Com	nissio	n	·		-	-				Chec	ked by			NOV 3 0	

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.	t -
and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.  I hereby request a one-year exemption from open flow testing for the Zimbelman 1-24 gas well on the grounds that said well:	6
is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D  I further agree to supply to the best of my ability any and all supporting documents deemed by Commissionstaff as necessary to corroborate this claim for exemption from testing.  Date:	ion
Signature:	

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

NOV 3 0 2009 3

W380 Zimbelman 01-24 St. Francis St. Francis None July-09

	Tubing	Casing					HRS	Water	REMARKS
DATE	PSI	PSI	STATIC	MCF	SPM	CYCLE	DOWN	BBLS	(Maximum length 110 characters)
7/1/2009			69	68	6.5	12	0	19	
7/2/2009			70	68	6.5	12	0	18	
7/3/2009			71	68	6.5	12	0	17	
7/4/2009			71	68	6.5	12	0	18	
7/5/2009			71	71	6.5	12	0	19	
7/6/2009			70	68	6.5	12	0	18	
7/7/2009			71	68	0	0	0	17	
7/8/2009			155	54	0		6	0	
7/9/2009			91	37	0	0	3	0	
7/10/2009			70	68	0	0	0	0	
7/11/2009			69	68	0	0	0	0	
7/12/2009			63	59	6.5	12	0	9	restart p u
7/13/2009			69	68	6.5	12	. 0	17	•
7/14/2009			63	64	6.5	12	0	19	
7/15/2009			69	65	6.5	12	0	18	
7/16/2009			80	65	6.5	12	0	17	
7/17/2009			74	66	6.5	12	0	17	
7/18/2009			65	66	6.5	12	0	18	
7/19/2009		50	70	67	0	0	7		shut in for test
7/20/2009		140	64	15	6.5	12	0	0	
7/21/2009			66	69	6.5	12	0	19	
7/22/2009			66	67	6.5	12	0	18	
7/23/2009			66	67	6.5	12	0	18	
7/24/2009			66	67	6.5	12	0		bucket test 4.5
7/25/2009			71	70	6.5	12	0	17	
7/26/2009			66	67	6.5	12	. 0	18	
7/27/2009			64	67	6.5	12	4	16	
7/28/2009			66	68	6.5	12	0	17	
7/29/2009			66	68	6.5	12	0	18	
7/30/2009			75	66	6.5	12	0	19	
7/31/2009			73	68	6.5	12	0		bucket test 4.5

Total

RECEIVED

NOV 3 0 2009

KCC WICHITA

W380 Zimbelman 01-24 St. Francis St. Francis None August-09

	Tubing	Casing						HRS	Wat	er	REMARKS
DATE	PSI	PSI	STATIC	MCF	SPM		CYCLE	DOWN	BBI	LS	(Maximum length 110 characters)
8/1/2009			71		68	6.5	12	,	0	19	)
8/2/2009			71		68	6.5	12		0	18	3
8/3/2009			69		68	6.5	12	,	0	17	7
8/4/2009			77		69	6.5	12		0	18	3
8/5/2009			97		69	6.5	12		0	18	3
8/6/2009			67		67	6.5	12		0	19	)
8/7/2009			71		68	6.5	12		0	18	3
8/8/2009			65		68	6.5	12		0	17	7
8/9/2009			56		68	6.5	12		0	18	3
8/10/2009			62		40	6.5	12		0	19	
8/11/2009			65		62	6.5	12		0	18	
8/12/2009			65		62	6.5	12		0	17	,
8/13/2009			65		62	6.5	12		0	18	}
8/14/2009			65		62	6.5	12		0	19	)
8/15/2009			68		65	6.5	12		0	18	
8/16/2009			67		67	0	0		0	19	pu off
8/17/2009			138		43	0	0		0	0	
8/18/2009			137		44	0	0		0	0	1
8/19/2009			137		46	0	0		0	0	1
8/20/2009			65		61	6.5	12		0	0	started pump
8/21/2009			67		65	6.5	12		0	19	• •
8/22/2009			65		63	6.5	12		4	18	
8/23/2009			120		63	6.5	12		0	17	
8/24/2009			66		65	6.5	12		0	18	
8/25/2009			102		55	6.5	12		4		bucket test 4.5 min greased
8/26/2009			67		70	6.5	12	1	)	18	
8/27/2009			67		67	6.5	12		)	17	
8/28/2009			66		67	6.5	12		)	18	
8/29/2009			129		68	6.5	12		)	19	
8/30/2009			68		64	6.5	12		3	18	
8/31/2009			68		68	6.5	12		)	17	

Total

RECEIVED
NOV 3 0 2009
KCC WICHITA

W380 Zimbelman 01-24 St. Francis St. Francis None September-09

	Tubing	Casing							HRS	Water
DATE	PSI	PSI	ST	ATIC	MCF	S	PM	CYCLE	DOWN	BBLS
9/1/2009			0	74		51	6.5	12	0	19
9/2/2009			0	74		53	6.5	12	0	18
9/3/2009			0	77		50	6.5	13	0	17
9/4/2009			0	106		48	6.5	12	6	19
9/5/2009			0	78		47	6.5	12	0	19
9/6/2009			0	76	,	50	6.5	12	0	20
9/7/2009			0	76		1	6.5	12	0	18
9/8/2009			0	76	;	50	0	0	0	20
9/9/2009			0	76		55	0	0	0	0
9/10/2009			0	72		6	6.5	0	0	0
9/11/2009			0	70	:	55	0	0	0	0
9/12/2009			0	68	:	50	0	0	0	0
9/13/2009			0	75	:	55	0	0	1.5	0
9/14/2009			0	67	:	55	0	0	0	0
9/15/2009			0	68	:	56	0	0	0	0
9/16/2009			0	66	:	55	0	0	0	0
9/17/2009			0	65		0	0	0	0	0
9/18/2009			0	64	4	19	0	0	0	0
9/19/2009			0	63		9	0	0	0	0
9/20/2009			0	63		9	0	0	0	0
9/21/2009			0	64		9	0	0	0	0
9/22/2009			0	62		8	0	0	0	0
9/23/2009			0	62		9	0	0	0	0
9/24/2009			0	61		9	0	0	0	0
9/25/2009			0	91		0	0	0	6	0
9/26/2009			0	116		9	0	0	0	0
9/27/2009			0	98		8	0	0	0	0
9/28/2009			0	90		9	0	0	0	0
9/29/2009			0	68		9	0	0	0	0
9/30/2009			0	88	2	26	0	0	8	0
10/1/2009			0	0		0	0	0	0	0

Total