KANSAS CORPORATION COMMISSION

		0	IE P	OINT ST			PEN FLO			ERABILIT	Y TEST	RE	CEIVED
Type Test: Open Flow					,		ructions on Re	verse Side					1 0 20
√ De	✓ Deliverabilty			Test Date: 03/29/2010				API No. 15 023-20736 060				wit -	
Company		velonmer	nt Cor	'n	03/23/2	.010	Lease Hilt			20,000	21-15		WICHI
Petroleum Develop County		Lo	Location		Section		TWP	TWP		(W)		Acres Attributed	
Cheyenne		SW	SWNENW		15		2\$			Lada Cana		160	
Field Cherry Creek					Reservoir Niobrar	a				hering Conne Eureka Gatl			
Completion Date 11/01/2006					Plug Back Total De 1769		epth	Packer Se n/a		Set at			
•		eight .5#		Internal Diameter 4"		Set 179		Perforations 1671		то 1679	1		
bing Si			Internal Diameter 2"			Set at 1717 '		rations	То				
ype Completion (Describe				Type Fluid Product Brine Water			etion	Pump Unit or Traveling Yes, PU		Plunger? Yes	/ No		
oducing	Annulus / Tu	ıbing)		% Carbon Dioxid		ioxide	% Nitrog		jen	Gas Gr	Gas Gravity - G _g		
ertical D						Р	ressure Taps	ş			(Meter	Run) (Pro	ver) Size
	Buildup:	Shut in _	03/29	50	10 at 2	:45pm	(AM) (PM)	Taken_03	3/30	20	10 at 3:00pr	n (A	M) (PM)
ell on L					at		(AM) (PM)	Taken		20	at	(A	M) (PM)
	l.					OBSER	EVED SURFAC	E DATA			Duration of Shut-	in 24	Hours
Static / Orifi dynamic Siz- droperty (inch		Meter Prover Pressure		Pressure Differential in Inches H ₂ 0 Flowing Temperature t		1			Tubing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Duration (Hours)		
Shut-In		p. g (,				psig 65	psia	paig	pola			
Flow													
						FLOW S	STREAM ATT	RIBUTES					
Plate Coeffiec (F _b) (F Mcfd	ient	Circle one: Meter or Prover Pressure psia		Press Extension P _m x h	sion Factor		Flowing Temperature Factor F _{II}	Fa	Deviation N Factor F _{pv}		v GOR (Cubic Fe Barrel)		Flowing Fluid Gravity G _m
		,				<u>_</u>							
/2 =		· (P) ² =	•	(OPEN FL	OW) (DE	LIVERABILITY	<mark>/) CALCUL</mark> P _c - 14.4) +		:	(P _a) (P _d)	² = 0.20	7
c/ 	\overline{T}	, /. A		ose formula 1 or 2:				essure Curve		r 7		1	n Flow
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P _c) ² - (P _w) ²		1. P _c ² -P _a ² LOC form				Slope = "n"		LOG	Antilog	Deliverability Equals R x Antilog	
(P _c)²- (I	P _d) ²			2. P _c ² - P _d ² and divided by: P _c ² - P _w ²		P _c ² -P _w		Assigned Standard Slope				(Mcfd)	
			+										
pen Flo	<u> </u> w			Mcfd @ 14.6	55 psia		Delivera	bility			Mcfd @ 14.65 ps	ia	
		ned authorit	y, on b	ehalf of the	Company, s	states tha	at he is duly a	uthorized to	o make ti	ne above repo	ort and that he ha		
facts s	tated the	erein, and th	at said	report is true	and correc	t. Execu	ited this the	3	day of <u>J</u>	uly		, 20	2010
							_		for	ud			
		Witn	ess (if an	y)						For C	Company		

For Commission

Checked by

JUL 1 9 2010

	KCC WICHITA
•	der the laws of the state of Kansas that I am authorized to request on behalf of the operator Petroleum Development Corp
	on and statements contained on this application form are true and
correct to the best of my knowledge and be	elief based upon available production summaries and lease records
• •	of completion or upon use being made of the gas well herein named. from open flow testing for the Hilt 21-15
gas well on the grounds that said well:	
(Check one)	
is a coalbed methane p	producer
is cycled on plunger lift	due to water
is a source of natural ga	as for injection into an oil reservoir undergoing ER
is on vacuum at the pre	sent time; KCC approval Docket No
is not capable of produ	icing at a daily rate in excess of 250 mcf/D
I further agree to supply to the best of	my ability any and all supporting documents deemed by Commission
staff as necessary to corroborate this clair	m for exemption from testing.
Date: 07/13/2010	
	Signature:
	Title: Area Supervisor

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.