KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | | NA/ | ØSI | | | (| See Instruc | ctions on Re | verse Side | e) | | | | |
|--|-------------------|---|---|---|--|---|---|--|---|--|-----------------------------|-------------------------------|------------------|--|
| | liverat | | | | | Test Date | | | | | No. 15 | ~ | | |
| | | , | er i meremanisasis de el | ·//^*********************************** | *************************************** | 5/11/20 | 08 | | | UZ | 3-20633-00 C | | | |
| Company | | sou | rces, Inc | : . | | | | Lease R. Moo | re | | | 33-28 | Well Nu | ımber |
| County Location Cheyenne NWSE | | | | Section 28 | | | TWP RNG (E/W) 2S 42W | | | | Acres A | Attributed | | |
| Field Cherry Creek | | | Reservoir Niobrara | | | | | thering Conn Systems In | | | | | | |
| Completion Date 10-21-2005 | | | Plug Back Total Depth 1771' | | | | Packer S | Set at | | | | | | |
| Casing Size Weight 2 7/8" 6.5# | | | Internal [2.441 | Diameter | | Set at 1771' | | rations 8' | то 1680 ' | | | | | |
| | | | Internal [| Internal Diameter Set at | | | Perfo | rations | То | | | | | |
| Type Con Single (| | | | | | Type Flui | d Productio | าก | | Pump U | nit or Traveling | Plunger? Yes | /(No) | |
| Producing | Thru | (Anı | nulus / Tu | ıbing) | | % C | arbon Diox | ide | | % Nitrog | jen | Gas Gr | avity - (| 3, |
| Annulus | | | | | | | | | | | | .6 | | |
| Vertical D | epth(H | H) | | | | | | ssure Taps | | | | | Run) (P | rover) Size |
| 1664' | | | | | | | Flan | | | -14. | | 2" | | |
| Pressure | Buildu | | Shut in _ | | | 0 08 at 1 | | (PM) | Taken_5- | 12 | | 08 at 11:15 | | AM)PM) |
| Well on Li | ine: | | Started | 5-12 | 20 | 08 _{at} 1 | 1.10 | (AM)(PM) | Taken 5- | 13 | 20 | 08 at 11:45 | (| AM) PM) |
| | | | | | | | OBSERVE | ED SURFAC | E DATA | | | Duration of Shut- | _{in} 24 | Hours |
| Static / Orifice Dynamic Size | | е | Meter Prover Pressure | | Pressure Differential in | Temperature Temperature | | Casing Wellhead Pressure (P _w) or (P ₁) or (P _c) | | Tubing Wellhead Pressure (P _w) or (P ₁) or (P ₂) | | Duration (Hours) | 1 . | d Produced Barrels) |
| Property | Property (inches) | | psig (Pm) | | Inches H ₂ 0 | | psig psia | | psia | psig psia | | | | |
| Shut-In | • | | | | | | | 77 | 91.4 | | | | ļ | |
| Flow | | | | | | | | 80 | 94.4 | | | 24 | 0 | |
| | | | | | | | FLOW ST | REAM ATTR | IBUTES | | | | | |
| Plate Coeffiecient (F _b) (F _p) Mcfd | | Pro | Circle one: Meter or Prover Pressure psia | | Press Extension ✓ P _m x h | Gravity Factor F _g | | Flowing Temperature Factor F ₁₁ | Deviation Factor F _{pv} | | Metered Flov R (Mcfd) | y GOR (Cubic Fe Barrel) | | Flowing Fluid Gravity G _m |
| | | | | | | | | | | | 4 | | | |
| (P.)2 | - 1 | | .5 | | | • | | /ERABILITY | - | | | • | ² = 0.2 | 07 |
| (P _c) ² = | | <u>. : </u> | (P _w | | ose formula 1 or 2: | | | T | P _c - 14.4) + | | . | (F _d) | ² = | |
| (P _c) ² - (F or (P _c) ² - (F | | (F | (P _w) ² - (P _w) ² | | 1. P _c ² -P _a ² 2. P _c ² -P _d ² | LOG of formula 1. or 2. and divide | P _c ² - P _w ² | Slo | ssure Curve pe = "n" - or signed | l n v | LOG | Antilog | Del Equals | en Flow verability R x Antilog (Mcfd) |
| | | | | divid | led by: $P_c^2 - P_w^2$ | by: | <u>L. T.</u> | Siano | ard Slope | | _ - | | | , |
| | | | | | | | | | | | | | | |
| Open Flov | | | | | Mcfd @ 14. | • | | Deliverat | · · · · · · · · · · · · · · · · · · · | | | Mcfd @ 14.65 psi | | |
| | | - | | | ehalf of the report is true | | | • | | | • | rt and that he ha | | _ |
| | | | | | | | | | | | | , | | |
| | | | Witne | ess (if an | y) 8 K | ansas cor | PORATION | COMMISSIO; D | 4 <i>La</i> | regne | _ SorC | Company | | |
| | | | For C | Commissio | | JA | N 292 | 009 | | | | cked by | | |

CONSERVATION DIVISION WICHITA, K8

| otaff as necessar Date: <u>12/11/08</u> | to corroborate this claim for exemption from testing. RECEIV KANSAS CORPORATIO | |
|--|---|--------|
| _ | to supply to the best of my ability any and all supporting documents deemed by Commiss | sion |
| | is on vacuum at the present time; KCC approval Docket Nois not capable of producing at a daily rate in excess of 250 mcf/D | |
| | is a source of natural gas for injection into an oil reservoir undergoing ER | |
| (Check | is a coalbed methane producer is cycled on plunger lift due to water | |
| | unds that said well: | |
| | lation and/or upon type of completion or upon use being made of the gas well herein named st a one-year exemption from open flow testing for the R. Moore 33-28 | - |
| | of my knowledge and belief based upon available production summaries and lease records | . |
| | oing pressure information and statements contained on this application form are true and | - d |
| | er Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. | - |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

W438
R. Moore 33-28
West St. Francis
St. Francis
None
May-08

| | Casing | | HRS | | REMARKS |
|-----------|--------|------------|-----|---|---------------------------------|
| DATE | PSI | STATIC MCF | DOW | N | (Maximum length 110 characters) |
| 5/1/2008 | | 76 | 5 | 0 | |
| 5/2/2008 | | 75 | 5 | 0 | |
| 5/3/2008 | | 75 | 5 | 0 | |
| 5/4/2008 | | 75 | 5 | 0 | |
| 5/5/2008 | | 76 | 5 | 0 | |
| 5/6/2008 | | 75 | 5 | 0 | |
| 5/7/2008 | | 78 | 5 | 0 | |
| 5/8/2008 | | 77 | 5 . | 0 | |
| 5/9/2008 | | 77 | 5 | 0 | |
| 5/10/2008 | | 77 | 5 | 0 | |
| 5/11/2008 | | 77 | 5 | 0 | |
| 5/12/2008 | 60 | 77 | 5 | 0 | shut in for test |
| 5/13/2008 | 280 | | 1 | 0 | open |
| 5/14/2008 | | 69 | 8 | 0 | |
| 5/15/2008 | | 94 | 5 | 0 | |
| 5/16/2008 | | 81 | 5 | 0 | |
| 5/17/2008 | | 78 | 5 | 0 | |
| 5/18/2008 | | 77 | 5 | 0 | |
| 5/19/2008 | | 80 | 5 | 0 | |
| 5/20/2008 | 65 | 80 | 5 | 0 | |
| 5/21/2008 | | 80 | 5 | 0 | |
| 5/22/2008 | | 79 | 5 | 0 | |
| 5/23/2008 | | 81 | 5 | 0 | |
| 5/24/2008 | | 78 | 5 | 0 | |
| 5/25/2008 | | 78 | 5 | 0 | |
| 5/26/2008 | | 78 | 5 | 0 | |
| 5/27/2008 | | 79 | 5 | 0 | |
| 5/28/2008 | 65 | 79 | 5 | 0 | |
| 5/29/2008 | | 80 | 5 | 0 | |
| 5/30/2008 | | 82 | 5 | 0 | |
| 5/31/2008 | | 82 | 5 | 0 | |

Total 154



W438 R. Moore 33-28 West St. Francis St. Francis None June-08

| | Casing | | H | RS | REMARKS |
|-----------|--------|------------|---|-----|---------------------------------|
| DATE | PSI | STATIC MCF | D | NWC | (Maximum length 110 characters) |
| 6/1/2008 | | 82 | 5 | 0 | |
| 6/2/2008 | | 79 | 5 | 0 | |
| 6/3/2008 | | 80 | 5 | 0 | |
| 6/4/2008 | | 78 | 5 | 0 | |
| 6/5/2008 | 6: | 5 78 | 5 | 0 | |
| 6/6/2008 | | 77 | 5 | 0 | |
| 6/7/2008 | | 77 | 5 | 0 | |
| 6/8/2008 | | 78 | 5 | 0 | |
| 6/9/2008 | | 77 | 4 | 0 | |
| 6/10/2008 | | 77 | 4 | 0 | |
| 6/11/2008 | | 82 | 4 | 0 | |
| 6/12/2008 | 79 | 9 82 | 4 | 0 | |
| 6/13/2008 | | 82 | 4 | 0 | |
| 6/14/2008 | | 82 | 4 | 0 | |
| 6/15/2008 | | 82 | 4 | 0 | |
| 6/16/2008 | | 81 | 4 | 0 | |
| 6/17/2008 | | 78 | 4 | 0 | |
| 6/18/2008 | | 79 | 4 | 0 | |
| 6/19/2008 | 6.5 | 5 79 | 4 | 0 | |
| 6/20/2008 | | 79 | 4 | 0 | |
| 6/21/2008 | | 78 | 4 | 0 | |
| 6/22/2008 | | 78 | 4 | 0 | |
| 6/23/2008 | 6 | 7 80 | 4 | 0 | |
| 6/24/2008 | | 80 | 4 | 0 | |
| 6/25/2008 | | 80 | 4 | 0 | |
| 6/26/2008 | | 80 | 4 | 0 | |
| 6/27/2008 | | 78 | 4 | 0 | |
| 6/28/2008 | | 79 | 4 | 0 | |
| 6/29/2008 | | 78 | 4 | 0 | |
| 6/30/2008 | | 78 | 4 | 0 | |
| 7/1/2008 | | | | 0 | |

Total 128

RECEIVED KANSAS CORPORATION COMMISSION

JAN 2 9 2009

W438 R. Moore 33-28 West St. Francis St. Francis None July-08

| | Casing | | | HRS | REMARKS |
|-----------|--------|--------|-----|------|---------------------------------|
| DATE | PSI | STATIC | MCF | DOWN | (Maximum length 110 characters) |
| 7/1/2008 | | 78 | 4 | 0 | |
| 7/2/2008 | 7 | 0 82 | 4 | 0 | |
| 7/3/2008 | | 79 | 4 | 0 | |
| 7/4/2008 | | 79 | 4 | 0 | |
| 7/5/2008 | | 84 | 4 | 0 | |
| 7/6/2008 | | 88 | 4 | 0 | |
| 7/7/2008 | 7 | 5 89 | 4 | 0 | |
| 7/8/2008 | | 86 | 4 | 0 | |
| 7/9/2008 | | 80 | 4 | 0 | |
| 7/10/2008 | | 84 | 4 | 0 | |
| 7/11/2008 | | 90 | 4 | 0 | |
| 7/12/2008 | | 88 | 4 | 0 | |
| 7/13/2008 | | 82 | 4 | 0 | |
| 7/14/2008 | 9 | 0 106 | 4 | 11 | |
| 7/15/2008 | | 123 | 1 | 0 | |
| 7/16/2008 | | 104 | 6 | 0 | |
| 7/17/2008 | | 88 | 5 | 0 | |
| 7/18/2008 | | 115 | 5 | 0 | |
| 7/19/2008 | | 70 | 4 | 3 | |
| 7/20/2008 | | 77 | 4 | 0 | |
| 7/21/2008 | 6 | 55 80 | 4 | 0 | |
| 7/22/2008 | | 84 | 4 | 0 | |
| 7/23/2008 | | 84 | 4 | 0 | |
| 7/24/2008 | | 89 | 4 | 4 | |
| 7/25/2008 | | 88 | 4 | 0 | |
| 7/26/2008 | | 80 | 4 | 0 | |
| 7/27/2008 | | 65 | 4 | 0 | |
| 7/28/2008 | | 84 | 4 | 0 | |
| 7/29/2008 | 7 | 70 82 | 4 | 0 | |
| 7/30/2008 | | 167 | 4 | 0 | |
| 7/31/2008 | | 82 | 4 | 5 | |

Total 125

RECEIVED KANSAS CORPORATION COMMISSION

JAN 2 9 2009