Kansas Corporation Commission ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	: _	NST		(See Instruct	ions on Re	verse Side)				
	en Flow liverabilty			Test Date 8/11/20					No. 15 3-20633-00	00		
Company		ources, Inc.		0/11/200		Lease R. Moo	re	020			Well Number	
County Cheyenn	•				**************************************	TWP RNG (E/W) 2S 42W			W)	Acres Attributed 80		
Field		14443		28 Reservoir Niobrara				Gas Ga				
Cherry C	n Date			Plug Bac	a k Total Dept	h		Packer	Systems In	<u>. </u>		
10-21-20 Casing Si		Wei		1771'	Diameter	Set			orations	To 1680'		
2 7/8" Tubing Si	ze	6.57 Wei		2.441 Internal D	Diameter	177 Set		1648' Perforations		To		
NONE Type Com				Type Flui	d Production	າ			nit or Traveling	Plunger? Yes	/No	
Single (ntional) Innulus / Tub	ing)	% C	Carbon Dioxi	de		flowing % Nitrog		Gas Gr	avity - G	
Annulus	3					···		.6			в	
Vertical D 1664'	epth(H)				Pres: Flan ;	sure Taps ge		(M 2'			eter Run) (Prover) Size	
Pressure	Buildup:	Shut in8	-10	20 09 at 1	:45	(AM) (PM) Taken 8-11			09 at 2:00	(AM) (PM)		
Well on Li	ine:	Started 8	11	20 <u>09</u> at 2	:00	(AM) PM	Taken 8-	12	20	09 at 2:45	(AM) (M)	
					OBSERVE	D SURFAC	E DATA			Duration of Shut-	in 24 Hou	
Static / Dynamic Property	nic Size Meter Differential Temper		Flowing Temperature t	emperature Temperature		Casing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Tubing ead Pressure r (P ₁) or (P _c) psia	Duration (Hours)	Liquid Produced (Barrels)		
Shut-In			,			60	74.4	psig	psia			
Flow						270	284.4			24	0	
					FLOW STR	EAM ATTR	BUTES					
Plate Circle one: Coefficient Meter or $(F_b)(F_p)$ Prover Pressure Mctd psia		Press Extension √ P _m x h	Gravity Factor F _g		Temperature Fa		viation Metered Flow actor R F _{pv} (Mcfd)		w GOR (Cubic Fe Barrel)	I Gravity		
									3			
4- 10				•	OW) (DELIV		•				² = 0.207	
$(P_c)^2 = $: P _a) ²	(P _w) ² (P _c) ² - (P _w) ²	Choose formula 1 or	P _d =	<u>`</u>	Backpre	P _c - 14.4) + essure Curve pe = "n"	14.4 =	LOG	(P_d)	Open Flow Deliverability	
or (P _c) ² - (F	P _d) ²		2. P _c ² -P _d ² divided by: P _c ² -P	1. or 2. and divide by:	P _c ² -P _w ²	As	or signed lard Slope			Antiog	Equals R x Antilog (Mcfd)	
Open Flov	~\ v		Mcfd @ 14	I.65 psia		Deliveral	oility		.,,	Mcfd @ 14.65 ps	ia	
The u	ındersign	ed authority,	on behalf of the	Company, s	states that h	e is duly a				ort and that he ha	s knowledge of	
ha faata at	ated ther	rein, and that	said report is tru	ue and correc	t. Executed	this the _2	0	day of _	lovember		, ₂₀ <u>09</u> RECEI	
ne racis si										t.	くないひょひ ひつりりつりんて	
ne lacis si		Witnes	s (if any)			-			For C	Company	CANSAS CORPORAT	

	er penalty of perjury under the laws of the state of Kansas that I am authorized to request
	der Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
	going pressure information and statements contained on this application form are true and
correct to the bes	t of my knowledge and belief based upon available production summaries and lease records
• •	allation and/or upon type of completion or upon use being made of the gas well herein named.
	est a one-year exemption from open flow testing for the R. Moore 33-28 rounds that said well:
gas well on the g	ounds that said well.
(Chec	one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
\checkmark	is not capable of producing at a daily rate in excess of 250 mcf/D
	e to supply to the best of my ability any and all supporting documents deemed by Commissio
staff as necessa	y to corroborate this claim for exemption from testing.
Date: 11/20/09	Signature: Jam W Roels

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

KANSAS CORPORATION COMMISSION

W438 R. Moore 33-28 West St. Francis St. Francis None August-09

	Tubing	Casing				HRS	Water	REMARKS
DATE	PSI	PSI	STATIC	MCF	SPM	CYCLE DOWN	BBLS	(Maximum length 110 characters)
8/1/2009	_	_	61	3		0)	
8/2/2009			61	3		0	1	
8/3/2009			78	3		0	1	
8/4/2009			78	3		0	1	
8/5/2009			80	3		0	i	
8/6/2009			80	3		0	١	
8/7/2009			83	3		0	ı	
8/8/2009			83	3		0	I	
8/9/2009			84	3		0	ı	
8/10/2009			83			0	ı	
8/11/2009		60				0		shut in for test
8/12/2009		270	70	1		0		open
8/13/2009			84			0		
8/14/2009			102	4		0		
8/15/2009			61	3		0		
8/16/2009			59	3		0		
8/17/2009			140	1		0		
8/18/2009			136	0		0		
8/19/2009			141	0		0		
8/20/2009			58	6		0		
8/21/2009			55	5		0		
8/22/2009			58	5		4		
8/23/2009			107	4		0	•	
8/24/2009			113	4		0		
8/25/2009			100	2		4		
8/26/2009			55	4		0		
8/27/2009			54	4		0		
8/28/2009			55	4		0		
8/29/2009			125	3		0		
8/30/2009			83	3		3		
8/31/2009			81	3		0		

Total 97

RECEIVED KANSAS CORPORATION COMMISSION

NOV 3 0 2009

W438 R. Moore 33-28 West St. Francis St. Francis None September-09

	Tubing	Casing				HF	lS Wa	iter
DATE	PSI	PSI S	STATIC I	MCF SP	M C	YCLE DO	WN BB	LS
9/1/2009		0	81	3	0	0	0	(
9/2/2009		0	79	3	0	0	0	(
9/3/2009		0	57	4	0	0	0	(
9/4/2009		0	81	3	0	0	6	(
9/5/2009		0	82	3	0	0	0	(
9/6/2009		0	79	3	0	0	0	(
9/7/2009		0	78	3	0	0	0	(
9/8/2009		0	78	3	0	0	0	(
9/9/2009		0	58	3	0	0	0	(
9/10/2009		40	55	3	0	0	0	(
9/11/2009		0	53	3	0	0	0	(
9/12/2009		0	52	3	0	0	0	(
9/13/2009		0	62	3	0	0	1.5	(
9/14/2009		0	77	3	0	0	0	(
9/15/2009		0	77	3	0	0	0	(
9/16/2009		0	60	3	0	0	0	(
9/17/2009		0	52	3	0	0	0	(
9/18/2009		0	52	3	0	0	0	(
9/19/2009		0	61	3	0	0	0	(
9/20/2009		0	76	3	0	0	0	(
9/21/2009		0	77	3	0	0	0	(
9/22/2009		0	75	3	0	0	0	(
9/23/2009		0	55	3	0	0	0	(
9/24/2009		0	67	3	0	0	0	(
9/25/2009		0	84	2	0	0	6	(
9/26/2009		0	116	4	0	0	0	(
9/27/2009		0	103	3	0	0	0	(
9/28/2009		0	96	3	0	0	0	(
9/29/2009		0	77	3	0	0	0	(
9/30/2009		0	79	2	0	0	8	(
10/1/2009		0	0	0	0	0	0	(

Total 90

RECEIVED KANSAS CORPORATION COMMISSION

W438 R. Moore 33-28 West St. Francis St. Francis None October-09

	Tubing	Casing							HRS	Water
DATE	PSI	PSI		STATIC I	MCF	SPM	C	YCLE	DOWN	BBLS
10/1/2009			0	116	4		0	(0	0
10/2/2009			0	98	3		0	C	0	0
10/3/2009			0	86	3		0	C) 0	0
10/4/2009			0	82	3		0	C) 1	0
10/5/2009			0	67	3		0	C	0	0
10/6/2009			0	79	3		0	C	0	0
10/7/2009			0	68	3		0	C	0	0
10/8/2009			0	89	3		0	C	0	0
10/9/2009			0	94	3		0	C	0	0
10/10/2009			0	86	3		0	C	0	0
10/11/2009			0	80	3		0	C	0	0
10/12/2009			0	76	3		0	C	0	0
10/13/2009			0	78	3		0	C	0	0
10/14/2009			0	79	3		0	C	0	0
10/15/2009			0	85	3		0	C	0	0
10/16/2009			0	97	3		0	C	2.5	0
10/17/2009			0	66	3		0	C	0	0
10/18/2009			0	64	3		0	C	0	0
10/19/2009			0	70	3		0	C	0	0
10/20/2009			0	74	3		0	0	0	0
10/21/2009			0	65	3		0	C	0	0
10/22/2009			0	64	3		0	C	0	0
10/23/2009			0	64	3		0	C	0	0
10/24/2009			0	65	3		0	C	0	0
10/25/2009			0	69	3		0	C	0	0
10/26/2009			0	63	3		0	C	0	0
10/27/2009			0	62	3		0	C	0	0
10/28/2009			0	66	3		0	C	0	0
10/29/2009			0	66	3		0	C	0	0
10/30/2009			0	69	3		0	C	0	0
10/31/2009			0	69	3		0	C	0	0

Total 94

RECEIVED KANSAS CORPORATION COMMISSION

NOV 3 0 2009