KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:				(See Instruct	ions on Re	verse Side)		•			
√ Op	en Flov	,							* ADI	NI_ 45				
Deliverabilty					Test Date: 9/26/2006				15-	API No. 15 15-023-20-049- ~ こっ				
Company		ources	, Inc.	÷			Lease Rudol	oh Walte	r		#4	Vell Number		
County Location S Cheyenne C NW/4						Section TWP 9 3S			RNG (E/	W)		Acres Attributed		
Field Cherry C	Creek					Reservoir Niobrara				Gas Gathering Connection Branch Systems Inc.				
Completion 1/24/19		:			Plug Back Total Depth 1565'				Packer S	Set at				
Casing S 4 1/2"			Weight]	Internal D 4.052	Internal Diameter Set 4.052 156			Perfo 145	rations 8'	то 1 488 '			
Tubing Si	ize		Weight	!	Internal D	Internal Diameter Set at			Perfo	rations	То			
Type Con Single (•	•	ibe)			Type Fluid Production Dry Gas				Pump Unit or Traveling Plunger? Yes / No flowing				
Producing			s / Tubing)		% Carbon Dioxide				en	Gas Gra	ıvity - G _g		
Annulus	s			· · · · · · · · · · · · · · · · · · ·							.6			
Vertical D 1643'	epth(H)				Pressure Taps Flange				(Meter Run) (Prover) Size 2"				
Pressure	Buildup	: Shu	9-26	5 2	06 at 1	1:25	(AM) (PM)	Taken_9-	27	20	06 at 4:45	(AM) (M)		
Well on L	ine:	Star	ted 9-27	72	06 at 4						06 at 12:45	(AM)(PM)		
<u>-</u>						OBSERVE	D SURFAC	E DATA			Duration of Shut-i	n_24 Hours		
Static / Dynamic Property	mic Size Prover Pressure in		Flowing Well Head Temperature		Casing Wellhead Pressure (P_w) or (P_t) or (P_c)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)				
Shut-in			psig (Pm)	Inches H ₂ 0			psig 110	124.4	psig	psia				
Flow							27	41.4						
		•				FLOW STR	EAM ATT	RIBUTES						
Plate Goeffiecient (F _b) (F _p) Mcfd		Meter or Extens		Press Extension Pmxh	Gravity T Factor F _g		Flowing Temperature Factor F _{ft}	Deviation Factor F _{pv}		Metered Flow R (Mctd)	y GOR (Cubic Fe Barrel)	Flowing Fluid Gravity G_m		
										3				
					(OPEN FL	OW) (DELIV	ERABILIT	() CALCUL	ATIONS	-	(D)	= 0.207		
(P.)2 =		:	(P _w) ² =	:	P _d =			P _c - 14.4) +		:	(P _d)			
		(P _c) ² - (P _w) ²		Choose formula 1 or 2 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_g^2$	LOG of formula 1. or 2. and divide	P _c ² -P _w ²	Backpressure Curv Slope = "n" 		n x LOG		Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)		
				N. (1. C.)	85		D-"	L IIIA.			Motel @ 1455	•		
Open Flo				Mcfd @ 14.			Delivera		 		Mcfd @ 14.65 psi			
		-		n behalf of the aid report is true							ort and that he ha	s knowledge of		
									1/2	m W	1/ne	lp		
			Witness (i	f any)		KANS	F&E SAS CORP	CEIVE	,		Company			
			For Comm	ission		1831				Che	cked by	177.14		

JAN 05 2007

CONSERVATION DIVISION WIGHTIM, KS

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records
of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow testing for the Rudolph Walter #4
gas well on the grounds that said well:
(Check one) is a coalbed methane producer
is cycled on plunger lift due to water
is a source of natural gas for injection into an oil reservoir undergoing ER
is on vacuum at the present time; KCC approval Docket No
I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.
Date: _12/31/2006
Signatura Jana W. Well
Signature: / am W / Configuration Foreman
Title:
 ·

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

KANSAS CORPORATION COMMISSION

JAN 0 5 2007

CONSERVATION DIVISION WICHITA, K8

Monthly Gauge Sheet 2

Well Name: Walter #4

Pumper: pu Month 8/06

								1
.: .:							SPM	
Day	Static	Diff	MCF	(Wtr)	TP	CP (Cycle	Remarks
1	37		6	Ø		24	542/00	A
2	38		6	Ø		25	5/2/0	of of
3	39		b	0		26	5/2/0	A
4	37		5	Ø		24	5 Y2/	off restanted
5	37		5	23		24	5/2/100	
6	37		5	2008		QU	51/2/10	
7	38		5	180		25	5/2/10	
8	43.		5	20 ·		30	5/2/10	•
9	41		5	18		28		
10	42		2	18		29	5/5/10	
11	.42		5	18		29	5/2/10	
12	41		5	20		28	5/3/10	
13	41		5	18		20	5/5/10	
14	40		` \	18		27	S'2 24	
15	40		5	20.		27	(1)24	
16	41		5	18	·	28	8/2/24	
17	43		3	20		30	5/2/24	
18	45		5	16		32	(5/24	
19	45		5	20	***************************************	32	5/2/24	
20	43		5	21		30	5/2/24	
21	43		5	16		30	5/2/24	
22	67		5~	O		54	5/2/0	cff
23	39		5	0		26	5/2/0	restarted
24	39		6	23		26	3/24	
25	39		4	26		26	51/2/24	
26	38		5	20		25	3/2V	
27	.38		5	az		25	512/24	
28	39		5	az		26	51/2	
29	38		4	23		25	5/3/24	
30	38		4	22		25	51/21	
31	38	,	5	20		25	5/24	
LL		Totals		494			HECEIVED)

RECEIVED. KANSAS CORPORATION COMMISSION

JAN 0 5 2007

CONSERVATION DIVISION WICHITA, KS

Well Name: Walter #4

Pumper: Pumping Unit Month 9/06

						,		T	
	· .				4		5½ SPM 5½ Stele		
Day	Static	Diff	MCF	(Wtr)	TP	СР	Cycle	Remarks	
1.	118			Ø		105	5/2/24		
2	- 58		3	23	****	45	5/2/24		
3	44	•	3	15		31	5/3/24		
4	38		3	16		25	5/1 /24		
5	. 38		3	19		25	5/1/24		
6	38		3	20		25	5/2/24		
7	47		3	21		39	5/24	Replaced Belts.	
8	40		3	100		27	5/2/24	,	3
9	40		3	23		27	5/1/24		
10	44		3	21		31	5/2/24		
11	44		3	21		31	5/2/24		
12	38		2	21	.,	23	5/2/24		
13	38		2	21		25	5/1/24	77	a iX
14	38		2	20		2.5	5/2/24	Hele in Tobay unit Turance	Cott
15	36		2	10		23	5/5/0		
16	36		2	8		23	5/2/8		
17	- 36		2	Ø	` .	25	5/5/8		
18	37		3	50		24	5/2/8		
19	66		3	Ø		53	5/2/0		
20	52		3	6		49	5/2/0		
21	46		Ž	Ø		33	5/2/0		
22	44		3	Ø		31	5/2/10		
23	44	·	3	Ø		31	5/2/0		
24	125		3	Ø		IIZ	5/2/0	ap 9hrs	
25	105		3	0		92	5/2/0		
26	43		3	Ø		30	55/0	SI 11:25 CP 30	
27	• •			Ø				SI 11:25 CP 30 open 4:45 CP 110	
28	58		2	Ø		45	5/2/0	,	
29	49		2	Ø		36	5/2/0		
30	49		2	Ø		36	5/5/0		
31							7		
	٠.	Totals		262				RECEIVED KANSAS CORPORATION COMMISSION	
		,						MOISSIMINO CAMINISSION	

JAN 05 2007

API 15-023-20-113 049

www. Kgs. Ku.edu/PR5/petro DB. html

J-W Operating Lyons

Rosewood

lease# 212036.

Production THS

H240-83