KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:				. (See Instruct	ions on Re	verse Side)				
✓ Ope		# SI		Test Date: 9/26/2006				API No. 15 15-023-20-111 - 00-00				
Company Rosewoo	d Resou	urces, Inc.		Lease R. Walter				Well Number #5				
County Location Cheyenne NESW			Section 9				RNG (E/	(W)		Acres Attributed		
Field Cherry Creek				Reservoir Niobrara				Gas Gathering Connection Branch Systems Inc.				
Completion Date 7/18/1980				Plug Back Total Depth 1505'				Packer S	Set at			
Casing Size Weight 4 1/2" 10.5#			Internal E 4.052	Diameter	Set at 1470'		Perforations 1454'		To 1468'			
Tubing Siz	Tubing Size Weight			Internal C	Internal Diameter Set at			Perfo	rations	То		
Type Completion (Describe) Single (Vertical)				Type Fluid Production Dry Gas				Pump Ur flowing	nit or Traveling	Plunger? Yes	/ No	
Producing Annulus		nnulus / Tubing)	% Carbon Dioxide					en	Gas Gra	vity - G _g	
Vertical De	epth(H)	******			Press Flan	sure Taps ge		,		(Meter F 2"	lun) (Prover) Size	
Pressure E	Buildup:	Shut in 9-20						27	20	06 at 4:30	(AM) (PM)	
Well on Lit	ne:	Started 9-2	72	06 at 4	:30	(AM) (PM)	Taken 9-	28	20	06 at 12:00	(AM) (PM)	
					OBSERVE	D SURFAC	E DATA			Duration of Shut-i	n_24Hours	
Static / Dynamic Property	Dynamic Size Prover Pro		Pressure Differential in Inches H ₂ 0	Differential Temperature Temperature		Wellhead Pressure (P_w) or (P_t) or (P_c)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)	
Shut-In		psig (Pm)	HICHES (1 ₂ 0			psig 90	psia 104.4	psig	psia			
Flow						27	41.4					
					FLOW STR		HBUTES	·				
Plate Coefficient (F _b) (F _p) Mcfd		Circle one: Meter of rover Pressure psia	Press Extension ✓ P _m xh	Grav Faci F _e	tor T	Flowing emperature Factor F _{rt}	Fa	ation ctor pv	Metered Flow R (Mcfd)	GOR (Cubic Fee Barrel)	Flowing Fluid Gravity G _m	
`								33				
/D \2		(D.)? –		•	OW) (DELIV		•		٠	$(P_a)^2$ $(P_d)^2$	= 0.207	
$\frac{(P_c)^2 = {} (P_c)^2 - (P_a)^2}{(P_c)^2 - (P_a)^2} \frac{(P_c)^2 - (P_w)^2}{(P_c)^2 - (P_d)^2}$		Choose formula 1 or 2 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_g^2$	LOG of formula 1. or 2. and divide D 2. D 2		% (P _c - 14.4) + Backpressure Curve Slope = "n" or Assigned Standard Slope		n x t QG		Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)		
Open Flow	v	L	Mcfd @ 14.	65 psia		Deliveral	oility			Wcfd @ 14.65 psi	a	
The u	ndersign	ed authority, or ein, and that sa Witness (i	id report is true		t. Executed	_	o EIVED	day of _C	ecember W For C	rt and that he ha	s knowledge of 20 06 .	
		For Comm	ission							ked by		

DEC 26 2006

	r penalty of perjury under the laws of the state of Kansas that I am authorized to request er Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
	oing pressure information and statements contained on this application form are true and
_	of my knowledge and belief based upon available production summaries and lease records
of equipment instal	lation and/or upon type of completion or upon use being made of the gas well herein named.
I hereby reque	st a one-year exemption from open flow testing for the R. Walter 5
	unds that said well:
•	
(Check	
	is a coalbed methane producer
	is cycled on plunger lift due to water
<u></u>	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
\checkmark	is not capable of producing at a daily rate in excess of 250 mcf/D
	to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
Date: 12/20/2006	
	Signature: John Wlass
	Title: Production Foreman
	Tiue.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED KANSAS CORPORATION COMMISSION

DEC 26 2006

CONSERVATION DIVISION WICHITA, KS

Well Name: Walter

÷

Pumper: PU Month 8/06

::	:						SPM	∇	
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Rema	arks
1	38		33	4		†	5/2/08	eff	
2	38		31	Ø		2S 2S	55/0	1	
3	39		31	Ø/		26	5/2/1	of of	
4	38		30	Ø		25	5/2/0	440	(CEST
5	. 38		29	\D		25	5/2/0	770	
6	38		30	8		25	515/28	30	hand
7	40		32	24		27	5/2/24		
8	43.		33	28		30	5/2/24		•
9	41		34	25	··	28 29	5/2/24		
10	42		35	25 27 25			5/2/24		
11	43		34	25	· · · · · · · · · · · · · · · · · · ·	36	5/2/24		
12	42		33	23		39	5/2/24	.,,	
13	42		<u>53</u>	23		29	5/2/20	off	
14	44		29	Ø,		31	5/2/00	1	Restarted for heard
15	40		2g 31	12.		27	5/1/19		
16	47		31	20		29	5/2/24		
17	44		34	23	·	31	5/24		
18	46		33 31	25	· · · · · · · · · · · · · · · · · · ·	33	5/2/24	ļ	
19	45		31	23		32	3/2/24		
20	44		32	23		31	52/24		
21	67		33	22		54	5/2/24	<u> </u>	
22	41		32	25		28	5/5/24		
23	40		31	25		27	56/24		
24	42		33	23		29	5/2/24		
25	40		32	23		27	5/9/24		
26	40		52	22		27	5/2/24		
27	.40		33	25		27	5/2/24		
28	39		33	22		26	5/2/24		
29	39		33	24		26	5/2/24	1	
30	39	·	32	23	-,-,-	26	5/2/2	 	
31	40	<u> </u>	32	23		29	5/2/24	L	RECEIVED
		Totals		<i>5</i> 58					CANSAS CORPORATION COMMISSION

DEC 26 2006

Well Name:

Walters #5

Pump	er:	Par	بكرر	ngl	thit	_	Month	9/06
3.3	٠.						- SRM.	
Day	Static	Diff	MCF	(Wtr)	TP	СР	515 PM-4 Cycle	Remarks
1.	134		21	20		121	5/2/24	Colomes
2	68		34	25		SS	5/2/24	
3	44		34	23		31	5/2/24	
4	40		36	24		27	5/3/24	
5	38		36	20		25	5/2/24	
6	40		36	22		27	5/2/24	
7	50		35	23		37	55/24	
8	42.		36	20		29	5/2/24	
9	40		36	20		37	5/2/24	
10	44		35	23		31	5/2/24	
11	44		35	20		31	4/24	
12	40		33	22		27	5/2/24	
13	40		3.3	20		27	5/2/29	
14	40		33	20		27	5/2/24	tubing who side ares
15	41		32	23		28	5/2/0	tubing wir sade pres
16	40		30	Ø		27	53/0	Blew down to 160
17	40		31	Ø	`.	27	55/0	
18	46		30	Ø		27	5/2/0	
19	68		.30	Ø		5.5	5/2/12	Restarted
20	39		21	28		26	55/24	
21	46		27	1 × 21		33	5/3/24	
22	48		28	126		35	5/224	
23	46	· .	28	24		33	5/2/24	co 9hes
24	122		24	22		109	5/12/24	COghes
25	71		27	24		58	5/2/24	
26	44		37	24		31	5/24	SI 11:00 P 20
27			4	0			520	open 4:30 CP 90
28	60		31	25		47	5424	
29	68		30	20		\$5	5/2/24	/
30	67	'.	28	24		54	5/2/24	
31			ļ					
	•	Totals	L	543				

RECEIVED KANSAS CORPORATION COMMISSION

DEC 26 2006

CONSERVATION DIVISION WICHITALKS