

CONFIDENTIAL

ORIGINAL

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1
September 1999
Form Must Be Typed
9/03/10

Operator: License # 32825
 Name: Pioneer Exploration, LLC
 Address: 15603 Kuykendahl Suite 200
 City/State/Zip: Houston, Texas 77090 **CONFIDENTIAL**
 Purchaser: Warren Drilling, LLC
 Operator Contact Person: Cynthia B. Gray **SEP 11 2008**
 Phone: (281) 893-9400 x.259 **KCC**
 Contractor: Name: Warren Drilling LLC
 License: 33724
 Wellsite Geologist: Patrick J. Deenihan
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Aband. **CONFIDENTIAL**
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc) **SEP 11 2008**
 If Workover/Re-entry: Old Well Info as follows: **KCC**
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
 05/27/08 06/5/08 08/05/08
 Spud Date or Date Reached TD Completion Date or
 Recompletion Date

API No. 15 - 055-21981-00-00
 County: Finney
 NE NW SE SW Sec. 19 Twp. 22 S. R. 33 East West
330 feet from S (circle one) Line of Section
1650 feet from E (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Garden City "B" Well #: 7-19
 Field Name: Damme
 Producing Formation: Morrow
 Elevation: Ground: 2901 Kelly Bushing: 2914
 Total Depth: 4958 Plug Back Total Depth: 4780
 Amount of Surface Pipe Set and Cemented at 322 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set 2702 Feet
 If Alternate II completion, cement circulated from 4958
 feet depth to surface w/ 1025 sx cmt.

Drilling Fluid Management Plan *Alt II NH 11-28-08*
 (Data must be collected from the Reserve Pit)
 Chloride content _____ ppm Fluid volume _____ bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Cynthia B. Gray
 Title: Field Operations Date: 9/03/08
 Subscribed and sworn to before me this 3rd day of August,
20 08.
 Notary Public: Clark Ordas
 Date Commission Expires: DEC. 13, 2010

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received

 RECEIVED
 KANSAS CORPORATION COMMISSION



SEP 08 2008

CONSERVATION DIVISION
WICHITA, KS

ORIGINAL

Side Two

ORIGINAL

Operator Name: Pioneer Exploration, LLC Lease Name: Garden City "B" Well #: 7-19
Sec. 19 Twp. 22 S. R. 33 East West County: Finney

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets)
Samples Sent to Geological Survey
Cores Taken
Electric Log Run (Submit Copy)
List All E. Logs Run:
CNL/CDL MEL, DIL, CBL
Log Formation (Top), Depth and Datum
Sample
Name Top Datum
SEE ATTACHED

CASING RECORD
Report all strings set-conductor, surface, intermediate, production, etc.
Table with columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs./ Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD
Table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives


PERFORATION RECORD - Bridge Plugs Set/Type
Specify Footage of Each Interval Perforated
Table with columns: Shots Per Foot, PERFORATION RECORD, Acid, Fracture, Shot, Cement Squeeze Record, Depth

TUBING RECORD
Table with columns: Size, Set At, Packer At, Liner Run

Date of First, Resumerd Production, SWD or Enhr.
Producing Method
8/05/08
Flowing, Pumping, Gas Lift, Other (Explain)

Estimated Production Per 24 Hours
Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity
3, 0, 20, 0, 28.0

Disposition of Gas METHOD OF COMPLETION Production Interval
Vented, Sold, Used on Lease, Open Hole, Perf., Dually Comp., Commingled



Garden City "B" #7-19
Damme Field
Finney County
API. NO. 15-055-21981-00-00

Tops and base of formation penetrated

<u>Name</u>	<u>Top</u>	<u>Datum</u>
Herington	2513	+401
Krider	2547	+367
Winfield	2593	+321
	CONFIDENTIAL	
Heebner	3815	-901
Toronto	3833	-919
Lansing	3862	-948
Base of KC	4349	-1435
Pawnee	4445	-1531
Cherokee	4491	-1577
Morrow Shale	4686	-1770
Morrow SD	4732	-1818
Mississippian	4782	-1868

CONFIDENTIAL

SEP 03 2008

KCC

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 08 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO. LLC

Cementing & Acquisitions

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906
Voice: (785) 483-3887
Fax: (785) 483-5566

RECEIVED
JUN 11

PRIORITY INVOICE

Invoice Number: 114305
Invoice Date: Jun 6, 2008
Page: 1

Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

CONFIDENTIAL
SEP 11 2008

KCC

PioExp	Garden City B #7-19	Net 30 Days	
KS	Oakley	Jun 6, 2008	7/6/08

150.00	MAT	Class C Premium Plus	17.35	2,602.50
525.00	MAT	Lightweight Class A	12.65	6,641.25
2,625.00	MAT	Gilsonite	0.80	2,100.00
58.00	MAT	Flo Seal	2.25	130.50
915.00	SER	Handling	2.15	1,967.25
50.00	SER	Mileage 915 sx @.09 per sk per mi	82.35	4,117.50
1.00	SER	Production String - Top Stage	1,075.00	1,075.00

DESCRIPTION Cementing Service
ACCOUNT # 11000-15
WELL NAME Garden City B #7-19 KS 15907
DATE 6-11-08 APPROVED _____

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

ONLY IF PAID ON OR BEFORE

Subtotal	18,634.00
Sales Tax	711.40
Total Invoice Amount	19,345.40
Payment/Credit Applied	

RECEIVED
KANSAS CORPORATION COMMISSION
SEP 08 2008
CONSERVATION DIVISION
WICHITA, KS



24 S. Lincoln Street
 P.O. Box 31
 Russell, KS 67665-2906
 Voice: (785) 483-3887
 Fax: (785) 483-5566

RECEIVED
 JUN 11

PRIORITY INVOICE

Invoice Number: 114304
 Invoice Date: Jun 6, 2008
 Page: 1

Pioneer Exploration, LTD
 P O Box 38
 Spivey, KS 67142-0038

CONFIDENTIAL
 SEP 11 2008
 KCC

PioExp	Garden City B #7-19	Net 30 Days
KS	Oakley	Jun 6, 2008 7/6/08

QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL
4.00	MAT	Gel	18.75	75.00
200.00	MAT	ASC Class A	16.75	3,350.00
200.00	MAT	Lightweight Class A	12.65	2,530.00
19.00	MAT	Salt	21.60	410.40
1,000.00	MAT	Gilsonite	0.80	800.00
50.00	MAT	Flo Seal	2.25	112.50
460.00	SER	Handling	2.15	989.00
50.00	SER	Mileage 460 sx @.09 per sk per mi	41.40	2,070.00
1.00	SER	Production String - Bottom Stage	1,812.00	1,812.00
50.00	SER	Mileage Pump Truck	7.00	350.00
1.00	EQP	AFU Float Shoe	434.00	434.00
3.00	EQP	Baskets	169.00	507.00
10.00	EQP	Centralizers	51.00	510.00
1.00	EQP	Latch Down Plug Assembly	405.00	405.00
1.00	EQP	Stage Collar	4,219.00	4,219.00

DESCRIPTION Cementing Service
 ACCOUNT # 11600-15
 WELL NAME Garden City B #7-19 KS 15907
 AFE# _____
 DATE 6-11-08 APPROVED _____

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF _____
 ONLY IF PAID ON OR BEFORE _____

Subtotal	18,573.90
Sales Tax	827.88
Total Invoice Amount	19,401.78
Payment/Credit Applied	

RECEIVED
 KANSAS CORPORATION COMMISSION
 SEP 08 2008
 CONSERVATION DIVISION
 WICHITA, KS



ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906
Voice: (785) 483-3887
Fax: (785) 483-5566

RECEIVED
JUN 04

PRIORITY INVOICE

Invoice Number: 114191
Invoice Date: May 29, 2008
Page: 1

CONFIDENTIAL
MAY 11 2008
KCC

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

Customer ID	Well Name / Location / P.O.	Payment Terms
PioExp	Garden City "B" #7-19	Net 30 Days
Job Location	Comp Location	Service Date / Due Date
KS	Oakley	May 29, 2008 / 6/28/08

Quantity	Item	Description	Unit Price	Amount
225.00	MAT	Class A Common	14.20	3,195.00
4.00	MAT	Gel	18.75	75.00
8.00	MAT	Chloride	52.45	419.60
237.00	SER	Handling	2.15	509.55
50.00	SER	Mileage 237 sx @.09 per sk per mi	21.33	1,066.50
1.00	SER	Surface	917.00	917.00
42.00	SER	Extra Footage	0.80	33.60
50.00	SER	Mileage Pump Truck	7.00	350.00
1.00	EQP	Wooden plug	68.00	68.00

DESCRIPTION Cementing
SERVICES
ACCOUNT # 11000-15
WELL NAME GARDEN CITY B #7-19 KS 159107
APES
DATE 5-4-08 APPROVED _____

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF

\$ 668.45

ONLY IF PAID ON OR BEFORE

JUN 28 2008

Subtotal	6,634.25
Sales Tax	232.97
Total Invoice Amount	6,867.22
Payment/Credit Applied	
TOTAL	6,867.22

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 08 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 31659

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

DATE <u>6-5-08</u>	SEC. <u>19</u>	TWP. <u>22S</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>2:00 pm</u>	JOB START <u>8:30 pm</u>	JOB FINISH <u>9:30 pm</u>
LEASE <u>Garden city Bth</u>	WELL # <u>7-19</u>	LOCATION <u>Garden city 9N 52W Sinto</u>	COUNTY <u>Finney</u>	STATE <u>KS</u>			
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Watten Drilling Rig 18
 TYPE OF JOB Production (bottom stage)
 HOLE SIZE 2 1/2" I.D. 49.50'
 CASING SIZE 4 1/2" DEPTH 4947'
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL OV TOOL DEPTH 2685'
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT 42.50'
 CEMENT LEFT IN CSG. 42.50'
 PERFS.
 DISPLACEMENT 35 water 43 mud
 EQUIPMENT 78 BBL TOTAL

OWNER same
 CEMENT
 AMOUNT ORDERED 200 sks Lite K¹ Flo-seal
200 sks Asc Fogel 10% salt
5* Gilsonite
 COMMON @
 POZMIX @
 GEL 4 sks @ 18.25 75.00
 CHLORIDE @
 ASC 200 sks @ 16.25 3350.00
 @
Lite 200 sks @ 12.65 2530.00
 @
Salt 19.5 sks @ 21.60 410.40
 @
Gilsonite 1000# @ .80 800.00
 @
Flo-seal 50# @ 2.25 112.50
 HANDLING 460 sks @ 2.15 989.00
 MILEAGE 98 sk/mile 2070.00
 TOTAL 10336.90

PUMP TRUCK CEMENTER Andrew Terry
 # 423-281 HELPER Alvin
 BULK TRUCK
 # 323 DRIVER Larenne
 BULK TRUCK
 # 394 DRIVER Jerry

386 Wil
 REMARKS:

mix 200 sks Lite followed by
200 sks Asc wash pump and
line clean displace plug
down 9000' lift pressure 1500'
land plug plug land and
held. drop opening device
open OV tool 15000'

Thank you

SERVICE

DEPTH OF JOB 4947'
 PUMP TRUCK CHARGE 1812.00
 EXTRA FOOTAGE @
 MILEAGE 50 miles @ 7.00 350.00
 MANIFOLD @
 @
 @

TOTAL 2162.00

PLUG & FLOAT EQUIPMENT

4 1/2"
1 Air float shoe @ 434.00
3 Baskets @ 169.00 507.00
10 centralizers @ 51.00 510.00
(Flo) Wash down plug Assy @ 405.00
1 stage collar @ 229.00

TOTAL 6075.00

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____ IF PAID IN 30 DAYS

CHARGE TO: Pioneer Exploration
 STREET _____
 CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment
 and furnish cementer and helper(s) to assist owner or
 contractor to do work as is listed. The above work was
 done to satisfaction and supervision of owner agent or
 contractor. I have read and understand the "GENERAL
 TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Larry Priest
 SIGNATURE Larry Priest

RECEIVED
 KANSAS CORPORATION COMMISSION

SEP 08 2008

CONSERVATION DIVISION

CONFIDENTIAL
 SEP 11 2008
 KCC

ALLIED CEMENTING CO., LLC. 31949

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: oakley

DATE <u>5-27-08</u>	SEC. <u>19</u>	TWP. <u>22s</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>7:00 pm</u>	JOB START <u>1:00 AM</u>	JOB FINISH <u>1:30 AM</u>
LEASE <u>Garden city</u>				WELL# <u>7-19</u>	LOCATION <u>Garden city</u>	COUNTY <u>Finney</u>	STATE <u>Ks</u>
LOCATION <u>9 N 5 1/2 W 18 s 14 E 100</u>				OLD OR <input checked="" type="radio"/> NEW (Circle one)			

CONTRACTOR Warren Drilling Rig 18
 TYPE OF JOB Surface
 HOLE SIZE 12 1/4 TD. 332'
 CASING SIZE 8 5/8 DEPTH 342.57'
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG. 15'
 PERFS.
 DISPLACEMENT 20.86 BBL

OWNER same

CEMENT
 AMOUNT ORDERED 225 sks com
30cc 20gel
 COMMON 225 sks @ 14.20 3195.00
 POZMIX @
 GEL 4 sks @ 18.75 75.00
 CHLORIDE 8 sks @ 52.45 419.60
 ASC @

EQUIPMENT

PUMP TRUCK CEMENTER Andrew
 # 423-281 HELPER Alvin
 BULK TRUCK
 # 399 DRIVER Jerry
 BULK TRUCK
 # DRIVER

HANDLING 237 sks @ 2.15 509.55
 MILEAGE 99 sk/mile 1066.50
 TOTAL 5265.65

REMARKS:

Cement did circulate

Thank you

SERVICE

DEPTH OF JOB
 PUMP TRUCK CHARGE 912.00
 EXTRA FOOTAGE 42' @ .80 33.60
 MILEAGE 50 miles @ 7.00 350.00
 MANIFOLD @
 @
 @

TOTAL 1300.60

PLUG & FLOAT EQUIPMENT

8 5/8
1 wooden plug @ 68.00
 @
 @
 @

TOTAL 68.00

CHARGE TO: Pioneer Exploration
 STREET
 CITY STATE ZIP

SALES TAX (If Any)
 TOTAL CHARGES
 DISCOUNT IF PAID IN 30 DAYS

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME DAVID KERNS

SIGNATURE David Kerns

RECEIVED
 KANSAS CORPORATION COMMISSION

SEP 08 2008

CONSERVATION DIVISION
 WICHITA KS

CONFIDENTIAL

SEP 11 2008

KCO

ALLIED CEMENTING CO., LLC. 31660

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>6-5-08</u>	SEC. <u>19</u>	TWP. <u>22S</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>3:00pm</u>	JOB START <u>12:00pm</u>	JOB FINISH <u>1:00pm</u>
LEASE <u>Garden city "B"</u>				WELL # <u>7-19</u>	LOCATION <u>Garden city 9N 52W S100</u>	COUNTY <u>Finney</u>	STATE <u>KS</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Warren Drilling Rig 18
 TYPE OF JOB Production (TOP stage)
 HOLE SIZE 7 7/8 T.D. 4950'
 CASING SIZE 4 1/2 DEPTH 4947'
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL D V TOOL DEPTH 2695'
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT 42.52'
 CEMENT LEFT IN CSG. 42.52'
 PERFS.
 DISPLACEMENT 42.85 BBL

OWNER same
 CEMENT
 AMOUNT ORDERED 150 sks class "C"
650 sks Lite 5" Gilsonite 4" Flo-seal
used 525 sks Lite 150 class "C"
class "C"
~~150 sks~~ @ 12.35 2602.50
 POZMIX @
 GEL @
 CHLORIDE @
 ASC @

EQUIPMENT
 PUMP TRUCK CEMENTER Andrew
 # 423-281 HELPER Alvin
 BULK TRUCK
 # 394 DRIVER Jerry
 BULK TRUCK
 # 386 DRIVER wil

Lite 525 sks @ 12.15 6378.75
Gilsonite 2625 # @ .80 2100.00
Flo-seal 58 @ 2.25 130.50
 HANDLING 915 sks @ 2.15 1967.25
 MILEAGE 98 sk/mile 412.50
 TOTAL 17559.00

REMARKS:

Mix 10 sks mousehole 15 sks
Rat hole mix 500 sks Lite
Followed by 150 sks class C down
Center. wash pump and line
Clean. Displace plug down
1100# LIFT 1600# Band plug
Tool closed and held.
Thank you

SERVICE

DEPTH OF JOB 2695'
 PUMP TRUCK CHARGE 1025.00
 EXTRA FOOTAGE @
 MILEAGE 50 miles @ N/C
 MANIFOLD @
 TOTAL 1675.00

PLUG & FLOAT EQUIPMENT

@
 @
 @
 @
 @
 TOTAL

CHARGE TO: Pioneer Exploration
 STREET
 CITY STATE ZIP

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Larry Faust
 SIGNATURE [Signature]

SALES TAX (if Any)
 TOTAL CHARGES
 DISCOUNT IF PAID IN 30 DAYS RECEIVED
 KANSAS CORPORATION COMMISSION

SEP 08 2008

CONSERVATION DIVISION
WICHITA, KS

CONFIDENTIAL
SEP 11 2008