

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

See map 9/25/08

9/25/10

Operator: License # 32825
 Name: Pioneer Exploration, LLC
 Address: 15603 Kuykendahl Suite 200
 City/State/Zip: Houston, Texas 77090
 Purchaser: Warren Drilling, LLC
 Operator Contact Person: Cynthia B. Gray
 Phone: (281) 893-9400 x.259
 Contractor: Name: Warren Drilling LLC
 License: 33724
 Wellsite Geologist: Tim Priest
 Designate Type of Completion: KCC
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

06/06/08	06/15/08	08/10/08
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 055-21983-00-00
 County: Finney
 _____ NW _____ NE _____ Sec. 19 Twp. 22 S. R. 33 East West
330 feet from S / (N) (circle one) Line of Section
990 feet from (E) / W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) (NE) SE NW SW
 Lease Name: Garden City "B" Well #: 8-19
 Field Name: Damme
 Producing Formation: Morrow/Mississippi
 Elevation: Ground: 2896 Kelly Bushing: 2909
 Total Depth: 4950 Plug Back Total Depth: 4864
 Amount of Surface Pipe Set and Cemented at 341 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set 2686 Feet
 If Alternate II completion, cement circulated from 4916
 feet depth to surface w/ 1015 sx cmt.

Drilling Fluid Management Plan *AHT NS 12009*
 (Data must be collected from the Reserve Pit)
 Chloride content _____ ppm Fluid volume _____ bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.


Signature: Cynthia B. Gray
 Title: Field Operations Date: 9/25/08
 Subscribed and sworn to before me this 25TH day of September,
 2008.
 Notary Public: Clark Ordas
 Date Commission Expires: 12-13-2010

KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 Distribution _____

RECEIVED
 KANSAS CORPORATION COMMISSION

OCT 01 2008





Operator Name: Pioneer Exploration, LLC Lease Name: Garden City "B" Well #: 8-19
 Sec. 19 Twp. 22 S. R. 33 East West County: Finney

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:
CNL/CDL MEL, DIL, CBL

Log Formation (Top), Depth and Datum Sample
 Name Top Datum

SEE ATTACHED

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	24	341	Common	225	3% cc w/ 2% gel
Production	7-7/8"	4-1/2"	10.5	4916	C/C-lite/ASC	1015	10% salt, 2% gel, 5# gilsonite; 1/4# flo-seal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	4710-4712	750 gal 7 1/2 % NEFE w/ 24 balls	4710-4735
4	4733-4735		
4	4769-4773	1750 gal 15% NEFE w/ 30 balls	4769-4794
4	4792-4794		


TUBING RECORD Size 2-3/8" Set At 4834 Packer At _____ Liner Run Yes No

Date of First, Resumerd Production, SWD or Enhr. 8/14/08 Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
5	0	63	0	28.0	

Disposition of Gas Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled 4769-73, 4710-12, 4792-94, 4733-35

(If vented, Submit ACO-18.)



Garden City "B" #8-19
Damme Field
Finney County
API. NO. 15-055-21983-00-00

Tops and base of formation penetrated

<u>Name</u>	<u>Top</u>	<u>Datum</u>
Herington	2500	+409
Krider	2531	+378
Winfield	2582	+327
Heebner	3798	-889
Lansing	3848	-909
Base of KC	4332	-1423
Pawnee	4436	-1527
Cherokee	4475	-1566
Morrow Shale	4670	-1761
Mississippian	4738	-1825

CONFIDENTIAL
SEP 25 2008
KOR

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 01 2008

CONSERVATION DIVISION
WICHITA, KS

240444

ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

PRIORITY INVOICE

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906
Voice: (785) 483-3887
Fax: (785) 483-5566

Invoice Number: 114529
Invoice Date: Jun 18, 2008
Page: 1

RECEIVED
JUN 20

SCANNED
6-20-08

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

Customer ID	Customer Name	Payment Terms	
PioExp	Garden City B #819	Net 30 Days	
Job Location	Job Location	Start Date	End Date
KS1	Oakley	Jun 18, 2008	7/18/08

Quantity	Item	Description	Unit Price	Amount
4.00	MAT	Gel	20.80	83.20
200.00	MAT	ASC Class A	18.60	3,720.00
200.00	MAT	Lightweight	14.05	2,810.00
19.00	MAT	Salt	23.95	455.05
1,000.00	MAT	Gilsonite	0.89	890.00
50.00	MAT	Flo Seal	2.50	125.00
460.00	SER	Handling	2.40	1,104.00
73.00	SER	Mileage 460 sx @.10 per sk per mi	46.00	3,358.00
1.00	SER	Production - Bottom Stage	2,185.00	2,185.00
73.00	SER	Mileage Pump Truck	7.00	511.00
1.00	SER	Manifold Rental	113.00	113.00
1.00	EQP	AFU Float Shoe	434.00	434.00
1.00	EQP	Latch Down Assembly	405.00	405.00
10.00	EQP	Centralizers	51.00	510.00
3.00	EQP	Baskets	169.00	507.00
1.00	EQP	D V Tool	4,219.00	4,219.00

RECEIVED
KANSAS CORPORATION COMMISSION
DEC 19 2008
CONSERVATION DIVISION
WICHITA, KS

DESCRIPTION Cementing
ACCOUNT # 1600-15
WELL NAME Garden City #819
AF# KS15908
DATE 6-20-08 APPROVED _____

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF
11.62%
ONLY IF PAID ON OR BEFORE
JUN 18 2008

Subtotal	21,429.25
Sales Tax	877.81
Total Invoice Amount	22,307.06
Payment/Credit Applied	
TOTAL	22,307.06

ALLIED CEMENTING CO., LLC. 31650

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

DATE, KS

6-15-08 DATE	SEC. 19	TWP. 22s	RANGE 33w	CALLED OUT	ON LOCATION 2:30pm	JOB START 6:00pm	JOB FINISH 7:00pm
Cardon City LEASE	WELL # 819	LOCATION B. shows Rd + Barlow Rd		Finney	KS		
OLD OR NEW (Circle one)				1/2 w 5' 6" in			

CONTRACTOR <u>Warren #18</u>	OWNER <u>same</u>
TYPE OF JOB <u>2-stage (Bottom)</u>	
HOLE SIZE <u>7 7/8</u> T.D. <u>4944'</u>	CEMENT
CASING SIZE <u>4 1/2 9.5</u> DEPTH <u>4915'</u>	AMOUNT ORDERED <u>200 L. + 114 ASC (over)</u>
TUBING SIZE _____ DEPTH _____	<u>200 ASC, 10% salt, 5' 6" / 5'</u>
DRILL PIPE _____ DEPTH _____	<u>29 gal</u>
TOOL <u>DU</u> (<u>452</u>) DEPTH <u>2695'</u>	
PRES. MAX _____ MINIMUM _____	COMMON _____ @ _____
MEAS. LINE _____ SHOE JOINT <u>42 27</u>	POZMIX _____ @ _____
CEMENT LEFT IN CSG. <u>42 21</u>	GEL <u>4</u> @ <u>20.00</u> <u>83.20</u>
PERFS. _____	CHLORIDE _____ @ _____
DISPLACEMENT <u>43.9 mud</u>	ASC <u>200</u> @ <u>18.60</u> <u>3720.00</u>
EQUIPMENT <u>35.5 water</u>	Lite <u>200</u> @ <u>14.05</u> <u>2810.00</u>
	Salt <u>19.5 AS</u> @ <u>23.95</u> <u>455.00</u>
PUMP TRUCK CEMENTER <u>Fuzz 24</u>	Gilsonite <u>1000#</u> @ <u>.89</u> <u>890.00</u>
# <u>422</u> HELPER <u>Wayne</u>	Flo-Steel <u>50#</u> @ <u>2.50</u> <u>125.00</u>
BULK TRUCK _____	HANDLING <u>460</u> @ <u>2.40</u> <u>1104.00</u>
# <u>373</u> DRIVER <u>Darwin</u>	MILEAGE <u>.10 LSK x mile</u> <u>3358.00</u>
BULK TRUCK _____	TOTAL <u>12545</u>
# _____ DRIVER _____	

RECEIVED
KANSAS CORPORATION COMMISSION
DEC 19 2008
CONSERVATION DIVISION
WICHITA, KS

REMARKS:

Mix 200 Lite 114 ASC 10% salt
in with 200 ASC 29 gal 10% salt
5' 6" / 5' without pump lines.
Displace plug to hatchdown 900# L.O.T
hand @ 1500' Drop DU Bomb open
tool @ 1100' float hole plus down
@ 7:00pm.
Thanks Fuzz & crew

SERVICE

DEPTH OF JOB <u>4915'</u>	
PUMP TRUCK CHARGE <u>218.50</u>	
EXTRA FOOTAGE _____ @ _____	
MILEAGE <u>73</u> @ <u>5.00</u> <u>511.00</u>	
MANIFOLD _____ @ _____	
TOTAL <u>2809</u>	

CHARGE TO: Pioneer Resources
STREET _____
CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

LARSON <u>4 1/2</u>	1. AFV float shoe	434.00
	1. Hatchdown Assy	405.00
	10. Centralizers	510.00
	3. Baskets	507.00
	1. DU Tool (L)	4219.00
	TOTAL	6075.00

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
TOTAL CHARGES _____
DISCOUNT _____ IF PAID IN 30 DA

PRINTED NAME Larry Priest
SIGNATURE [Signature]



ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906

Voice: (785) 483-3887
Fax: (785) 483-5566

PRIORITY INVOICE

Invoice Number: 114382
Invoice Date: Jun 10, 2008
Page: 1

RECEIVED
JUN 12 2008

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

PioExp	Garden City B #8-19	Net 30 Days	
KS	Oakley	Jun 10, 2008	7/10/08

QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL
225.00	MAT	Class A Common	14.20	3,195.00
4.00	MAT	Gel	18.75	75.00
8.00	MAT	Chloride	52.45	419.60
237.00	SER	Handling	2.15	509.55
50.00	SER	Mileage 237 sx @ .09 per sk per mi	21.33	1,066.50
1.00	SER	Surface	917.00	917.00
41.00	SER	Extra Footage	0.80	32.80
50.00	SER	Mileage Pump Truck	7.00	350.00
1.00	EQP	Wooden Plug	68.00	68.00

DESCRIPTION Cementing
 ACCOUNT # 1600-15
 WELL NAME Garden City B #8-19 KS 15908
 AFE# _____
 DATE 6-12-08 APPROVED _____

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF

ONLY IF PAID ON OR BEFORE

JUN 10 2008

Subtotal	6,633.45
Sales Tax	232.97
Total Invoice Amount	6,866.42
Payment/Credit Applied	
TOTAL	6,866.42

RECEIVED
KANSAS CORPORATION (COMP)

OCT 01 2008

CONSERVATION DIRECTOR
WICHITA, KS

ALLIED CEMENTING CO., LLC. 31662

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>6-6-08</u>	SEC <u>19</u>	TWP. <u>22</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>2:15 P.M.</u>	JOB START <u>1:00 P.M.</u>	JOB FINISH <u>1:30 P.M.</u>
LEASE <u>Garden City B</u>	WELL # <u>8-19</u>	LOCATION <u>Garden City 9N 52W 1/2 1/2 E into Pinery</u>		COUNTY <u>Piney</u>	STATE <u>Ks</u>		

OLD OR (NEW) (Circle one)

CONTRACTOR Warren Drilling Rig 18 OWNER Same

TYPE OF JOB <u>Surface</u>	CEMENT AMOUNT ORDERED <u>225 sks com 3% cc</u>
HOLE SIZE <u>12 1/4</u> T.D. <u>342'</u>	<u>2% gel</u>
CASING SIZE <u>8 5/8</u> DEPTH <u>341.34</u>	
TUBING SIZE DEPTH	
DRILL PIPE DEPTH	
TOOL DEPTH	
PRES. MAX MINIMUM	
MEAS. LINE SHOE JOINT	
CEMENT LEFT IN CSG. <u>15'</u>	
PERFS.	
DISPLACEMENT <u>20.78 BBL</u>	

EQUIPMENT

PUMP TRUCK # 423-281 CEMENTER Andrew

BULK TRUCK # 377 HELPER Alvin

BULK TRUCK # DRIVER Wil

BULK TRUCK # DRIVER

COMMON <u>225 sks</u>	@ <u>14.20</u>	<u>3195.00</u>
POZMIX	@	
GEL <u>4 sks</u>	@ <u>18.75</u>	<u>75.00</u>
CHLORIDE <u>8 sks</u>	@ <u>52.45</u>	<u>419.60</u>
ASC	@	
	@	
	@	
	@	
	@	
	@	
	@	
HANDLING <u>237 sks</u>	@ <u>2.15</u>	<u>509.55</u>
MILEAGE <u>94 sk/mile</u>		<u>1066.50</u>
		TOTAL <u>5265.65</u>

REMARKS:

Cement did circulate

Thank you

CHARGE TO: Pioneer Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB <u>341.34'</u>		
PUMP TRUCK CHARGE		<u>917.00</u>
EXTRA FOOTAGE <u>41'</u>	@ <u>.80</u>	<u>32.80</u>
MILEAGE <u>50 miles</u>	@ <u>7.00</u>	<u>350.00</u>
MANIFOLD	@	
	@	
	@	
		TOTAL <u>1299.80</u>

PLUG & FLOAT EQUIPMENT

<u>8 5/8</u>		
<u>1 wooden plug</u>	@	<u>68.00</u>
	@	
	@	
	@	
	@	
		TOTAL <u>68.00</u>

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cement and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____

SIGNATURE [Signature]

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 01 2008

Tim Priest

Drilling/Petroleum Geologist

COPY

Phone: 1-800-213-3242

timpriest@yahoo.com

GEOLOGIST'S REPORT
DRILLING TIME AND SAMPLE LOG

OPERATOR Pioneer Exploration, LTD

LEASE Garde City 'B' #8-19

FIELD Damme

LOCATION NW NE NE

SEC. 19 TWP. 22 s RGE 33 w

COUNTY Finney STATE Kansas

ELEVATION

KB 2909

DF _____

GL 2896

Measurements Are All

From KB

CASING RECORD

SURFACE 8 5/8" @ 341'

PRODUCTION 4 1/2" @ 4950'

CONTRACTOR Warren Drilling #18

COMM: _____ COMP: 6-15-08

RTD 4950 LOG TO 4944

SAMPLES SAVED FROM 3600' TO TD

DRILLING TIME KEPT FROM 3650 TO TD

SAMPLES EXAMINED FROM 3700' TO TD

GEOLOGICAL SUPERVISION FROM 3650' TO TD


MUD UP 3500' TYPE MUD Chemical

API # 15-055-21983

WELL LOG SURVEYS

Dual Induction
Neutron Density
Microlog

FORMATION	LOG		SAMPLE		STRUCT. COMP.
	TOP	DATUM	TOP	DATUM	
Herington	2500+409		2507+402		
Krider	2531+378		2543+366		
Winfield	2582+327		2589+320		
Heebner	3798-889		3809-900		
Toronto	3818-909		3828-928		
Lansing	3848-939		3859-950		
Kansas City 'A'	4188-1279		4200-1291		
B/KC	4332-1423		4342-1433		
Pawnee	4436-1527		4448-1539		
Cherokee Sh.	4475-1566		4487-1578		
Morrow Sh.	4670-1761		4683-1774		
Mississippian	4738-1825		4750-1841		



REFERENCE WELL FOR STRUCTURAL COMPARISON _____

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 01 2008

CONSERVATION DIVISION
WICHITA, KS



Sonic Cement
Bond Log

API No. 15-005-21983-00-00	Company Pioneer Exploration, LTD.	
	Well Garden City "B" No.8-19	
	Field Damme	County Finney State Kansas
Location NW NE NE 330' FNL & 990' FEL		Other Services Perforate
Sec: 19 Twp: 22S Rge: 33W		Elevation
Permanent Datum	Ground Level	Elevation 2896
Log Measured From	Kelly Bushing	13 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	K.B. 2909 D.F. G.L. 2896
Run Number	One	
Date Survey	6/30/2008	
Date Cementing	6/16/2008	
Type Cementing Operation	Primary	
Depth Driller	4950	
Depth Logger	4864	
Logged Interval	4863 to 550	to
Casing Driller	4.5 @ TD	@
Float Collar -- D.V. Tool	////	2686
Squeeze Depth	////	
Amount & Type Cement	////	
Amount & Type Admix	////	
Type Fluid In Hole	Water	
Fluid Level	560	
Salinity PPM CL	////	
Weight lb/gal -- Vis.	////	////
Approx. Logged Cement Top	Surface	
Calculated Cement Top	////	
Max. Hole Temperature	110	
Tool No.	RBT1-1	
Spacing Recorded	3-5	
Equipment -- Location	13	Hays
Recorded By	S. Chesney	
Witnessed By	Larry Priest	

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 01 2008

CONSERVATION DIVISION
WICHITA, KS



DUAL INDUCTION LOG

Company Pioneer Exploration, LTD.
 Well Garden City "B" #8-19
 Field Damme
 County Finney State Kansas

Location: API #: 15-055-21983-0000
 330' FNL & 990' FEL
 NW NE NE
 SEC 19 TWP 22S RGE 33W
 Other Services
 CNL / SSD
 MEL
 Elevation
 Permanent Datum Ground Level Elevation 2896 FT
 Log Measured From K.B., 13 Ft. Above Perm Datum K.B. 2909 FT.
 Drilling Measured From Kelly Bushing D.F.
 G.L. 2896 FT.

Company Pioneer Exploration, L.L.D.
 Well Garden City "B" #8-19
 Field Damme
 County Finney
 State Kansas

Date	June 15, 2008		
Run Number	One		
Depth Driller	4950 FT.		
Depth Logger	4944 FT.		
Bottom Logged Interval	4943 FT.		
Depth Log Interval	2200 FT.		
Logging Driller	8 5/8" @ 341 FT.		
Logging Logger	341 FT.		
Bit Size	7 7/8"		
Type Fluid in Hole	Chemical		
Density / Viscosity	9.6 / 46		
Flow / Fluid Loss	10.0 / 8.0		
Source of Sample	Flowline		
1 @ Meas. Temp	1.244 @ 75°F		
2 @ Meas. Temp	0.933 @ 75°F		
3 @ Meas. Temp	1.555 @ 75°F		
Source of Rmf / Rmc	Calc. / Calc.		
1 @ BHT	0.875 @ 110°F		
Time Circulation Stopped	10:15 P.M.		
Time Logger on Bottom	2:15 A.M.		
Maximum Recorded Temperature	110°F		
Equipment Number	2920		
Location	OKC. OK		
Recorded By	Mead		
Checked By	Mr. T. Priest		

RECEIVED
 KANSAS CORPORATION COMMISSION

OCT 01 2008

CONSERVATION DIVISION
 WICHITA, KS



COMPENSATED NEUTRON / SSD MICRO LOG

Company Pioneer Exploration, LTD.
 Well Garden City "B" #8-19
 Field Damme
 County Finney State Kansas

Location: API #: 15-055-21983-0000 Other Services
 330' FNL & 990' FEL DIL
 NW NE NE
 SEC 19 TWP 22S RGE 33W

Pioneer Exploration, LTD.
 Garden City "B" #8-19
 Damme
 Finney
 Kansas
 Company
 Well
 Field
 County
 State

Permanent Datum Ground Level Elevation 3396 FT.
 Log Measured From K.B. 13 Ft. Above Perm Datum
 Drilling Measured From Kelly Bushing G.L. 3396 FT.

Date	June 15, 2008
Run Number	One
Depth Driller	4950 FT.
Depth Logger	4944 FT.
Bottom Logged Interval	4922 FT.
Top Log Interval	2200 FT.
Casing Driller	8 5/8" @ 341 FT.
Casing Logger	See DIL Log
Bit Size	7 7/8"
Type Fluid in Hole	Chemical
Density / Viscosity	9.6 / 46
pH / Fluid Loss	10.0 / 2.0
Source of Sample	Flowline
Rm @ Meas. Temp	1.244 @ 75°F
Rmf @ Meas. Temp	0.933 @ 75°F
Rmc @ Meas. Temp	1.555 @ 75°F
Source of Rmf / Rmc	Calc. / Calc.
Rm @ BHT	0.875 @ 110°F
Time Circulation Stopped	10:15 P.M.
Time Logger on Bottom	2:15 A.M.
Maximum Recorded Temperature	110° F
Equipment Number	2920
Location	OK OK
Recorded By	Mead
Witnessed By	Mr. T. Priest

RECEIVED
 KANSAS CORPORATION COMMISSION

OCT 01 2008

CONSERVATION DIVISION
 WICHITA, KS

Tim Priest

Consulting Petroleum Geologist

Phone: 1-800-279-3242

Tim Priest: @yahoo.com

GEOLOGIST'S REPORT
DRILLING TIME AND SAMPLE LOG

OPERATOR Pioneer Exploration, LTD

LEASE Garde City 'B' #8-19

FIELD Damme

LOCATION NW NE NE

SEC. 19 TWP. 22 s RGE. 33 w

COUNTY Finney STATE Kansas

ELEVATION

KB 2909

DF _____

GL 2896

Measurements Are All
From KB

CASING RECORD

SURFACE 8 5/8" @ 341'

PRODUCTION 4 1/2" @ 4950'

CONTRACTOR Warren Drilling #18

COMM. _____ COMP. 6-15-08

RTD 4950 LOG TO 4944

SAMPLES SAVED FROM 3600' TO TD

DRILLING TIME KEPT FROM 3650' TO TD

SAMPLES EXAMINED FROM 3700' TO TD

GEOLOGICAL SUPERVISION FROM 3650' TO TD


MUD UP 3500' TYPE MUD Chemical

API # 15-055-21983

WELL LOG SURVEYS

Dual Induction
Neutron Density
Microlog

FORMATION	LOG		SAMPLE		STRUCT. COMP.
	TOP	DATUM	TOP	DATUM	
Herington	2500+409		2507+402		
Krider	2531+378		2543+366		
Winfield	2582+327		2589+320		
Heebner	3798-889		3809-900		
Toronto	3818-909		3828-928		
Lansing	3848-939		3859-950		
Kansas City 'A'	4188-1279		4200-1291		
B/KC	4332-1423		4342-1433		
Pawnee	4436-1527		4448-1539		
Cherokee Sh.	4475-1566		4487-1578		
Morrow Sh.	4670-1761		4683-1774		
Mississippian	4738-1825		4750-1841		



REFERENCE WELL FOR STRUCTURAL COMPARISON _____

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 01 2008

CONSERVATION DIVISION
WICHITA, KS



Sonic Cement Bond Log

API No. 15-005-21983-00-00	Company Pioneer Exploration, LTD.	
	Well Garden City "B" No.8-19	
	Field Damme	
	County Finney	State Kansas
Location NW NE NE 330' FNL & 990' FEL		Other Services Perforate
Sec: 19 Twp: 22S Rge: 33W		Elevation
Permanent Datum	Ground Level	Elevation 2896
Log Measured From	Kelly Bushing	13 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	K.B. 2909 D.F. G.L. 2896
Run Number	One	
Date Survey	6/30/2008	
Date Cementing	6/16/2008	
Type Cementing Operation	Primary	
Depth Driller	4950	
Depth Logger	4864	
Logged Interval	4863 to 550	to
Casing Driller	4.5 @ TD	@
Float Collar -- D.V. Tool	////	2686
Squeeze Depth	////	
Amount & Type Cement	////	
Amount & Type Admix	////	
Type Fluid In Hole	Water	
Fluid Level	560	
Salinity PPM CL	////	
Weight lb/gal -- Vis.	////	////
Approx. Logged Cement Top	Surface	
Calculated Cement Top	////	
Max. Hole Temperature	110	
Tool No.	RBT1-1	
Spacing Recorded	3-5	
Equipment -- Location	13	Hays
Recorded By	S. Chesney	
Witnessed By	Larry Priest	

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 01 2008

CONSERVATION DIVISION
WICHITA, KS



DUAL INDUCTION LOG

Company Pioneer Exploration, LTD.
 Well Garden City "B" #8-19
 Field Damme
 County Finney State Kansas

Location: API #: 15-055-21983-0000
 330' FNL & 990' FEL
 NW NE NE
 SEC 19 TWP 22S RGE 33W
 Other Services
 CNL / SSD
 MEL
 Elevation
 Permanent Datum Ground Level Elevation 2896 FT
 Log Measured From K.B., 13 Ft. Above Perm Datum K.B. 2909 FT.
 Drilling Measured From Kelly Bushing D.F.
 G.L. 2896 FT.

Company Pioneer Exploration, LTD.
 Well Garden City "B" #8-19
 Field Damme
 County Finney
 State Kansas

Date	June 15, 2008		
Run Number	One		
Depth Driller	4950 FT.		
Depth Logger	4944 FT.		
Bottom Logged Interval	4943 FT.		
Depth Log Interval	2200 FT.		
Logging Driller	8 5/8" @ 341 FT.		
Logging Logger	341 FT.		
Bit Size	7 7/8"		
Type Fluid in Hole	Chemical		
Density / Viscosity	9.6 / 46		
Loss / Fluid Loss	10.0 / 8.0		
Source of Sample	Flowline		
1 @ Meas. Temp	1.244 @ 75°F		
2 @ Meas. Temp	0.933 @ 75°F		
3 @ Meas. Temp	1.555 @ 75°F		
Source of Rmf / Rmc	Calc. / Calc.		
1 @ BHT	0.875 @ 110°F		
Time Circulation Stopped	10:15 P.M.		
Time Logger on Bottom	2:15 A.M.		
Maximum Recorded Temperature	110°F		
Equipment Number	2920		
Condition	OKC. OK		
Recorded By	Mead		
Witnessed By	Mr. T. Priest		

RECEIVED
 KANSAS CORPORATION COMMISSION

OCT 01 2008

CONSERVATION DIVISION
 WICHITA, KS



COMPENSATED NEUTRON / SSD MICRO LOG

Company Pioneer Exploration, LTD.

Well Garden City "B" #8-19

Field Damme

County Finney

State Kansas

Company Pioneer Exploration, LTD.
 Well Garden City "B" #8-19
 Field Damme
 County Finney State Kansas

Location: API #: 15-055-21993-0000
 330' FML & 990' FEL
 NW NE NE
 SEC 19 TWP 22S RGE 33W
 Other Services: DIL
 Elevation: 2896 FT.
 Permanent Datum Ground Level
 Log Measured From k.B., 13 Ft. Above Perm Datum
 Drilling Measured From Kelly Bushing
 G.L. 2896 FT.

Date	June 15, 2008
Run Number	One
Depth Driller	4950 FT.
Depth Logger	4944 FT.
Bottom Logged Interval	4922 FT.
Top Log Interval	2200 FT.
Casing Driller	8 5/8" @ 341 FT.
Casing Logger	See DIL Log
Bit Size	7 7/8"
Type Fluid in Hole	Chemical
Density / Viscosity	9.6 / 46
pH / Fluid Loss	10.0 / 2.0
Source of Sample	Flowline
Rm @ Meas. Temp	1.244 @ 75°F
Rmf @ Meas. Temp	0.933 @ 75°F
Rmc @ Meas. Temp	1.555 @ 75°F
Source of Rmf / Rmc	Calc. / Calc.
Rm @ BHT	0.875 @ 110°F
Time Circulation Stopped	10:15 P.M.
Time Logger on Bottom	2:15 A.M.
Maximum Recorded Temperature	110° F
Equipment Number	2920
Location	OK OK.
Recorded By	Mead
Witnessed By	Mr. T. Priest

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 01 2008

CONSERVATION DIVISION
WICHITA, KS

Tim Priest

Consulting Petroleum Geologist

Phone: 1-800-209-3242

Timpriest1@yahoo.com

GEOLOGIST'S REPORT DRILLING TIME AND SAMPLE LOG

OPERATOR Pioneer Exploration, LTD

LEASE Garde City 'B' # 8-19

FIELD Damme

LOCATION NW NE NE

SEC. 19 TWP. 22 s RGE 33 w

COUNTY Finney STATE Kansas

ELEVATION

KB 2909

DF _____

GL 2896

Measurements Are All
From KB

CASING RECORD

SURFACE 8 5/8" @ 341'

PRODUCTION 4 1/2" @ 4950'

CONTRACTOR Warren Drilling #18

COMM: _____ COMP: 6-15-08

RTD 4950 LOG TD 4944

SAMPLES SAVED FROM 3600' TO TD

DRILLING TIME KEPT FROM 3650' TO TD

SAMPLES EXAMINED FROM 3700' TO TD

GEOLOGICAL SUPERVISION FROM 3650' TO TD


MUD UP 3500' TYPE MUD Chemical

API # 15-055-21983

WELL LOG SURVEYS

Dual Induction
Nuutron Density
Microlog

FORMATION	LOG		SAMPLE		STRUCT. COMP.
	TOP	DATUM	TOP	DATUM	
Herington	2500	+409	2507	+402	
Krider	2531	+378	2543	+366	
Winfield	2582	+327	2589	+320	
Heebner	3798	-889	3809	-900	
Toronto	3818	-909	3828	-928	
Lansing	3848	-939	3859	-950	
Kansas City 'A'	4188	-1279	4200	-1291	
B/KC	4332	-1423	4342	-1433	
Pawnee	4436	-1527	4448	-1539	
Cherokee Sh.	4475	-1566	4487	-1578	
Morrow Sh.	4670	-1761	4683	-1774	
Mississippian	4738	-1825	4750	-1841	



REFERENCE WELL FOR STRUCTURAL COMPARISON _____

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 01 2008

CONSERVATION DIVISION
WICHITA, KS



Sonic Cement Bond Log

15-005-21983-00-00	API No.		Company Pioneer Exploration, LTD.	
			Well Garden City "B" No.8-19	
			Field Damme	
		County Finney		State Kansas
Location		NW NE NE 330' FNL & 990' FEL		Other Services Perforate
Sec: 19		Twp: 22S		Rge: 33W
Permanent Datum		Ground Level		Elevation 2896
Log Measured From		Kelly Bushing		13 Ft. Above Perm. Datum
Drilling Measured From		Kelly Bushing		K.B. 2909 D.F. 2896 G.L. 2896
Run Number	One			
Date Survey	6/30/2008			
Date Cementing	6/16/2008			
Type Cementing Operation	Primary			
Depth Driller	4950			
Depth Logger	4864			
Logged Interval	4863	to	550	to
Casing Driller	4.5	@	TD	@
Float Collar -- D.V. Tool	////		2686	
Squeeze Depth	////			
Amount & Type Cement	////			
Amount & Type Admix	////			
Type Fluid In Hole	Water			
Fluid Level	560			
Salinity PPM CL	////			
Weight lb/gal -- Vis.	////		////	
Approx. Logged Cement Top	Surface			
Calculated Cement Top	////			
Max. Hole Temperature	110			
Tool No.	RBT1-1			
Spacing Recorded	3-5			
Equipment -- Location	13		Hays	
Recorded By	S. Chesney			
Witnessed By	Larry Priest			

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 01 2008

CONSERVATION DIVISION
WICHITA, KS



DUAL INDUCTION LOG

Company Pioneer Exploration, LTD.
 Well Garden City "B" #8-19
 Field Damme
 County Finney State Kansas

Location: API #: 15-055-21983-0000

330' FNL & 990' FEL
 NW NE NE

SEC 19 TWP 22S RGE 33W

Other Services
 CNL / SSD
 MEL

Elevation

Permanent Datum Ground Level Elevation 2896 FT

Log Measured From K.B., 13 Ft. Above Perm Datum

Drilling Measured From Kelly Bushing

K.B. 2909 FT.
 D.F.
 G.L. 2896 FT.

Company Pioneer Exploration, LTD.
 Well Garden City "B" #8-19
 Field Damme
 County Finney
 State Kansas

Date	June 15, 2008		
Run Number	One		
Depth Driller	4950 FT.		
Depth Logger	4944 FT.		
Bottom Logged Interval	4943 FT.		
Depth Log Interval	2200 FT.		
Logging Driller	8 5/8" @ 341 FT.		
Logging Logger	341 FT.		
Log Size	7 7/8"		
Fluid in Hole	Chemical		
Density / Viscosity	9.6 / 46		
Loss / Fluid Loss	10.0 / 8.0		
Source of Sample	Flowline		
Gamma @ Meas. Temp	1.244 @ 75°F		
Gamma @ Meas. Temp	0.933 @ 75°F		
Gamma @ Meas. Temp	1.555 @ 75°F		
Source of Rmf / Rmc	Calc. / Calc.		
Gamma @ BHT	0.875 @ 110°F		
Time Circulation Stopped	10:15 P.M.		
Time Logger on Bottom	2:15 A.M.		
Maximum Recorded Temperature	110°F		
Equipment Number	2920		
Condition	OKC. OK		
Recorded By	Mead		
Witnessed By	Mr. T. Priest		

RECEIVED
 KANSAS CORPORATION COMMISSION

OCT 01 2008

CONSERVATION DIVISION
 WICHITA, KS



COMPENSATED NEUTRON / SSD MICRO LOG

Company Pioneer Exploration, LTD.
Well Garden City "B" #8-19
Field Damme
County Finney
State Kansas

Company Pioneer Exploration, LTD.
Well Garden City "B" #8-19
Field Damme
County Finney State Kansas

Location: API #: 15-055-21983-0000
330' FNL & 990' FEL
NW NE NE
SEC 19 TWP 22S RGE 33W
Other Services
DIL
Elevation
Permanent Datum Ground Level Elevation 2396 FT.
Log Measured From K.B. 13 Ft. Above Perm Datum
Drilling Measured From Kelly Bushing G.L. 2896 FT.

Date	June 15, 2008
Run Number	One
Depth Driller	4950 FT.
Depth Logger	4944 FT.
Bottom Logged Interval	4922 FT.
Top Log Interval	2200 FT.
Casing Driller	8 5/8" @ 341 FT.
Casing Logger	See DIL Log
Bit Size	7 7/8"
Type Fluid in Hole	Chemical
Density / Viscosity	9.6 / 46
pH / Fluid Loss	10.0 / 8.0
Source of Sample	Flowline
Rm @ Meas. Temp	1.244 @ 75°F
Rmf @ Meas. Temp	0.933 @ 75°F
Rmc @ Meas. Temp	1.555 @ 75°F
Source of Rmf / Rmc	Calc. / Calc.
Rm @ BHT	0.875 @ 110°F
Time Circulation Stopped	10:15 P.M.
Time Logger on Bottom	2:15 A.M.
Maximum Recorded Temperature	110°F
Equipment Number	2920
Location	OKC OK.
Recorded By	Mead
Witnessed By	Mr. T. Priest

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 01 2008

CONSERVATION DIVISION
WICHITA, KS