KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Delivera Company	ow AST bilty											
Rosewood R			Test Date 8/13/200					.Pi No. 15 23-20535-00 7	p			
County	esources, Inc.				Lease Ella Ma	ae			3-3	Well N	umber	
Cheyenne		Location Section SENW 3			TWP 3S		RNG 42W		Acres 80	Attributed		
Field Cherry Creek	<u>.</u>		Reservoir			Gas Gathering Connection Branch Systems Inc.						
Completion Da 7-15-2004			Plug Bacl	k Total De	epth	oth Packer Set at						
Casing Size 4 1/2"	Weigh 10.5#		Internal Diameter 4.052			Set at 1746'		rforations 548'	To 1582)1		
Tubing Size NONE	Weigh	nt	Internal Diameter		Set	Set at Perforations		To	`			
Type Completion Single (Con			Type Fluid Dry Ga		ion			Unit or Traveling ping Unit	g Plunger? (Ye)/ No		
Producing Thru Annulus	(Annulus / Tubin	g)	% C	arbon Did	oxide		% Nitr	ogen	Gas (Gravity -	G _g	
Vertical Depth(H)				essure Taps inge				(Mete 2"	r Run) (F	Prover) Size	
Pressure Builde	•	2	0 09 at 1		_ (PM)	Taken_8	-13		09 at 11:45	; ((PM)	
Well on Line:	Started 8-1	3 20	09 at 1	1:45	(AM)(PM)	Taken 8	-14	20	09 at 1:35		(AM)(PM)	
				OBSER\	/ED SURFAC	E DATA			Duration of Shu	t-in24	Hour	
Dynamic Si	ifice Meter Differential . hes) Prover Pressure psig (Pm) Inches H ₂ 0		Flowing Well Head Temperature t		Wellhead (P _w) or (Casing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Tubing head Pressure) or (P _t) or (P _c) psia	Duration Li (Hours)		Liquid Produced (Barrels)	
Shut-In					50	64.4	psig	psia				
Flow					155	169.4			24	0		
		Γ	1	FLOW S	REAM ATTI	RIBUTES		<u> </u>			1	
Plate Coeffiecient (F _b) (F _p) Mcfd	Circle one: Meter or Prover Pressure psia	Press Extension √ P _m x h	Grav Fact F _g	or	Flowing Temperature Factor F _{II}	Fa	riation actor = pv	Metered Flor R (Mcfd)	w GOF (Cubic F Barre	eet/	Flowing Fluid Gravity G _m	
P								14				
(5) 2	47. 10		•	OW) (DEL	IVERABILITY	•		5) ² = 0.2	207	
(P _c) ² =		Choose formula 1 or 2:	P _d = .		. 1	P _c - 14.4) + essure Curve		: :	(P,	,) ² =		
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$	(P _c) ² - (P _w) ²	1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$	LOG of formula 1. or 2. and divide by:	P _c ² -P _w ²	Sid	ppe = "n" or ssigned dard Slope	n,	x LOG	Antilog	Del Equals	pen Flow liverability s R x Antilog (Mcfd)	
											-	
Open Flow		Mcfd @ 14.	35 neia		Delivera	hility			Mcfd @ 14.65 p	sia		
	signed authority, or		-	tates that			o make		·		ledge of	
	therein, and that sa							November			20 <u>09</u>	
		,			_		7	n (e)	Moel		RECEIVE ORPORATION	
	Witness (i	f any)					GT.	For	Company		0V 3 0	

and that correct of equip	tatus under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. the foregoing pressure information and statements contained on this application form are true and the best of my knowledge and belief based upon available production summaries and lease records nent installation and/or upon type of completion or upon use being made of the gas well herein named.
	eby request a one-year exemption from open flow testing for the Ell Mae 3-3 on the grounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D her agree to supply to the best of my ability any and all supporting documents deemed by Commission eccessary to corroborate this claim for exemption from testing.
	Signature: Jon Wheels

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

KANSAS CORPORATION COMMISSION

NOV 3 0 2009

W347 Ella Mae 3-3 West St. Francis St. Francis Pumping Unit/Elec August-09

	Tubing	Casing					HRS	Water	REMARKS
DATE	PSI	PSI	STATIC	MCF	SPM	CYCLE	DOWN	BBLS	(Maximum length 110 characters)
8/1/2009			54	15	0	0	0	0	pump off still under water
8/2/2009			54	15	0	0	0	0	
8/3/2009			79	14	0	0	0	0	
8/4/2009			79	14	0	0	0	0	
8/5/2009			76	14	0	0	0	0	
8/6/2009			76	14	0	0	0	0	
8/7/2009			75	14	0	0	0	0	
8/8/2009			75	14	0	0	0	0	
8/9/2009			76	14	0	0	0	0	
8/10/2009			79	14	0	0	0	0	
8/11/2009			69	14	0	0	0	0	
8/12/2009			67	14	0	0	0	0	
8/13/2009		50	69	14	0	0	0	0	shut in for test
8/14/2009		155	69	3	0	0	0	0	open
8/15/2009			56	20	0	0	0	0	
8/16/2009			56	20	0	0	0	0	•
8/17/2009			140	15	0	0	0	0	
8/18/2009			140	16	0	0	0	0	
8/19/2009			140	16	0	0	0	0	
8/20/2009			49	16	0	0	0	0	
8/21/2009			67	14	0	0	0	0	
8/22/2009			56	14	0	0	4	0	
8/23/2009			87	14	0	0	0	0	
8/24/2009			89	14	0	0	0	0	
8/25/2009			87	9	0	0	4	0	
8/26/2009			51	15	0	0	0	0	
8/27/2009			51	15	0	0	0	0	
8/28/2009			53	14	0	0	0	0	
8/29/2009			140	14	0	0	0	0	
8/30/2009			87	12	0	0	0	0	
8/31/2009			82	14	0	0	0	0	

Total 439 0

RECEIVED KANSAS CORPORATION COMMISSION

NOV 3 0 2009

W347 Ella Mae 3-3 West St. Francis St. Francis Pumping Unit/Elec September-09

	Tubing	Casing					HRS	Water
DATE	PSI	PSI	STATIC	MCF	SPM	CYCLE	DOWN	BBLS
9/1/2009		(0 77	14	0	0	0	
9/2/2009		(0 75	14	0	0	0	
9/3/2009		(51	15	0	0	0	
9/4/2009		(0 91	14	0	0	6	
9/5/2009		(0 78	14	0	0	0	
9/6/2009		(0 75	14	0	0	0	
9/7/2009		(0 74	14	0	0	0	
9/8/2009		(74	14	0	0	0	
9/9/2009		(52	14	0	0	0	
9/10/2009		() 49	14	. 0	0	0	
9/11/2009		(0 46	14	. 0	0	0	
9/12/2009		(0 45	14	. 0	0	0	
9/13/2009		(57	14	. 0	0	1.5	
9/14/2009		(73	14	. 0	0	0	
9/15/2009		(74	14	. 0	0	0	
9/16/2009		(54	14	. 0	0	0	
9/17/2009		() 46	14	. 0	0	0	
9/18/2009		() 45	14	. 0	0	0	
9/19/2009		(56	14	. 0	0	0	
9/20/2009		(72	14	. 0	0	0	
9/21/2009		(73	14	. 0	0	0	
9/22/2009		(71	14	. 0	0	0	
9/23/2009		(48	14	0	0	0	1
9/24/2009		(62	14	. 0	0	0	1
9/25/2009		(97	12	. 0	0	6	1
9/26/2009		(120	15	0	0	0	
9/27/2009		(101	14	0	0	0	
9/28/2009		(94	14	0	0	0	
9/29/2009		(74	14	0	0	0	
9/30/2009		(92	12	0	0	8	
10/1/2009		(0	0	0	0	0	

Total 418 0

RECEIVED KANSAS CORPORATION COMMISSION

NOV 3 0 2009

W347 Ella Mae 3-3 West St. Francis St. Francis Pumping Unit/Elec October-09

	Tubing	Casing					HRS	Water
DATE	PSI	PSI	STATIC	MCF	SPM	CYCLE	DOWN	BBLS
10/1/2009			0 120	15	0	0	0	
10/2/2009			0 96	14	. 0	0	0	
10/3/2009		(0 84	14	. 0	0	0	
10/4/2009		(0 79	13	0	0	1	
10/5/2009		(0 64	13	0	0	0	
10/6/2009		(0 77	14	0	0	0	
10/7/2009		(0 65	13	0	0	0	
10/8/2009		(0 87	13	0	0	0	
10/9/2009		(0 91	11	0	0	0	
10/10/2009		(0 84	13	0	0	0	
10/11/2009		(0 78	13	0	0	0	
10/12/2009		(0 74	13	0	0	0	
10/13/2009		(0 74	13	0	0	0	
10/14/2009		(0 76	13	0	0	0	
10/15/2009		(0 83	13	0	0	0	
10/16/2009		(98	13	0	0	2.5	
10/17/2009		(0 62	14	0	0	0	
10/18/2009			0 60	13	0	0	0	
10/19/2009		(67	13	0	0	0	
10/20/2009		(71	13	0	0	0	
10/21/2009		(62	13	0	0	0	
10/22/2009		(61	13	0	0	0	
10/23/2009		(60	13	0	0	0	
10/24/2009		(62	13	0	0	0	
10/25/2009		() 66	13	0	0	0	
10/26/2009		(59	13	0	0	0	
10/27/2009		(59	13	0	0	0	
10/28/2009		(62	13	0	0	0	
10/29/2009		(62	13	0	0	0	
10/30/2009		() 66	13	0	0	0	
10/31/2009		() 66	13	0	0	0	

Total 407 0

