

# KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

(See Instructions on Reverse Side)

Type Test:

- Open Flow  
 Deliverability

Test Date:  
12/05/03

API No. 15  
023-20374-0000

Company Priority Oil & Gas LLC		Lease Northrup Trust		Well Number 3-18	
County Cheyenne	Location E/2 NE SE	Section 18	TWP 4S	RNG (E/W) 40	Acres Attributed
Field Cherry Creek		Reservoir Beecher Island		Gas Gathering Connection Kinder Morgan	
Completion Date 01/27/01		Plug Back Total Depth 1317		Packer Set at	
Casing Size 4.5 in	Weight 10.5 #	Internal Diameter 4.052	Set at 1358	Perforations 1199	To 1217
Tubing Size	Weight	Internal Diameter	Set at	Perforations	To
Type Completion (Describe) co2 Frac		Type Fluid Production none		Pump Unit or Traveling Plunger? Yes / No	
Producing Thru (Annulus / Tubing) casing		% Carbon Dioxide		% Nitrogen	
Vertical Depth(H)		Pressure Taps		Gas Gravity - G <sub>g</sub> .580 (Meter Run) (Prover) Size	
Pressure Buildup: Shut in 12/04 20 03 at 2:19 (AM) (PM) Taken 20 at (AM) (PM)					
Well on Line: Started 12/05 20 03 at 3:11 (AM) (PM) Taken 20 at (AM) (PM)					

### OBSERVED SURFACE DATA

Duration of Shut-in 24 Hours

Static / Dynamic Property	Orifice Size (inches)	Circle one: Meter or Prover Pressure psig (Pm)	Pressure Differential in Inches H <sub>2</sub> O	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>i</sub> ) or (P <sub>c</sub> )		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>i</sub> ) or (P <sub>c</sub> )		Duration (Hours)	Liquid Produced (Barrels)
						psig	psia	psig	psia		
Shut-In											
Flow	.625					119	133.4				

### FLOW STREAM ATTRIBUTES

Plate Coefficient (F <sub>a</sub> ) (F <sub>p</sub> ) Mcfd	Circle one: Meter or Prover Pressure psia	Press Extension $\sqrt{P_m \times h}$	Gravity Factor F <sub>g</sub>	Flowing Temperature Factor F <sub>t</sub>	Deviation Factor F <sub>pv</sub>	Metered Flow R (Mcfd)	GOR (Cubic Feet/ Barrel)	Flowing Fluid Gravity G <sub>m</sub>

### (OPEN FLOW) (DELIVERABILITY) CALCULATIONS

(P<sub>c</sub>)<sup>2</sup> = \_\_\_\_\_ : (P<sub>w</sub>)<sup>2</sup> = \_\_\_\_\_ : P<sub>d</sub> = \_\_\_\_\_ % (P<sub>c</sub> - 14.4) + 14.4 = \_\_\_\_\_ : (P<sub>a</sub>)<sup>2</sup> = 0.207  
(P<sub>d</sub>)<sup>2</sup> = \_\_\_\_\_

(P <sub>c</sub> ) <sup>2</sup> - (P <sub>a</sub> ) <sup>2</sup> or (P <sub>c</sub> ) <sup>2</sup> - (P <sub>d</sub> ) <sup>2</sup>	(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	Choose formula 1 or 2: 1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>	LOG of formula 1, or 2, and divide by: $\frac{P_c^2 - P_a^2}{P_c^2 - P_w^2}$	Backpressure Curve Slope = "n" ----- or ----- Assigned Standard Slope	n x LOG	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)

Open Flow Mcfd @ 14.65 psia      Deliverability Mcfd @ 14.65 psia

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 28th day of April, 20 04.

Witness (If any)

**RECEIVED**

MAY 03 2004

**KCC WICHITA**

For Company

Checked by

For Commission

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Priority Oil & Gas LLC and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.


I hereby request a one-year exemption from open flow testing for the Northrup Trust 3-18 gas well on the grounds that said well:

(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. \_\_\_\_\_
- is not capable of producing at a daily rate in excess of 250 mcf/D

I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.

Date: 04/28/04

Signature:  \_\_\_\_\_  
Title: VP Operations

**Instructions:** If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

PRECISION MEASUREMENT, INC.  
P.O.Box 3659  
745 North Circle Drive  
Casper, WY. 82602

2/11/2002 6:41 PM  
Phone: 307-237-9327  
800-624-7260  
Fax: 307-577-4139  
E Mail: pmi@trib.com

**GAS ANALYSIS REPORT**

Analysis For: PRIORITY OIL & GAS  
Field Name:  
Well Name: 3-18 NORTHRUP TRUST  
Station Number:  
Purpose:  
Sample Deg. F: 27  
Volume/Day:  
Formation:  
Line PSIG: 141  
Line PSIA:

Run No: 5481-4  
Date Run: 2/11/02  
Date Sampled: 2/5/02  
Producer:  
County:  
State:  
Sampled By: K. ANDREWS  
Atmos Deg. F:  
LOCATION : SEC. 18-4S-40W

RECEIVED  
1 FEB 25 2002  
KCC WICHITA

**GAS COMPONENTS**  
MOL% GPM

Carbon Dioxide	C02:	0.391	
Nitrogen	N2:	3.573	
Hydrogen Sulfide	H2s:	0.0000	
Methane	C1:	94.281	
Ethane	C2:	1.256	0.335
Propane	C3:	0.375	0.103
Iso-Butane	IC4:	0.061	0.020
Nor-Butane	NC4:	0.064	0.020
Iso-Pentane	IC5:	0.000	0.000
Nor-Pentane	NC5:	0.000	0.000
Hexane Plus	C6+:	0.000	0.000
Totals		100.000	0.478

Pressure Base: 14.730  
Real BTU Dry: 992.184  
Real BTU Wet: 974.920  
Calc. Ideal Gravity: 0.584  
Calc. Real Gravity: 0.585  
Field Gravity:  
Standard Pressure: 14.696  
BTU Dry: 989.907  
BTU Wet: 972.683  
Z Factor: 0.998  
Avg Mol Weight: 16.914  
Avg CuFt/Gal: 59.895  
Ethane+ GPM: 0.478  
Propane+ GPM: 0.143  
Butane+ GPM: 0.040  
Pentane+ GPM: 0.000

Remarks:

Analysis By: S.G. WALLACE  
Approved By: