RECEIVED

KANSAS CORPORATION COMMISSION OT 0 4 2010 FIGURE Form ACO-1
OIL & GAS CONSERVATION DIVISION OT 1 2010 FIRST June 2009

Form must be Signed All blanks must be Filled

WELL COMPLETION FORM CC WICHITA WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 7160-		API No. 1 餐
Name: David Wrestler		Spot Description:
477C Conneils and		se sw nw nw Sec. 7 Twp. 24 S. R. 19 FEast West
Address 2:		1,155 Feet from V North / South Line of Section
City: Humboldt State: ks Zi	n. 66748 ₊	495 Feet from East / W West Line of Section
Davis Wassiles	P	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 423-8795		□ NE ☑NW □ SE □SW
CONTRACTOR: License # 33977		County: allen
EV Engrav		Lease Name: Well #: Well #:
Wellsite Geologist: none		Field Name: lola
Purchaser: Pacer		Producing Formation: Tucker
Designate Type of Completion:		Elevation: Ground: Kelly Bushing:
	Workover	Total Depth: 927 Plug Back Total Depth:
✓ oil □ wsw □ swD	□ siow	Amount of Surface Pipe Set and Cemented at: 20 Feet
Gas D&A ENHR	☐ sigw	Multiple Stage Cementing Collar Used? Yes V No
	Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)		If Alternate II completion, cement circulated from: 918 ft
Cathodic Other (Core, Expl., etc.):		feet depth to: surface w/ 110 sx cmt.
If Workover/Re-entry: Old Well Info as follows:		leet depart to.
Operator:		Delling Shirl Management Blow
Well Name:		Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original To	otal Depth:	Chloride content:ppm Fluid volume:bbls
	ENHR Conv. to SWD	
Conv. to	GSW	Dewatering method used:
Plug Back: Plu	g Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:		Operator Name:
Dual Completion Permit #:		Lease Name: License #:
SWD Permit #:		Quarter Sec TwpS. R
ENHR Permit #:		County: Permit #:
		County remit #
6-28-2010 6-29-2010		
Spud Date or Date Reached TD Recompletion Date	Completion Date or Recompletion Date	
Kansas 67202, within 120 days of the spud date	e, recompletion, workover or c for a period of 12 months if red wireline logs and geologist we	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST orm with all temporarily abandoned wells.
AFFIDAVIT		KCC Office Use ONLY
I am the affiant and I hereby certify that all requirem	ents of the statutes, rules and	regu-
lations promulgated to regulate the oil and gas ind	lustry have been fully complied	d with
and the statements herein are complete and corre	ect to the best of my knowled	ge. Confidential Release Date:
	1	☐ Wireline Log Received
Signature: Down Wret		Geologist Report Received
Title: Co-Owner	Date: 9-30-2010	ALT I III Approved by: Do Date: 10 11 10

Side Two

Operator Name: Day	vid Wrestler			Lease I	Name: _	Korte Farms		Well #: <u>11</u>		
Sec. 7 Twp.24	s. r. <u>19</u>	✓ Eas	t 🗌 West	County	: allen					
instructions: She time tool open and clo recovery, and flow rate line Logs surveyed. A	sed, flowing and shues if gas to surface to	ut-in press est, along	sures, whether s with final chart(hut-in pres	sure rea	ched static level	, hydrostatic pre	essures, bottom t	ole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S			Yes 🗸 No		□ L	og Formatio	n (Top), Depth	and Datum		Sample
Samples Sent to Geole	ogical Survey		Yes ✓ No		Name tucker			Top Datum 918 927		
			Yes No Yes No Yes No		tucker			310	02	
List All E. Logs Run:										
Drillers Log										
			CASING	RECORD	│ │ Ne	w Used				
		Rep	ort all strings set-c				ion, etc.			
Purpose of String	Size Hole Drilled		ize Casing et (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		and Percent dditives
Surface	12"/1/4	8"/5/8				20	Portland	5		
Long String	6"/3/4	4"/1/2				918	Portland	110		
			ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD				
Purpose: Depth Type of Cement Top Bottom			# Sacks	Used	Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone										
Shots Per Foot PERFORATION RECORD - Bridge Plugs S Specify Footage of Each Interval Perfora					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			Depth		
								RECEI	VED	
							OCT 0	. 2010		
	<u>-</u>									
								KCC WI	CHIT	Α
TUBING RECORD:	Size:	Set At	•	Packer At	t:	Liner Run:	Yes N	lo		
Date of First, Resumed F 7-20-2010	Production, SWD or EN	HR.	Producing Meth Flowing	od: V Pumping	g 🗌	Gas Lift C	ther (Explain)			
Estimated Production Per 24 Hours	Oil 5	Bbls.	Gas I	Mcf	Wate 5		ols.	Gas-Oil Ratio	2	Gravity 20
DISPOSITIO	N OF CAS:	T		IETUOD OF	COMPLE	TION		PROPLICATIO		(A) .
DISPOSITIO	N OF GAS:		Open Hole	ETHOD OF Perf.			nmingled	PRODUCTIO	M INTERV	AL:
(If vented, Subr	_		Other (Specify)	_ · -/ L	(Submit A		nit ACO-4)			

Drillers Log

Company: David Wrestler

Farm Korte Well No: 11

API: 15-001-30023-0000

Surface Pipe: 20'

Contractor EK Energy LLC

License# 33977 County: Allen

Sec 7 Twp: 24 Range: 19E

Location: 1155 FNL Location: 495 FWL Spot: SE-SW-NW-NW

Thickness	Formation	Depth	Remarks
	SOIL & CLAY	13	Drilled 12 ¼ Hole set 20' 8 5/8 CEMENTED 5 SX
43	LIME	56	Drilled 6 ¾ Hole
28	SHALE	84	
180	LIME	264	
170	SHALE	434	Started 6-28-10
32	LIME	466	Finished 6-29-10
- 63	SHALE	529	
31	LIME	560	T.D. Hole 927'
22	SHALE	582	T.D. Pipe 918'
30	LIME	612	
7	SHALE	619	
5	LIME	624	
89	SHALE	713	
2	LIME	715	
131	SHALE	846	
4	OIL SHOW	850	
14	SHALEY SAND	864	
34	SAND	898	
20	SHALE	918	
9	OIL SAND	927	
	<u> </u>		
			
····			
· · · · · · · · · · · · · · · · · · ·			

RECEIVED OCT 0 4 2010 KCC WICHITA

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shubbery, atc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

					and the state of t			
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #	
							e de la companya de	
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cerment, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, It Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in cofecting any sums owed. All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered. A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Timo Charge of \$50HB.		(TO BE SIGNED IF DELIVERY IT Dear Customer-The driver of this tr you for your signature is of the opi- truck may possibly cause damage property if it places the material in our wish to help you in overy way it the driver is requesting that you si this supplier from any responsibility to the 'premises and/or adjacer drivevalayi, curbs, etc., by the deli- also agrior to help him remove mu that he will not littler the public stre ton, the undersigned agrees to indi- of this truck and this supplier for a and/or adjacent property which me arisin out of delivery of this order. SIGNED	D BE MADE INSIDE CURB UNE; uck in presenting this RELEASE to from that the size and weight of his to the premises and/or adjacent this hoad where you desire. It is that we can, but in order to do this property, buildings, sidewalks, to property, buildings, to property, buildings, to property, to the property of the property to property, to the property to the	Excessive Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By				
QUANTITY	CODE	DESCRIPTION		**************************************	**************************************	UNIT PRICE	EXTENDED PRICE	
				N. W.				



RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
			1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION		
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	
				**************************************	ADDITIONAL CHARGE 4
TOTAL POLICE TRIP	TOTAL AT 100				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	<u> </u>	DELAY TIME	ADDITIONAL CHARGE 2
report of the second					
					GRAND TOTAL