


### WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Biting Building  
Wichita, Kansas

NORTH



Locate well correctly on above  
Section Flat

Ellis County. Sec. 13 Twp. 11 Rge. 17 (E) (W)  
Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines SW NW SW  
Lease Owner West Supply Company  
Lease Name Cress Well No. 1  
Office Address Chase, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Oil  
Date well completed 9-28 19 39  
Application for plugging filed 7-19 19 51  
Application for plugging approved 7-21 19 51  
Plugging commenced 7-28 19 51  
Plugging completed 7-31 19 51  
Reason for abandonment of well or producing formation Ceased production

If a producing well is abandoned, date of last production June 19 51  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Eldon Petty  
Producing formation Arbuckle Lime Depth to top 3359' Bottom 4' Total Depth of Well 3363' Feet  
Show depth and thickness of all water, oil and gas formations.

#### OIL, GAS OR WATER RECORDS

#### CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Arbuckle Lime	oil	3359'	3363'	5-1/2"	3359'	2578'
				8-5/8"	1052'	None
				13"	60'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Rocked hole from 3363' to 3350' and ran 4 sacks of cement. Mudded hole from 3300' to 250', set 10' rock bridge and ran 20 sacks of cement. Mudded to 35', set rock bridge and ran 10 sacks of cement. Plugging completed.

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to West Supply Company  
Address Box 506  
Chase, Kansas

STATE OF Kansas, COUNTY OF Rice, ss.

E. E. O'Brien (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.


(Signature) *E. E. O'Brien*

Chase, Kansas


(Address)

SUBSCRIBED AND SWORN to before me this 6 day of August, 1954

*J. H. Schelke*  
Notary Public.



12/5/54



08-07-51

HOLLOW DRILLING CO. INC.  
 Cross No. 1


SEC. 13 T. 11 R. 17W.  
 SW NW SW

Total Depth, 3363  
 Comm. 9-4-39 Comp. 9-28-39  
 Shot or Treated,  
 Contractor, Hollow Drlg. Co., Inc.,  
 Issued, 10-21-39

County Ellis.

CASING. Rotary Completed with cable.

13" 60' 60 sup  
 8 5/8" 1052' 350 sup  
 5 1/2" 3359' 100 sup



Elevation.

Production. Pot. 3430 E.  
 Echo.

Figures Indicate Bottom of Formations.

surface soil and sand	50
scale	298
stuffy shale	355
stuffy shale	383
shale	393
sand	574
shale	590
sand hard and iron	610
sand and shale	665
sand and iron	716
sand	840
red rock	960
red rock and iron pyrite	984
shale sand and red rock	1047
anhydrite lime	1085
red rock	1190
shale blue shells and red rock	1355
shale	1450
salt and shale	1600
lime and lime shells	1664
lime and shale broken	1760
lime	1820
shale and shells	1895
broken lime	1922
lime	2215
shale	2234
lime	2276
broken lime	2329
lime shale breaks	2395
broken lime	2435
shale and shells	2688
broken lime	2752
lime shale breaks	2803
Topoka lime	2846
Topoka lime	3015
shale and shells	3035
lime Dodgo	3055
KC lime	3309
conglomerate	3332
shale green	3337
Simpson dolomite and shale	3358 1/2
Arbuckle dolomite	3359 1/2
lime Oil	3363
Total Depth, SLM.	

@ RA Pumper  
 RD Standla  
 Schoder well using a  
 Russell

Rock  
 Cut back to 3350'  
 4 sacks

Mud to 250'  
 Rock bridge 10'  
 20 sacks

Mud to 35'  
 Rock 4 10 sacks

**PLUGGING**  
 FILE SEC 13 T 11 R 17W  
 BOOK PAGE 96 LINE 31  
 3359  
 20  
 25-59