

RECEIVED ORIGINAL

OCT 06 2010

KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 8210 Name: Edward E. Birk Address 1: 302 South 16th St. Address 2: City: Burlington State: Ks Zip: 66839 Contact Person: Edward E. Birk Phone: (620) 364-1311 - office CONTRACTOR: License # 8210 Name: Edward E. Birk Wellsite Geologist: None Purchaser: Coffeyville Resources

Designate Type of Completion: [X] New Well [ ] Re-Entry [ ] Workover [X] Oil [ ] WSW [ ] SWD [ ] SIOW [ ] Gas [ ] D&A [ ] ENHR [ ] SIGW [ ] OG [ ] GSW [ ] Temp. Abd. [ ] CM (Coal Bed Methane) [ ] Cathodic [ ] Other (Core, Expl., etc.):

If Workover/Re-entry: Old Well Info as follows: Operator: Well Name: Original Comp. Date: Original Total Depth: [ ] Deepening [ ] Re-perf. [ ] Conv. to ENHR [ ] Conv. to SWD [ ] Conv. to GSW [ ] Plug Back: Plug Back Total Depth [ ] Commingled Permit #: [ ] Dual Completion Permit #: [ ] SWD Permit #: [ ] ENHR Permit #: [ ] GSW Permit #: Spud Date or Recompletion Date: 03/04/2010 Date Reached TD: 03/08/2010 Completion Date or Recompletion Date: 03/08/2010

API No. 15 - 031-22521-00-00 Spot Description: SW SE NW NE Sec. 22 Twp. 22 S. R. 16 [X] East [ ] West 1,155 Feet from [X] North [ ] South Line of Section 1,815 Feet from [X] East [ ] West Line of Section Footages Calculated from Nearest Outside Section Corner: [ ] NE [ ] NW [X] SE [ ] SW County: Coffey Lease Name: Storrer Well #: 14 Field Name: Neosho Falls-LeRoy Producing Formation: Squirrel Elevation: Ground: 1033 est. Kelly Bushing: Total Depth: 1030 Plug Back Total Depth: 1030 Amount of Surface Pipe Set and Cemented at: 40' Feet Multiple Stage Cementing Collar Used? [ ] Yes [X] No If yes, show depth set: Feet If Alternate II completion, cement circulated from: 1014 feet depth to: surface w/ 120 sx cmt.

Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: Operator Name: Lease Name: License #: Quarter Sec. Twp. S. R. [ ] East [ ] West County: Permit #:

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge. Signature: Laura Burt Title: Agent Date: 10/04/2010

KCC Office Use ONLY [X] Letter of Confidentiality Received Date: [ ] Confidential Release Date: [ ] Wireline Log Received [ ] Geologist Report Received [ ] UIC Distribution ALT [ ] I [X] II [ ] III Approved by: dg Date: 10/12/10

Operator Name: Edward E. Birk Lease Name: Storror Well #: 14  
 Sec. 22 Twp. 22 S. R. 16  East  West County: Coffey

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Squirrel Sand</td> <td>1015'</td> <td></td> </tr> </table>	Name	Top	Datum	Squirrel Sand	1015'	
Name	Top	Datum					
Squirrel Sand	1015'						

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	9 7/8"	7"	17#	40'	Portland	16	Calcium
Long String	6"	2 7/8"	6.5#	1014'	Portland	120	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
None	Open hole completion 1014-1030'	Frac w/40 sx sand	1014-1030
		RECEIVED	
		OCT 06 2010	
		KCC WICHITA	

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or ENHR. <b>03/31/2010</b>		Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls. <b>5</b>	Gas Mcf	Water Bbls. <b>3</b>
			Gas-Oil Ratio
			Gravity

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<b>METHOD OF COMPLETION:</b> <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--	--	---



# Meier's Ready Mix, Inc.

Plant  
(785) 233-9900

P.O. Box 8477 • 1105 N.W. Lower Silver Lk. Rd. • Topeka, Kansas 66608

FAX # 233-9947

Office  
(785) 233-2423

PLANT	TIME	DATE 3/8/10	ACCOUNT	TRUCK own	DRIVER own	TICKET
CUSTOMER NAME Bank Oil Storrer #14			DELIVERY ADDRESS Pickup at Plant			
PURCHASE ORDER		ORDER #	TAX			SLUMP

LOAD QTY	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
120	Coag		9.40		water	840

LEAVE PLANT	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT
-------------	-----------------	-----------------	------------------	--------------

DRIVER Note here if water has been added and how much.

### NOTE

We are not responsible for concrete freezing after placement.

277349

### IMPORTANT

We cannot be held responsible for damage caused by our trucks when delivering material beyond the curb-line. Not responsible for quality of concrete if water is added by purchaser.

15 Cement 11280  
 SUBTOTAL  
 TAX  
 TOTAL 1128.00  
 PREVIOUS TOTAL 59.78  
 GRAND TOTAL 1187.78

**Caution:**  
**FRESH CONCRETE**  
 Body or eye contact with fresh (moist) concrete should be avoided because it contains alkali and is caustic.

Received By \_\_\_\_\_

*One thousand One hundred Eighty Seven and 78/100*

RECEIVED  
 OCT 06 2010  
 KCC WICHITA