KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 June 2009 Must Be Typed

Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31002	API No. 16 - 15-091-23409-0000
Name: Kelly Company LC	
Address 1: PO BOX 412	Spot Description:
Address 2: KS 66064	3,640 Feet from North / South Line of Section 4,480 Feet from Feet / West Line of Section
City: Osawatomie State: KS Zip: 66064 +	Feet from Feat / West Line of Section
Contact Person: Phil Frick RECEIVED	Footages Calculated from Nearest Outside Section Corner:
Phone: (103) 603-4037	□ NE □ NW ☑ SE □ SW
CONTRACTOR: License # 5989 OCT 0 8 2010	County: Johnson
Name: Finney Drilling Company Wellsite Geologist: None KCC WICHITA	Lease Name: Knabe D Well #: KAI-7
Purchaser: Kelly L. Maclaskey Oilfield Services, Inc.	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 1041 est Kelly Bushing: NA
	Total Depth: 910 Plug Back Total Depth: 900.15
	Amount of Surface Pipe Set and Cemented at: 22.5
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	
☐ Gas ☐ D&A ☑ ENHR ☐ SIGW ☐ GSW ☐ Temp. Abd.	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from: 900.15
f Workover/Re-entry: Old Well Info as follows:	feet depth to: surface w/ 120 sx cmt
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	· ·
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: ppm Fluid volume: bbis
☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R
GSW Permit #:	County: Permit #:
7/20/2010 7/27/2010 7/27/2010	
Spud Date or Date Reached TD Completion Date or Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copies of two of this form will be held confidential for a period of 12 months if requirality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidential report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDANIT	
AFFIDAVIT am the affiant and I hereby certify that all requirements of the statutes, rules and r	KCC Office Use ONLY
ations promulgated to regulate the oil and gas industry have been fully complied	*

lations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

A	,
Signature:	
Title: Agent	Date:

NCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
✓ Wireline Log Received
☐ Geologist Report Received
☑ UIC Distribution
ALT I I III Approved by: Dig Date: 10 14 170

Side Two

Operator Name: Ke	elly Company LC		Lease Name: _	Knabe D		_ Well #: _ K/	4 I-7	
Sec. 14 Twp. 14	s. R. <u>22</u>	✓ East	County: Johr					
time tool open and cl recovery, and flow ra	losed, flowing and shu	nd base of formations per ut-in pressures, whether s est, along with final chart(I well site report.	shut-in pressure rea	iched static level	, hydrostatic pres	sures, bottom	hole tempe	rature, fluid
Drill Stem Tests Take (Attach Additional		☐ Yes ✓ No	VI	og Formatio	n (Top), Depth ar	nd Datum	☐ Sa	ample
Samples Sent to Geo	ological Survey	Yes No	Nan Bartle			Top 842.0		atum 99' est
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop		☐ Yes	Barte	Svine		042.0		70 GSI
List All E. Logs Run: Gamma Ray/	Neutron/CCL							
		CASING Report all strings set-		ew Used	ion etc			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used		nd Percent ditives
Surface	12 1/4"	7"	19#	22.5'	I	10	See Dril	lers Log
Production	5 7/8"	2 7/8"	6.5#	900.15	50/50 Poz	120	See Sen	vice Ticket
Purpose:	Depth	ADDITIONAL Type of Cement	# Sacks Used	JEEZE RECORD		Percent Additives	s	
Perforate Protect Casing Plug Back TD	Top Bottom							
Plug Off Zone						···		
Shots Per Foot	PERFORATI Specify	ON RECORD - Bridge Plug Footage of Each Interval Per	s Set/Type forated		cture, Shot, Cement		rd	Depth
2 spf	842.0 to 852.0 - 2	" DML RTG - 21 Perfs		₽E	CEIVED			
					0 8 2010			
					•			
				, ACC	WICHITA			
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No			
Date of First, Resumed Pending Permit	Production, SWD or EN	HR. Producing Meth	nod:	Gas Lift C	other <i>(Explain)</i>			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf Wat	er Bl	bls. C	Gas-Oil Ratio		Gravity
DISCOST	ON OF CAS:		AETHOD OF COME	TION.		DD05::	ON 11 TEST	
DISPOSITI Vented Solo	ON OF GAS:			Comp. Con	nmingled	PRODUCTI	ON INTERVA	م ل :
	bmit ACO-18.)	Other (Specify)	(Submit .	ACO-5) (Subr	nit ACO-4)			

DRILLERS LOG

ŕ	<u> </u>	MILLERS LOG			
API NO.:	15 - 091 - 23409 - 00 - 00		S. 14 T. 14 R	2. 22 <u>E.</u> W.	_
OPERATOR:	KELLY COMPANY LC	_	LOCATION: _	NW NE SW NW	
ADDRESS:	P.O. BOX 412, OSAWATOMIE, KS 660	064	COUNTY:	JOHNSON	
WELL #:	KAI - 7 LEASE NAME:	KNABE - D	ELEV. GR	1041	
FOOTAGE LOCATION:	3640 FEET FROM (N) (S) LINE	4480 FEET FROM (E) (W) LINE	DF _	KB	_
CONTRACTOR:	FINNEY DRILLING COMPANY	GEOLOGIST:	JIM GUINOTTE		
SPUD DATE:	7/20/2010	TOTAL DEPTH:	910	P.B.T.D.	
DATE COMPLETED:	7/27/2010	OIL PURCHASER:	MACLASKEY		

CASING RECORD

REPORT OF ALL STRINGS - SURFACE, INTERMEDIATE, PRODUCTION, ETC

PURPOSE OF STRING		SIZE CASING SET (in O.D.)	WEIGHT LBS/FT	SETTING DEPTH	TYPE CEMENT	SACKS	TYPE AND % ADDITIVES
URFACE:	12 1/4	7	19	22.40	ı	10	SERVICE COMPANY
RODUCTION:	5 7/8	2 7/8 8rd	6.5	900.15	S	119	SERVICE COMPANY

DRZLLER
CEMBUTEN
SURFACE
TO
SURFACE

WELL LOG

CORES:

RECOVERED:

#____

RAN:

ACTUAL CORING TIME:

	TOP B	ОТТОМ
OP SOIL	0	3
LAY & SAND	3	15
IME	15	20
HALE	20	28
IME	28	47
HALE	47	51
IME	51	60
HALE	60	67
IME	67	72
HALE	72	76
IME	76	81
HALE	81	105
IME	105	115
AND & SHALE	115	119
IME	119	181
HALE	181	211
IME	211	219
HALE	219	245
IME	245	253
HALE	253	293
IME	293	295
HALE	295	304
IME	304	332
HALE	332	340
IME	340	362
HALE	362	366
IME	366	371
HALE	371	375
IME	375	382
HALE	382	440
AND & LIME	440	447
HALE	447	451
IME	451	453
AND & SHALE	453	559
IME	559	560
HALE	560	566
IME	566	572
HALE	572	590

FORMATION TO	<u>OP BO1</u>	ТОМ
LIME	590	594
SHALE	594	599
LIME	599	604
SAND & LIME	604	612
SAND & SHALE	612	637
LIME	637	640
SHALE	640	643
LIME	643	646
SHALE	646	705
LIME	705	706
SHALE	706	715
LIME	715	716
SHALE	716	725
OIL SAND	725	731
SHALE	731	747
LIME	747	751
SHALE	751	811
LIME	811	812
SHALE	812	842
LIME	842	844
SAND & SHALE	844	849
OIL SAND	849	855
SAND & SHALE	855	879
LIME	879	880
SHALE	880	910 T.D.



REMIT TO

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346 MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

> WORLAND, WY 307/347-4577

INVOICE			Ir	voice #	; :	235564
=======	======	=========	:======================================		=====:	=====
Invoice :	Date:	07/29/2010	Terms:		Page	1

D.E. EXPLORATION
DOUG EVANS
P.O. BOX 128
WELLSVILLE KS 66092
(785) 883-4057

BARTLESVILLE, OK

918/338-0808

ELDORADO, KS

316/322-7022

EUREKA, Ks 620/583-7664 KNABE D KAI-7 26998 NW 14-14-22 JO 07/27/2010 KS

Part Number	Description	Qty	Unit Price	Total
1110A	KOL SEAL (50# BAG)	670.00	.4200	281.40
1111	GRANULATED SALT (50 #)	259.00	.3300	85.47
1118B	PREMIUM GEL / BENTONITE	325.00	.2000	65.00
1124	50/50 POZ CEMENT MIX	120.00	9.8400	1180.80
4402	2 1/2" RUBBER PLUG	1.00	23.0000	23.00
Description		Hours	Unit Price	Total
	TRUCK (CEMENT)	2.00	100.00	200.00
495 CEMENT PUMP		1.00	925.00	925.00
495 EQUIPMENT MILE	EAGE (ONE WAY)	30.00	3.65	109.50
495 CASING FOOTAGE	E	900.00	.00	.00
503 MIN. BULK DELI	VERY	1.00	315.00	315.00

RECEIVED
OCT 0 8 2010
KCC WICHITA

	.sc:	00	Tax: Total: Change:	123.09 3308.26 .00	AR	3308.26
Signed		===		======:	=====: ate	

McALESTER, OK 918/426-7667 OTTAWA, KS

785/242-4044

THAYER, KS

620/839-5269

GILLETTE, WY 307/686-4914



TICKET NUMBER 26998

LOCATION OTTAWA

FOREMAN Alan Maker

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

DATE				CEMEN		TOMOUND	DANOT	COUNTY
	CUSTOMER#		NAME & NUM	, , , , , , , , , , , , , , , , , , , 	SECTION	TOWNSHIP	RANGE	COUNTY
7-27-10	2355	Knabe	D	AI-7	NW 14	/7	ンス	JU
USTOMER	-da - X	ian	•		TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRE	ss	,007		1	51/e	Alan M	Sufet	Meel
00 6	m- 128	>	·	ľ	HGE	CHACK	CV	JUICE)
CITY	UX 100	STATE Z	ZIP CODE	1	300	Care	Cille	
11/01/6	11/10	16.5	1.6092		502	Desell M	D 11	
100 P 100	an Chal	1170 1	5/0	.] _ HOLE DEPTI	910	CASING SIZE & V	VEIGHT 2	1/8
OB TYPE IUU	GDD	HOLE SIZE	-10	_ HOLE DEPTI _ TUBING	1160	CASING SIZE & F	OTHER	
CASING DEPTH	• -	DRILL PIPE SLURRY VOL		_ TOBING		CEMENT LEFT in		25
SLURRY WEIGH			DSI 800	MIX PSI	200	T 1	pm	
DISPLACEMENT	3.4	DISPLACEMENT	731 <u>000</u>	WIA PSI	Lablich.	1 cat		-1 L
REMARKS: /T	ela cr	en ne	e) in	SUFE.	tablishe	a variable	The second second	134
prinft	d 100 =	Sections		ish h	202 /	Ken	ampen to d	- 10 1
130150	poz,	Kolseal	5/0	Salt	210 90		Maroo	70
cene	1 - F	usued	Fuss	V. P.	mped f	of To	easin	5 / U.
Well	nela	80083	4. 0	er tu	Dax CI	osed L	1000.	
-								
						10	A.	1 and
							m//V	ance
								
ACCOUNT CODE	QUANITY	or UNITS	Di	ESCRIPTION o	f SERVICES or PR	ODUCT	UNIT PRICE	TOTAL
THAL	1		PUMP CHAR					9250
TYO	-	7.	MILEAGE					109.50
7 10 2		• •	C 1	- /	····;			
	90	(2)	11 12 6	\cdot	37500			
2407 2407	90	0'	<u>C45.4</u>	S TOG	rage			3/50
5407 5407	900 m:n	Ø'	ton	s Foo	as o			315.0
5407 5502C	90. m:n 2	hr	ton 80 v	s For mile	las o			315.0
5407 5502C	90: M:N 2	hr	ton 80 v	s Tole	Pag e	CENTED		315.0
5407 5502C	90: M:2	.44	ton 80 v	y Too	Page Pago RI	CEIVED		3150
5407 5502C	900 M:2	.44	ton 80 v	y Too	RE OC	CEIVED		315.0
5407 5502C 1110A 1111	90 M:2 25	.44	ton 80 v Kolse Sal	s Tod mile ac	RE OC	T 0 8 2013		315.0 200.0 281.40 85.4
5407 5502C 1110 A 1111 1118B	90 M:2 25 33	.44		mile mile eac		<u> </u>		315.0 200.0 281.40 85.4 65.00
5407 5502C 1110A 1111 1118B 1124	25° 32.	.44	391	STOR	KCC	CEIVED T 0 8 2013 WICHITA		85,00 65,00
5407 5502C 1110A 1111 1118B 1124 4402	25° 32.	0 # 9 # 5 #	391	14	KCC	<u> </u>		315.0 200.0 281.40 85.4 65.00 1.180.0 23.00
1111 1118B 1124	25° 32.	0 # 9 # 5 #	391	14	KCC	<u> </u>		85,00 65,00
1111 1118B 1124	25° 32.	0 # 9 # 5 #	391	14	KCC	<u> </u>		85,00 65,00
1111 1118B 1124	25° 32.	0 # 9 # 5 #	391	14	KCC	<u> </u>		85,00 65,00
1111 1118B 1124 4402	25° 32.	0 # 9 # 5 #	391	14	KCC	<u> </u>		85,00 65,00
1111 1118B 1124 4402	25° 32.	0 # 9 # 5 #	391	14	KCC	<u> </u>		85,00 65,00
1111 1118B 1124 4402	25° 32.	0 # 9 # 5 #	391	14	KCC	<u> </u>		85,00 65,00
1111 1118B 1124 4402	25° 32.	0 # 9 # 5 #	391	14	KCC	<u> </u>	SALES TAX	85,00 65,00
1111 1118B 1124 4402	25° 32.	0 # 9 # 5 #	391	14	KCC	<u> </u>	ESTIMATED	85.4 65.00 1.180. 23.00
1111 1118B 1124 HUO2	25° 32. 120	0 # 9 # 5 #	50/2 2/2 2/2	17 50 po plus 1355	KCC	WICHITA		85,00 65,00

account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.