KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Reservoir Reservoir Beecher Island Priority Oil & Gas Gathering Connection Priority Oil & Gas LLC	Type Test	t:					See Instr	ructions on F	Reverse Sid	e)					
Company 12/13/09	✓ Op	en Flow				Test Date	a·			۸۵	l No. 15				
Priority Oil & Gas LLC County Cheyvenne Section Secti	De	liverabilty	y ·									000			
Cherynne SENWINNE 18 5S 41 Perford Pasenoir Pasenoir Pasenoir Pasenoir Pasenoir Pasenoir Pasenoir Plug Back Total Depth Packer Set at 18 Completion Date 1465 Plug Back Total Depth Packer Set at 18 4.5 in 10.5 # 4.052 1488 KB 1333 1388 Tubing Size Weight Internal Diameter Set at Perforations To 10.6 # 4.052 1488 KB 1333 1388 Tubing Size Weight Internal Diameter Set at Perforations To 10.6 # 4.052 1488 KB 1333 1388 Tubing Size Weight Internal Diameter Set at Perforations To 10.6 # 5.0 # 5			Gas LLC						ger						
Cherry Creek Beecher Island Priority Oil & Gas LLC Competen Date 05/02/03 1465 1405 1405 1405 1405 1405 1405 1405 140									E/W)		Acres	Attributed			
DS/02/03 1465 Casing Size Weight Internal Diameter Set at Perforations To 10.5 # 4.052 1488 KB 1333 1368 Tubing Size Weight Internal Diameter Set at Perforations To 10.6 # 4.052 1488 KB 1333 1368 Tubing Size Weight Internal Diameter Set at Perforations To 10.6 # 14.052 # 1488 KB 1333 1368 Tubing Size Weight Internal Diameter Set at Perforations To 10.6 # 14.052 # 1	······		-71 VIII II I	**************		Beech									
4.5 in 10.5 # 4.052 1488 KB 1333 1368 Trubing Size Weight Internal Diameter Set at Perforations To none Type Completion (Describe) Type Completion (Describe) Type Completion (Describe) Type Fluid Production Type Fl	05/02/0	3					k Total D	epth		Packer	Set at				
Type Fluid Production Pump Unit or Taveling Plunger? Yes / December Production Pump Unit or Taveling Plunger? Yes / December Production Pump Unit or Taveling Plunger? Yes / December Production Pump Unit or Taveling Plunger? Yes / December Production Pump Unit or Taveling Plunger? Yes / December Production Pump Unit or Taveling Plunger? Yes / December Production Pump Unit or Taveling Plunger? Yes / December Production Pump Unit or Taveling Plunger? Yes / December Production Pump Unit or Taveling Plunger? Yes / December Production Pump Unit or Taveling Plunger? Yes / December Production Pump Unit or Taveling Plunger? Yes / December Production Pump Unit or Taveling Plunger? Yes / December Production Pump Unit or Taveling Plunger? Yes / December Production Product						Diameter		1488 KB					•		
Pressure Buildup: Shut in 12/13 20 99 at 2:49 (AM) (PM) Taken 20 at (AM) (PM) Taken 20 a	none			ght		Internal [Diameter	Set	at	Perfo	orations	То			
Pressure Buildup: Shut in 12/13 20 09 at 2:49 (AM) (PM) Taken 20 at (AM) (PM) Well on Line: Started 12/14 20 09 at 2:40 (AM) (PM) Taken 20 at (AM) (PM) Well on Line: Started 12/14 20 09 at 2:40 (AM) (PM) Taken 20 at (AM) (PM) Well on Line: Started 12/14 20 09 at 2:40 (AM) (PM) Taken 20 at (AM) (PM) **OBSERVED SURFACE DATA** **OBSERVED DATA** **OBSER	co2 Fra	Ċ	,			• •	d Product	tion		Pump U	NZ	Plunger? Yes	/ W 0)	
Pressure Buildup: Shut in 12/13 20 09 at 2:49 (AM) (PM) Taken 20 at (AM) (PM)		Thru (A	nnulus / Tub	ing)		% C		oxide						G _g	
Pressure Buildup: Shut in 12/13 20 09 at 2:49 (AM) (PM) Taken 20 at (AM) (PM) Well on Line: Started 12/14 20 09 at 2:40 (AM) (PM) Taken 20 at (AM) (PM) Ta	Vertical Depth(H)										(Meter	Run) (F	Prover) Size		
Started 12/14 20 99 at 2:40 (AM) (PM) Taken 20 at (AM) (PM)	Pressure	Buildup:	Shut in1;	2/13	2	09 at 2	:49	(AM) (PM) Taken		20			(AM) (PM)	
Static / Orifice Opynamic Size Dynamic Size Dynamic Size Opynamic Size O	Well on Li	ine:	Started 12	2/14	2	0 <u>09</u> at <u>2</u>	٠4Λ								
Static Orifice Orifi							OBSER	VED SURFA	CE DATA	···		Duration of Shut	-in24	Hours	
Shut-In Flow .500 160 174.4	Dynamic	Size	Meter Prover Pressure		Differential in	Temperature Temperatur		Wellhead Pressure (P _w) or (P ₁) or (P _c)		Wellhead Pressure (P _w) or (P ₁) or (P _c)			1 .	1	
FLOW STREAM ATTRIBUTES Plate Coefficient (Fe) (Fe) (Fe) (Fe) (Fe) (Fe) (Fe) (Mold) Prover Pressure psia Coefficient (Fe) (Fe) (Fe) (Fe) (Mold) Prover Pressure psia Coefficient (Fe) (Fe) (Fe) (Mold) Coefficient (Fe) (Fe) (Fe) (Mold) Coefficient Factor Fac	Shut-In														
Plate Coefficient Meter or Meter or Prover Pressure psia (P _e) (F _e) (F _e) (P _e) (P _e) (P _e) (P _e) (P _e) (Mod of the Company, states that he is duly authorized to make the above report and that he has knowledge of efacts stated therein, and that said report is true and correct. Executed this the (Cubic Faet Flowing Temperature Factor F _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e) (P _e) (Mod of the Company Flowing Temperature Factor F _e) (P _e) (P _e	Flow	.500						160	174.4						
Coefficient (F _p) (F _p) Prover Pressure psia Pressure psia Plactor F _g Prover Pressure psia Prover Pressure psia Prover Pressure psia Psi			·				FLOW S	TREAM ATT	RIBUTES						
Poper Flow Mcfd @ 14.65 psia Deliverability The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of a facts stated therein, and that said report is true and correct. Executed this the Witness (if any) Witness (if any) Pa =	Coefficie		Meter or Prover Pressure		Extension F		or	Temperature Factor	mperature Factor		R	(Cubic Fe	eet/	Fluid Gravity	
P _c) ² = : (P _w) ² = : P _d = % (P _c -14.4) + 14.4 = : (P _d) ² = (P _c) ² - (P _w) ² (P _c) ² - (P _w) ² (P _c) ² - (P _w) ² (P _c) ² - (P _w) ² (P _c) ² - (P _w) ² (P _c) ² - (P _w) ² (P _c) ² - (P _w) ² (P _c) ² - (P _w) ² (P _c) ² - (P _w) ² (P _c) ² - (P _w) ² (P _c) ² - P _w ² (P _c) ² -			******												
Choose formula 1 or 2: 1. P _c ² - P _a or (P _c) ² - (P _d) ² 2. P _c ² - P _d divided by: P _c ² - P _w Choose formula 1 or 2: 1. P _c ² - P _a 1. Og of formula 1. or 2: 2. P _c ² - P _d divided by: P _c ² - P _w Choose formula 1 or 2: 1. P _c ² - P _a 1. Og of formula 1. or 2: 2. P _c ² - P _w Assigned Standard Slope Check Slope = "n" Assigned Standard Slope Note of @ 14.65 psia Deliverability Mcfd @ 14.65 psia The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of efacts stated therein, and that said report is true and correct. Executed this the Witness (if any) Copen Flow Note of P _c - P _w Antilog Note of	P _c) ² =	:	(P _w)²	=	:		OW) (DEL				:			07	
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of e facts stated therein, and that said report is true and correct. Executed this the Athan day of Witness (if any) Witness (if any) RECEI	or	•	(P _c) ² - (P _w) ²		1. P _c ² - P _a LOG of . formula 2. P _c ² - P _d and divide		Backpre Slop		ope = "n" or ssigned		LOG		Or Del Equals	Open Flow Deliverability Equals R x Antilog	
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of e facts stated therein, and that said report is true and correct. Executed this the Athan day of Witness (if any) Witness (if any) RECEI															
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of e facts stated therein, and that said report is true and correct. Executed this the Athan day of Witness (if any) Witness (if any) RECEI	Den Flow				Mofd @ 144	65 peia		Dollarona	hility			A-44 @ 44 ==	<u> </u>		
e facts stated therein, and that said report is true and correct. Executed this the 24th day of Vecember . 20 09. Witness (if any) RECEI			ad authorite					*****				·················		******	
Witness (if any)									~!//			t and that he ha		. 0	
To company of the com			Witness	(if anv	·)				M	ches		yny many		RECE	
											For Co	U			

exempt status und and that the foreit correct to the best of equipment install I hereby requi	der Rule K.A.R. 82-3-304 on behalf of the operator Priority Oil & Gas LLC going pressure information and statements contained on this application form are true and t of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the Uplinger 1-18 rounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing.
Date: <u>12/24/09</u>	
·	Signature: Mulians f. Anny Title: Business Manager

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
DEC 3 1 2009

KCC WICHITA