KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	t:					(See Instruc	ctions on R	everse Side	9)			
✓ Open Flow Deliverabilty					Test Date: 11/26/2008				API No. 15 023-21110-00			
Company		esou	irces, Inc.		11/20/2		Lease Zweyg	ardt		21110 000	**************************************	Vell Number
County Location Cheyenne SWSE			Section 24					RNG (E/W) Acres Attributed 41W 80				
Field Cherry Creek				Reservoir Niobrara				Gas Gathering Connection Branch Systems Inc.				
Completion Date 10/29/2008			Plug Bac 1529'	k Total Dep	oth		Packer \$					
Casing Size Weight 4 1/2" 10.5#			Internal I 6.366	Diameter	Set 156				то 1374'			
Tubing S NONE	ize		Weigh	nt	Internal Diameter Set at				Perforations		То	
Type Con Single (Type Flui Dry Ga	id Productio	'n		Pump Ui	nit or Traveling	Plunger? Yes	(No)
Annulus	S	Ţ	nulus / Tubin	g)	% (% Carbon Dioxide % Nitrogen						vity - G _g
Vertical D	epth(F	1)				Pres Flan	sure Taps I ge				(Meter P 2"	un) (Prover) Size
Pressure	Buildu										at	
Well on L	ine:		Started 11-	262	0 <u>U8</u> at <u></u>	:45	(AM) (PM	Taken 11	1-27	20	08 at 3:00	(AM) (PM)
						OBSERVE	D SURFAC	E DATA			Duration of Shut-i	24 Hours
Static / Dynamic Property	Dynamic Size		Circle one: Meter Prover Presso psig (Pm)	Pressure Differential in Inches H ₂ 0	Flowing Well Head Temperature t		Wellhead	(P_w) or (P_t) or (P_c) (P_w)		fubing ad Pressure (P ₁) or (P _c) psia	Duration (Hours)	Liquid Produced (Barrels)
Shut-In												
Flow						FLOW STR	220	234.4				
Plate Coefficient (F _b) (F _p) Mcfd		Pro	Circle one: Meter or over Pressure psia	Press Extension ✓ P _m x h	Grav Fact F _g	rity	Flowing Temperature Factor F _t ,	Deviation Factor F _{pv}		Metered Flow R (Mcfd)	GOR (Cubic Fee Barrel)	Flowing Fluid Gravity G _m
							<u></u>			31		
(P _c) ² =		:	(P _w) ² =	:	(OPEN FLO	OW) (DELIV		/) CALCUL. P _c - 14.4) +			(P _a) ² (P _d) ²	= 0.207
(P _c) ² - (F or (P _c) ² - (F		(F	(P _c) ² - (P _w) ²	Choose formula 1 or 2: 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$	LOG of formula 1. or 2. and divide	P _c ² -P _w ²	Backpre Slo	essure Curve pe = "n" - or ssigned dard Slope	nxl	og [Antiloa	Open Flow Defiverability Equals R x Antilog (Mcfd)
						· = · · · · · · · · · · · · · · · · · ·						
Open Flov	v			Mcfd @ 14.6	35 psia		Deliverat	oility			Mcfd @ 14.65 psia	
The u	ındersi	gnec	I authority, or	behalf of the	Company, s	tates that h	e is duly a	uthorized to	make th	e above repor	t and that he has	knowledge of
				id report is true		Executed	this the 3	0	day of _Ja			, 20 09
			Witness (if	any) KA	VSAS CORP		ommissi o O		7	For Co	ompany	
			For Comm	ssion	MAR	2720	UY -			Check	red by	

Signature: <u>League</u> ma	eda
	CO NSERVATION DIVISIO WICHITA, KS
pate: _1/30/09	MAR 2 7 2009
taff as necessary to corroborate this claim for exemption from testing.	RECEIVED KANSAS CORPORATION CONC
I further agree to supply to the best of my ability any and all supporting do	cuments doomed by Commission
is not capable of producing at a daily rate in excess of 250 is	
is a source of natural gas for injection into an oil reservoir un is on vacuum at the present time; KCC approval Docket No.	
is cycled on plunger lift due to water	adamaina ED
is a coalbed methane producer	
(Check one)	
as well on the grounds that said well:	
I hereby request a one-year exemption from open flow testing for the Zwe	ygardt 34-24
of equipment installation and/or upon type of completion or upon use being mad	le of the gas well herein named.
correct to the best of my knowledge and belief based upon available production	
and that the foregoing pressure information and statements contained on this	
I declare under penalty of perjury under the laws of the state of Kansas texempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood	•

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

W2603

Zweygardt 34-24

St. Francis

St. Francis

None

November-08

	Casing		HR	S	REMARKS	
DATE	PSI	STATIC MCF	DC	WN	(Maximum length 110 characters)	
11/1/2008		0	0	0		
11/2/2008		0	0	0		
11/3/2008		0	0	0		
11/4/2008		0	0	0		
11/5/2008		0	0	0		
11/6/2008		0	0	0		
11/7/2008		0	0	0		
11/8/2008		0	0	0		
11/9/2008		0	0	0		
11/10/2008		0	0	0		
11/11/2008		0	0	0		
11/12/2008		0	0	0		
11/13/2008		0	0	0		
11/14/2008		0	0	0		
11/15/2008		0	0	0		Decen de
11/16/2008		0	0	0	Kan	RECEIVED
11/17/2008		0	0	0		ISAS CORPORATION COMMISSIO
11/18/2008		0	0	0		MAR 272009
11/19/2008		0	0	0		1.01.01 F 1 SO.02
11/20/2008		0	0	0		CONSERVATION DIVISION
11/21/2008		0	0	0		WICHTA, KS
11/22/2008		0	0	0		
11/23/2008		0	0	0		
11/24/2008		0	0	0		
11/25/2008		0	0	0		
11/26/2008		0	0	0	Put on line 11/26/08 @ 220# @ 31mcf	
11/27/2008		248	24	0		
11/28/2008		250	23	0		
11/29/2008		250	23	0		
11/30/2008		250	23	0		
12/1/2008				0		

Total

W2603

Zweygardt 34-24

St. Francis

St. Francis

None

December-08

	Casing			HRS		REMARKS	
DATE	PSI	STATIC	MCF	DOWN		(Maximum length 110 character	rs)
12/1/2008					0		
12/2/2008					0		
12/3/2008					0		
12/4/2008					0		
12/5/2008	250	0 145	:	29	0		
12/6/2008	240	148		32	0		•
12/7/2008	240	148		35	0		
12/8/2008	240	149		35	0		
12/9/2008	24:	5 153		35	0		
12/10/2008	240	147		30	0		
12/11/2008	240	148		34	0		
12/12/2008	240	147		33	0		
12/13/2008	240	144	3	37	0		
12/14/2008	240	144	3	35	0		
12/15/2008	240	136	3	30	0		
12/16/2008	240	136	2	29	0		
12/17/2008	240) 149	3	31	0		
12/18/2008	240	148	3	33	0		
12/19/2008	240	139	3	34	0		
12/20/2008	240	149	3	31	0		
12/21/2008	235	148	3	30	0		
12/22/2008	235	144	3	30	0		Degen re
12/23/2008	235	148	2	.9	5	Ka	RECEIVED NSAS CORPORATION COMMIN
12/24/2008	235	146	2	.9	0	· & u	, vene conformion comili
12/25/2008	235	147	3	2	0		MAR 272009
12/26/2008	230	147	3	8	0		CCON I NORM
12/27/2008	230	147	3	5	0		CONSERVATION DIVISION
12/28/2008	230	146	3	2	0		Wichita, KS
12/29/2008	240	173	3	1	0		
12/30/2008	235	175	1	7	0		
12/31/2008	235	147	2	4	0		

Total

W2603

Zweygardt 34-24

St. Francis

St. Francis

None

January-09

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
1/1/2009		148	3:	3 0	^
1/2/2009		147	34	4 0	
1/3/2009		147	34	1.5	
1/4/2009		146	30	0	
1/5/2009		148	1	7 10	
1/6/2009		147	2:	3	
1/7/2009		147	3.	3 0	
1/8/2009		147	32	2 0	
1/9/2009		147	32	2 0	
1/10/2009		146	33	3 0	
1/11/2009		146	34	0	
1/12/2009		146	30	0	
1/13/2009		147	30	0	
1/14/2009		150	3	. 0	
1/15/2009		145	3	0	
1/16/2009	2	30 146	28	0	
1/17/2009		146	31	. 0	
1/18/2009		146	32	2 0	
1/19/2009	2	30 145	36	0	
1/20/2009	2	30 146	36	0	
1/21/2009	2	30 146	36	0	
1/22/2009	2	30 149	36	0	
1/23/2009	2	30 147	30	0	RECEIVED
1/24/2009	2	20 147	29	0	KANSAS CORPORATION COMMIS
1/25/2009		145	. 29	0	ለለስ ግ ግ ማጠጠጠ
1/26/2009		145	29	0	MAR 27 2009
1/27/2009	2:	20 148	30	0	CONSERVATION DIVISION
1/28/2009	2:	30 146	30	0	bp WICHTA, KS
1/29/2009	2:	30 146	33		1 V 1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1/30/2009		146	33	0	
1/31/2009	2:	30 146	35	0	

Total