KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test: | | | | (. | See Instruc | tions on Re | everse Sid | e) | | | | | |
|-------------------------------------|---------------------------------------|--|--|------------------------|--|---|---------------------------|--|-------------------|---------------------------------------|--------------|------------------------------|--|
| = : | n Flow verabilty | : | : | Test Date | : 9- | 1-04 | <u> </u> | AF | ص- No. 15 اح | 23-2043 | 6-00 | -00 | |
| Company | · · · · · · · · · · · · · · · · · · · | a is | | | | Lease | | | | · · · · · · · · · · · · · · · · · · · | | lumber | |
| | | Resources | | | | Bucho | | | | 1-14 | | | |
| Cheyenne | | Location Sw, NW | | Section | | TWP 35 | | RNG (E/W) | | Acres Attributed | | | |
| Field | | | ,,,,,,, | Reservoir | | | | | athering Conn | ection R | ECE | IVED | |
| Cher | ry C | reek | ^ | Viobri | ara_ | | | | | | | _ | |
| | Date - 2002 | | | Plug Back | Total Dept | th | | Packer // | Set at | JA | N 1 | 0 2005 | |
| Casing Size | | Weight | | Internal Diameter | | Set at | | Perforations | | KCC WICHIT | | | |
| 4.5 " Tubing Size | | 0.5 # Weight | | 4.052" | | /508 set at | | 135 | | 52 /392 To | | | |
| • | | 4.6# | | /. 995 " | | 1419' | | Perforations | | 10 | 10 | | |
| Type Comp | oletion (De | scribe) | | Type Fluid | Production | n | | Pump L | Init or Traveling | Plunger? Yes | s / No |) | |
| Producina | Thru (Arthr | 5 ulus / Tubing) | | % C | GAS arbon Dioxi | | - | % Nitro | nen. | Gas (| Fravity - | G | |
| _ | | - - | | | JOH DIOXIGE | | | 90 | | Gas Gravity - G | | | |
| アン Vertical De | | | | | Press | sure Taps | | | | | | Prover) Size | |
| | 50' | | | | | | | | | | | | |
| Pressure | | | | | | | | | | at 7:0 | | AM) (PM) | |
| Well on L | ine: | Started 10 | -/5 2 | 0 <u>04</u> at_ | 7:00 | (AM) (PM) | Taken | 11-0 | 20 | 04 at 7:0 | <u>ა (</u> | AM) (PM) | |
| | | | | <u> </u> | OBSERVE | D SURFAC | E DATA | | | Duration of Shut- | -in /4 | 44 Hours | |
| Static / | Orifice | Circle one: | Pressure | Flowing | Well Head | Ca | sing | 1 | Tubing | | <u> </u> | 7 110013 | |
| Dynamic Property | Size (inches) | Meter Prover Pressu | | Temperature t | 1 | Wellhead Pressure (P_w) or (P_l) or (P_c) | | Wellhead Pressure (P _w) or (P _t) or (P _c) | | Duration (Hours) | 1 | Liquid Produced (Barrels) | |
| Shut-In | , | psig (Pm) | Inches H ₂ 0 | | | psig | psia | psig | psia | • | + | | |
| - | | | | | | 90 | 89.4 | | | | + | | |
| Flow | | 1 | | l | ELOW STE | 75° | | | | | 2 | L wtr | |
| DI-4- | | Circle one: | · _ | | FLOW STF | REAM ATT | TIBUTES | | | | | | |
| Plate Coeffied | eient | Meter or | Press Extension | Grav Fac | | Temperature | Flowing Developmenture Fr | | Metered Flow R | GOR (Cubic Fe | aet/ | Flowing Fluid | |
| (F _b) (F | ρ' | over Pressure psia | √ P _m xh | F | - | Factor F ₁ , | I | - pv | (Mcfd) | Barrel) | Gravity | | |
| | · | | | | | · N | | | /- | | | | |
| | | 1 | <u></u> | | | | | | 10 | | | 0.6 | |
| /D \2 - | • | (P. \2 - | | • | OW) (DELIV | | • | | | | $r^2 = 0.20$ |)7 | |
| (P _c) ² = | : | (P _w) ² = | Choose formula 1 or 2: | P _d = | | | P _c - 14.4) + | | <u>;</u> | (P _d) | 1 | == | |
| (P _o) ² - (| | P _c) ² - (P _w) ² | 1. P _c ² -P _a ² | LOG of formula | | Sic | essure Curve ppe = "n" | l n x | LOG | | | en Flow verability | |
| (P _c) ² - (1 | P ₄) ² | | 2. P _c ² -P _d ² | 1. or 2. and divide | P _c ² -P _w ² | I | or ssigned | - " " | | Antilog | Equals | R x Antilog | |
| - | | | divided by: P _c ² - P _w ² | by: | <u> </u> | Stand | dard Slope | | | | (1 | Mcfd) | |
| | | | | | | | | | | | <u> </u> | | |
| | | | | | | | | | | | | | |
| Open Flow | | Mcfd @ 14.65 psia | | | | Deliverability | | | | Mcfd @ 14.65 psia | | | |
| The | undersigne | d authority, or | n behalf of the | Company, s | states that h | e is duly a | uthorized t | o make t | he above repo | t and that he ha | as knowl | edge of | |
| the facts s | tated there | in, and that sa | id report is true | and correc | t. Executed | this the | 5 | day of | JAN | u zyrokazokk | , 2 | 05. | |
| | | | 2/1-0 | | | | K. | RT | | | | | |
| | | Witness (i | | | | • | | <u> </u> | For C | ompany | | | |
| | | For Comm | ission | | | | | | Cher | ked by | | | |
| | | For Confin | AND THE PROPERTY OF THE PROPER | | | | • | | Cuec | nou by | | | |

| | ler penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator |
|--|---|
| and that the foregoenect to the best of equipment instance. I hereby requires | going pressure information and statements contained on this application form are true and t of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the |
| _ | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No |
| | Signature: <u>Leuris Hans</u> Title: <u>Reservoir Engineer</u> |

Instructions: If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

> At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

> The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.



