KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST (See Instructions on Reverse Side)

O O	pen F	low				_	cuons on He				23 2042	9-	01-00
	elivera	•			Test Dat		24-				43 4071		
Compan	y se u	KV O	l Resu	tion -NE -SE	nc.	Bul	Lease Lease	Gas	Unit		ã	Well N	
County	•		Loca	tion	Section		TWP		RNG (E	E/W)	,	Acres	Attributed
Field	<u> </u>	211	<u>1e 5e</u>	-NE -SE	/S	ir	33		41 h	athering Conne			40
Ch	e ro	- 11	Creel	k	Nic	brara	a		Gas Ga	unering Conne	CHON		
Completi	ion Da	ate			Plug Bad	k Total Dep	th		Packer	Set at			
	7-	20	<u> </u>		٠. ١								
Casing S	ee ••		Weig 2 0		Internal	Diameter #	Set a	u 小 /1579	Perf	orations Oaca I	tole 157	00 -	1309 TV
Tubing S			Weig		Internal		Set a	at .	Perf	orations	To	7-28	BOS MD
<u>2-</u>			4.	. 6	1.9	95	102	5 TV	D				
Type Cor				4		id Productio			Pump U	Init or Traveling	Plunger? Yes)/ No	
Producing	<u>σιοί</u> g Thri	u (An	nulus / Tubin	ng)	(39 9 % (Carbon Dioxi	de		% Nitro	gen	Gas G	ravity -	G
·	_	=		•					, = , = ,	9- ··		. 6	- 9
Vertical D				_		Pres	sure Taps						rover) Size
			2803					·	·		·		
Pressure	Build	up:	Shut in $_3$	-23	20 03 at_	8:00	(AM) (PM)	Taken	3-24	20 (9 at 32	w_	(AM)(PM)
Well on L				3-25 2		8:W	(PM)	Taken	3-27	20 (3 at 80	<u>ル</u>	AM)(PM)
				***	.	OBSERVE	D SURFACE	DATA			Duration of Shut	-in2	4 Hours
Static /	Dynamic Size Prover Pressure in Temperature		Flowing	ng Well Head Casing			Tubing		Duration				
Dynamic Property			Prover Press	ure in	Temperature t	Temperature t	·		Wellhead Pressure (P _w) or (P ₁) or (P _c)		Duration L (Hours)		id Produced Barrels)
, repair,			psig (Pm)	Inches H ₂ 0	<u> </u>	<u> </u>	psig	psia	psig	psia	7.44.7	h	Ita
Shut-In							128	424					
Flow			<u> </u>				64				24		5
						FLOW STR	EAM ATTRI	BUTES				· · · · · · · · · · · · · · · · · · ·	
Plate			Circle one: Meter or	Press Extension	Grav	rity	Flowing	Deviation		Metered Flow	GOR		Flowing
Coeffiecient (F _b) (F _p)			ver Pressure	✓ P _m x h	Fact F _s	or	Factor	Fac		R (Mcfd)	(Cubic Fe Barrel)		Fluid Gravity
Mcfd			psia				F,,	<u> </u>	·*	(111010)	- Jane,		G _m
				п.	(OPEN FLO	OW) (DELIV	ERABILITY)	CALCULA	ATIONS		(P.)	² = 0.2	07
(P _c) ² =		_:	(P _w) ² =	<u> </u>	P _d =	9/	(P _c	- 14.4) +	14.4 =	:	(P _a)		
(P _c)²- (F)2	(P	,)²- (P,)²	Choose formula 1 or 2:				sure Curve		ΓЭ		Or	en Flow
or (P _c) ² - (P	٠ ١	,	۰′ ۱۰ سا	2. P ₂ -P ₂	formula 1. or 2.) = "n")r	n x l	LOG	Antilog	Deli	verability
(P _c)²- (P	' ₀)*			divided by: $P_c^2 - P_w^2$	and divide by:	P _c ² - P _w ²		gned rd Slope				1 '	R x Antilog (Mcfd)
						*							
								·					
Open Flow Mcfd @ 14.65 psia				Deliverabil	Deliverability Mcfd @ 14.65 psia								
The u	nders	igned	authority, or	behalf of the	Company, st	tates that he	is duly auti	norized to	make th	e above report	and that he ha	s knowl	edge of
				id report is true									20
												-	_
			Witness (if	any)	- -					For Cor	npany		
			For Commi	ssion			<u></u>			Checke	ed by	·	

exempt status und and that the foreg correct to the best of equipment insta I hereby reque	er penalty of perjury under the laws of the state of Kansas that I am authorized to request er Rule K.A.R. 82-3-304 on behalf of the operator
(Check	
	e to supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing.
Date: /	Signature: Almi Hand Title: Reservoir Engr.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

Actual BUCHOLTZ 2-15H

	BOCHOL12 2-19H								
	Gas	Csg Press	Tbg Press	Line Press Hrs					
03/01/03	0			92.0	0.0				
03/02/03	0			86.0	0.0				
03/03/03	7	86.0		86.0	24.0				
03/04/03	7			81.0	24.0				
03/05/03	3			72.0	24.0				
03/06/03	3			60.0	24.0				
03/07/03	9	67.0		67.0	24.0				
03/08/03	15			57.0	24.0				
03/09/03	12			56.0	24.0				
03/10/03	4	76.0		76.0	6.0				
03/11/03	3			83.0	24.0				
03/12/03	1			82.0	24.0				
03/13/03	1	95.0		95.0	24.0				
03/14/03	1			120.0	24.0				
03/15/03	2			113.0	24.0				
03/16/03	1			119.0	24.0				
03/17/03	1	127.0		127.0	24.0				
03/18/03	3			106.0	24.0				
03/19/03	2			88.0	24.0				
03/20/03	1	84.0		84.0	24.0				
03/21/03	6	*		80.0	24.0				
03/22/03	2			76.0	12.0				
03/23/03	0			127.0	0.0 SI for 24 hr G-2 test				
03/24/03	0	128.0		128.0	0.0 SI G-2 Taken				
03/25/03	2			109.0	24.0 on line				
03/26/03	12			64.0	24.0				
03/27/03	11	64.0		64.0	24.0 Flow taken				
03/28/03	16			54.0	24.0				
03/29/03	11			50.0	24.0				
03/30/03	8			71.0	24.0				
03/31/03	14	48.0		48.0	24.0				