KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | : | | | (| See Instruct | tions on Re | everse Side | e) | | | | | |
|--|---------------------------------|--|---|---|---|--|----------------------------|--|--|---------------------------------|---------------------------------|--|--|
| ✓ Op | en Flow | ₽SI | • | Took Date | | | | A Pal | No. 15 | | | | |
| Deliverabilty | | | | Test Date: 9-13-2006 | | | | API No. 15 023-20362ーロー ○ | | | | | |
| Company Rosewoo | | ources, Inc. | · · · · · · · · · · · · · · · · · · · | | | Lease Buchol | tz | , | | 1-15 | Well No | umber | |
| County Location Cheyenne SWNE | | | | Section 15 | | | | ANG (E | (W) | | Acres Attributed 80 | | |
| Field | | | | | Reservoir Niobrara | | | Gas Gathering Connection Branch Systems Inc. | | | | | |
| Completic 3-4-2000 | | | | Plug Bac 2449' | Plug Back Total Depth 2449' | | | | Set at | | | | |
| | | | | Internal I 6.456 | Diameter | Set at 1289' | | Perforations OH | | То | | | |
| ubing Si | ze | Weigh | nt | Internal (| Internal Diameter Set at | | | Perfo | rations | To | _ | | |
| ype Con Single (| | (Describe) onal) | • | Type Flui Dry Ga | d Production | n . | | | nit or Traveling | Plunger? (Ye | s)/No | | |
| roducing | Thru (| Annulus / Tubin | g) . | % C | arbon Dioxi | de | , | % Nitrog | en | | Gas Gravity - G _g | | |
| Annulus | | | | | | | | | .6 | | | | |
| Vertical D OH | epth(H) | | | | Pressure Taps Flange | | | | | (Meter Run) (Prover) Size 2" | | | |
| Pressure | Buildup | 9-1 | 3 20 | 06 at 4 | :10 | (AM) (PM) | Taken 9- | -14 | 20 | 06 at 4:15 | | (AM) (PM) | |
| Well on Li | ine: | Started 9-1 | | 06 at 4 | | (AM) PM | | | | 06 at 5:10 | | (AM)(PM) | |
| | | | | | OBSERVE | D SURFAC | E DATA | | | Duration of Sh | ut-in_24 | Hou | |
| Static / Dynamic Property | amic Size Meter Differential Te | | | Flowing Temperature t | emperature t Temperature (P_w) or (P_t) | | | Wellhe (P _w) or | ubing ad Pressure (P _t) or (P _c) | Duration (Hours) | , , | | |
| Shut-In | | paig (i iii) | | | | 45 | psig psia psig psia 5 59.4 | | psia | | | | |
| Flow | | | | ······································ | | 6 | 28.4 | | | 24 | 0 | | |
| | | <u> </u> | T | | FLOW STR | EAM ATTE | RIBUTES | | | ' | | | |
| Plate Coeffiecient (F _b) (F _p) Mcfd | | Circle one: Meter of Prover Pressure psia | Press Extension ✓ P _m xh | on Factor | | Flowing emperature Factor F _{tt} | Fa | riation actor pv | Metered Flow R (Mcfd) | v GO (Cubic Barr | Feet/ | Flowing Fluid Gravity G _m | |
| | | | | · | | | | | 9 | | | | |
| | | | | (OPEN FL | OW) (DELIV | | • | | | | $(a_a)^2 = 0.2$ | 207 | |
| , c) = | | : (P _w) ² = | <u> </u> | P _d = | | % (1 | P _c - 14.4) + | 14.4 = | <u> </u> | (F | o ^d) ₅ = | | |
| $(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$ | | (P _c) ² -(P _w) ² | Choose formula 1 or 2: 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$ | LOG of formula 1. or 2. and divide by: P_2 - P_2 w | | Backpressure Curve Slope = "n" Assigned Standard Slope | | n x LOG | | Antilog | Del Equals | Open Flow Deliverability Equals R x Antilog (Mcfd) | |
| | | | | | | | | | | | | | |
| / | | | . | | | | | | | | | | |
| Open Flov | v | | Mcfd @ 14.6 | 35 psia | | Deliveral | oility | | | Mcfd @ 14.65 | osia | | |
| | _ | ned authority, o | | | | - | | • | - | rt and that he | has know | redge of | |
| | | Witness (i | f any) | | | | | | For C | Company | 7 | ACI • | |
| | | For Comm | ission | | · · · · · · · · · · · · · · · · · · · | - | | | Chec | :ked by | RE | CEIVI | |

DEC 0 4 2006

| | leclare under penalty of perjury under the laws of the state of Kansas that I am authorized to request of status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. |
|-------------------------------|---|
| and the correct of equi | to the best of my knowledge and belief based upon available production summaries and lease records ipment installation and/or upon type of completion or upon use being made of the gas well herein named. Hereby request a one-year exemption from open flow testing for the Bucholtz 1-15H cell on the grounds that said well: |
| | (Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. ✓ is not capable of producing at a daily rate in excess of 250 mcf/D urther agree to supply to the best of my ability any and all supporting documents deemed by Commission is necessary to corroborate this claim for exemption from testing. |
| | 11-27-2006 |
| | Signature: |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
DEC 0 4 2006
KCC WICHITA

•

Well Name: Butholt 21-15H

Pumper: PU Month <u>8/06</u> Pumper:

| | 1 : | T | | 110 | T | 1 | | / |
|-----|------------|-------------|-------------|-------------|----------|----|----------------|---|
| | | | | 1.67 | | | SPM | |
| Day | Static | Diff | MCF | Wtr | TP | CP | Cycle | Remarks |
| 1. | 50 | ļ | 11 | 9 | | 37 | 43/19 | Remarks Listing/Reset |
| 2 | 50 | ļ | 13 | 10 | | 37 | 4/2/24 | - / |
| 3 | SO | ļ | 13 | 23 | | 37 | 4/2/24 | |
| 4 | 39 | ļ | 12, | | | 96 | 4/2/24 | |
| 5 | 52 | ļ | 11 | 2 | | 39 | 4/12/24 | |
| 6 | 49 | | 11 | 9 | | 36 | 4/2/24 | |
| 7 | 2/9 | | 11 | F | | 36 | | |
| 8 | 51 | | 11 | 2 | | 38 | 145/24 | • |
| 9 | 49 | | 10 | 5 | | 36 | 4/2/24 | |
| 10 | <i>§</i> 2 | | 10 | 2 | | 39 | 4/2/24 | |
| 11 | 52 | | 10 | 3 | | 39 | 4/2/24 | |
| 12 | .54 | | 15 | 2 | | 41 | 42/24 | |
| 13 | .(4 | | 11 | 3 | | 41 | 4/2/24 | |
| 14 | 52 | | 12 | 5 | | 39 | 4/2/24 | |
| 15 | 52 | | 12 | 5 | | 39 | 41/2/24 | |
| 16 | 52 | | 11 | 13 | | 39 | 4/2/24 | |
| 17 | 54 | • | 12 | 13 | ·." | 41 | 41/2/24 | |
| 18 | 55 | | 11 | 7 | | 42 | 4/2/20 | |
| 19 | 54 | | 11 | Ś | | 41 | 4/2/24 | |
| 20 | 34 | | 10 | 5 | | 41 | 42/74 | |
| 21 | 54 | | 10 | 5 | | 41 | 4/2/24 | |
| 22 | 67 | | 10 | 77 | | 54 | 4/2/24 | |
| 23 | 51 | | 10 | 7 | | 39 | 4/1/24 | |
| 24 | | - | 10 | 7 | | 39 | 4/2/24 | |
| 25 | 52 | | 10 | | | 39 | 4/2/24 | |
| 26 | 52 | | 10 | 12 | <u>-</u> | 39 | 4/2/24 | |
| 27 | ·S1 | | ID | 12 | | 38 | 4/2/24 | , |
| 28 | <u>-51</u> | | 10 | 12 | | | 75/24 45/24 | |
| 29 | 50 | | 10 | 7 | | 39 | 4/2/24 | |
| 30 | 51 | ··· | 10 | 7 | | 38 | 4/2/24 | |
| 31 | | | 10 | | | | | |
| 31 | 51 | Totala | 10 | 12 | [| 00 | 44/24 | |

Totals 228 **RECEIVED**

DEC 0 4 2006

Well Name: Bucholtz 1-15H

| Pumper: | | | Pun | pin | a U | nit | - | Month | 9/06 |
|---------|-------|--------|--------|----------|------------|--------------|-----|-----------------|--------------|
| | David | SA-Ai- | D:tt | MOF | 1.67 | | CD. | 4'SPM 4'S)24 | Domarka |
| | Day | Static | Diff | MCF | Wtr | TP | CP | Cycle | Remarks |
| | 1. | 131 | | 3 | Ø | | 121 | 4/2/24 | |
| | 2 | 98 | | 9 | | | 85 | 4/2/24 | |
| | 3 | 60 | | 9 | Ø | | 47 | 4/3/24 | |
| | 4 | 42 | | - | Ø | | 39 | 4/2/24 | |
| | 5 | 50 | | 9 | 5 | , | 37 | 1/2/24 | |
| | 6 | 50 | ļ | 9 | 5 | | 37 | 4/2/24 | |
| | 7 | 54 | | 9 | Ø | | 41 | 1/2/24 | |
| | 8 | 50 | | 9 | <u>5</u> | | 37 | 4/2/24 | |
| | 9 | 50 | | 9 | 5 | | 37 | 4/2/24 | |
| | 10 | 54 | | <u>9</u> | 8 | | 3/ | 4/2/24 | |
| | 11 | 54 | | 9 | 7 | | 41 | 43/24 | |
| | 12 | 54 | | 9 | 7 | | 41 | 41/2/24 | |
| | 13 | 34 | | 9 | 10 | | 41 | 4/2/20 | SI 4.10 CP45 |
| | 14 | -6- | | ø | Ø | | 8 | 4/2/6 | open 415 845 |
| | 15 | 52 | · | 10 | (A | | 39 | 43/24 | |
| | 16 | 52 | | 8 | | | 39 | 4/3/24 | |
| | 17 | 50 | | 7 | 8 | · · | 37 | 4/2/24 | |
| | 18 | 50 | | フ | B | | 37 | 4/5/24 | |
| | 19 | 76 | | 13 | . 7 | | 63 | 4/2/24 | |
| | 20 | 49 | | 10 | 5 | | 36 | 4/2/24 | |
| | 21 | 64 | | 8 | 5 | | 51 | 4/2/24 | |
| | 22 | 37 | | 9 | Ž | | 44 | 41/2 /24 | |
| | 23 | 60 | · | 8 | 3 | | 47 | 4/2/24 | |
| | 24 | 122 | | 7 | 3 | | 109 | 4/2/24 | co 9 hes |
| | 25 | 62 | | フ | 3 | | 69 | 4/2/24 | |
| ĺ | 26 | 74 | | 7 | 2 | | 61 | 4/2/24 | · |
| Ì | 27 | .70 | | 9 | 12 | | 57 | 4/2/24 | <u>u</u> |
| | 28 | 68 | | 9 | 5 | | 55 | 4/2/24 | |
| | 29 | 68 | | 7 | 3 | | 55 | 41/2/24 | |
| | 30 | 69 | | 9 | Ø | | 56 | 4/2/24 | |
| | 31 | | : | - | | | | / | |
| | | | Totals | - | 137 | | | | |
| | | | , | | | | | | DEOE!! |

RECEIVED
DEC 0 4 2006
KCC WICHITA