KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:			_		(See Instruc	tions on Re	everse Side)						
☐ Open Flow ☑ ZHNC SI☐ Deliverability				Test Dat 11-26-2			API No. 15 15-023-20587- 00- 00							
Company		sources			Lease Isemhagen			2-2				Well Number		
County Cheyenn	ne	Loc. NWS	ation E	Section 22 2	3	TWP 3S		RNG (E	W)		Ac 80	res Attributed		
Field St. Franc	cis			Reservoi Niobrar					hering Conn Systems In					
Completio 9/10/200)		Plug Bac 1508'	k Total Dep	th		Packer S	Set at					
Casing Size	ZΘ	Wei 10.5		Internal 4.052	Diameter	Set 15 1		Perfo 131	rations 6'		Го 352'			
Tubing Siz	Zθ	Wei	ght	Internal I	Diameter	Set	at	Perfo	rations	T	Īο			
Type Com Single ((Describe) al)			Type Fluid Production Dry Gas			Pump Ur Flowin	nit or Traveling	Plunger?	Yes /	No		
Producing Annulus		(Annulus / Tub	ing)	% (% Carbon Dioxide			% Nitrogen			Gas Gravity - G _g .6			
Vertical Do	epth(H)			***************************************	Pressure Taps Flange			•			Meter Ru 2"	n) (Prover) Size		
Pressure f	Buildup	: Shut in	1-22	05 at 3	05 at 3:50 (AM) (AM) Taken 1			1-23 ₂₀ 05 _{at.}			:30	(AM) (PM)		
Well on Li	ne:	Started 1	I-23 ₂	05 at 3	:30	(AM) (PM)	Taken	l-26	20	05 at 3:	:00	(AM)(PM)		
					OBSERVE	D SURFAC	E DATA	······································		Duration of	f Shut-in	24 Hours		
Static / Dynamic Property	Size	Orifice Size Size Inches) Orifice Meter Pressure Differential in psig (Pm) Inches H ₂ 0		Flowing Well Head Temperature Temperature t t		Casing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Duration (Hours)		Liquid Produced (Barrels)		
Shut-In						50	64.6							
Flow					51 011 0 0	54	68.6			24		0		
				<u> </u>	FLOW STR		RIBUTES							
Plate Coeffiecient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia	Press Extension P _m xh	Gravity Factor F _g		Flowing Femperature Factor F ₁₁	Fa	ation ctor	Metered Flow R (Mcfd)	(Cubic F		Flowing Fluid Gravity G _m		
				<u> </u>					32					
(P _c) ² =		: (P _w) ²	= :	(OPEN FLO	OW) (DELIVI		/) CALCUL P _c - 14.4) +				$(P_a)^2 = (P_d)^2 =$	0.207		
(P _c) ² - (P _c		(P _c) ² - (P _w) ²	Choose formula 1 or 2. 1. P _c ² - P _o ² 2. P _c ² - P _d ² divided by: P _c ² - P _w ²	LOG of formula 1. or 2. and divide	P _c ² - P _w ²	Backpre Sio	essure Curve pe = "n" - orssigned lard Slope	n x L	.og [Antilog		Open Flow Deliverability quals R Antilog		
											DEC	3 0 2015		
Open Flow Mcfd @ 14.65 psia					Deliverat	Deliverability Mcfd @ 14.65 psia								
									ecember For C	t and that	he has k	knowledge of		

	der penalty of perjury under the laws of the state of Kansas that I am authorized to request
exempt status un	der Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
and that the fore	going pressure information and statements contained on this application form are true and
correct to the bes	st of my knowledge and belief based upon available production summaries and lease records
of equipment ins	tallation and/or upon type of completion or upon use being made of the gas well herein named.
l hereby requ	lest a one-year exemption from open flow testing for the
gas well on the g	rounds that said well:
(Chec	k one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
✓	is not capable of producing at a daily rate in excess of 250 mcf/D
_	ee to supply to the best of my ability any and all supporting documents deemed by Commission by to corroborate this claim for exemption from testing.
Date: 12-27-200	5
	Signature: John Wood
	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

Well Name:

.:

Isernhagen 2.23

Pump	er:					_	Month	12/05
.::			11		·	1		· '
							SPM	
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
1	59		33			112		
2	<u>56</u>					4.7		
3	55		32			40		
4	<u> </u>		20			۵۲		
5	49		.30			36		
6	50	<u> </u>	32			37		
7	50		32			37		
8	30	1	37			37		
9	48		~/			35		
10	48		34			35		
11	48		32			35		
12	GB		32			35		
13	48		32			35		
14	48	ļ	33			35		
15	48		32.	· 		35		
16	50		32			37	·	
17	47		32			34		
18	47	ļ	37			34		
19	40					27		
20	52		3)			44		
21	53		31			40		
22	5-5		31			92		
23	53		31			40	 	
24	55		30			42		
25	53	ĺ	33			40		RECEIVED
26	<i>5</i> 3		.32			40		DEC 3 0-2005
27	<i></i> 53		30			40	-	
28								KCC WICHITA
29								
30							•	
31								
		Totals						

					क्षेत्र पुर्व (
	·				
Monthly	y Gauge Sheet				
	<u> </u>		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Well N	ame: Iser	n Maer	222	Month:] / O	K
1		THE STATE OF THE S		Moriui.	7
Date	MCF	TP	СР	Wtr	Remarks
					·
1	33		57	ø	•
2	33		56		
, 3	33		52		
4	33		56		
5_	33		((
6	33		SC		
7	33		57		
8	33		197		
9	32		62		Ŷ
10	33		62		
111	33		62		
12	33		61		
13	32		61		
14	32		59		
15	32	1	60		
16	32	/	60		
17	33		55		
18	32		55		
19	37		SS		
20	32		53		
21	32		53		
22	32		50		Closed 350 PM 501
23	8	 	236		Closed 3:50 PM 50. Opened @ 3:30 PM@ 2
24	36	<u> </u>	53		
25 26	34	· · · · · · · · · · · · · · · · · · ·	S2	 	RECEIVE
27	12		54		DEC. 9. 76
28	28		(3		
29	21		1 35		COS KCCWICH
30	34		10		
31	4., 4.			 	
	1 100, 110			<u> </u>	
	, ·				
		.		•	

÷.,

.