î

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	st:				((See Instru	ictions on R	everse Side	e)				
	pen Flo eliveral	ow oilty	X 24	HRSI	Test Date 11-12-2				AP 15	l No. 15 -023-20564 -	-00-00		
Company		esou	rces		11-12-2	.003	Lease Isemha	agen		-020-2000-4	1-23	Well Number	
County Location Cheyenne SWSW				Section 23		TWP 3S				Acres Attributed 80			
Field St. Francis					Reservoir Niobrara			Gas Gathering Connection Branch Systems Inc.					
Completion Date 9/10/2004				Plug Bac 1528'	Plug Back Total Depth 1528'			Packer	Set at				
Casing S 1/2"	sing Size Weight /2" 10.5#			Internal I 4.052	Diameter		Set at 1576'		orations)'	To 1010'			
Tubing S	Size	•	Weigl	nt	Internal [Diameter	Set	at	Perfo	orations	То		
ype Cor Single (Type Flui Dry Ga	id Production	on		Pump U	nit or Traveling	g Plunger? Yes	/ No	
roducin	_	(An	nulus / Tubin	g)	% C							Gravity - G	
Vertical Depth(H)					Pressure Taps Flange					(Meter 2"	Run) (Prover) Size		
Pressure	Buildu	•	Snut in		05 at 1		_ (AM) (PM)	Taken 12	2-13	20	05 at 1:30	(AM) (PM)	
Well on L	_ine:		Started 12-	13 2	05 at 1	:30	_ (AM)(PM)	Taken 12	2-18	20	05 at 12:30	(AM)(PM)	
						OBSERV	ED SURFAC	E DATA			Duration of Shut	i-inHours	
Static / Dynamic Property	ic / Orifice Meter		Circle one: Meter Prover Press		Flowing Temperature t	Well Head Temperatur	Wellhead	sing d Pressure P ₁) or (P _c)	Wellho	Tubing ead Pressure or (P _t) or (P _c)	Duration (Hours)	Liquid Produced (Barrels)	
Shut-In			psig (Pm)	Inches H ₂ 0			psig 60	74.6	psig	psia			
Flow							52	66.6			24	0	
				T		FLOW ST	REAM ATT	RIBUTES		<u> </u>	·		
Plate Coefficcient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia		Press Extension P _m xh	Grav Fact F _c	tor	Flowing Temperature Factor F _{rt}	Temperature Fact		Metered Flov R (Mcfd)	(Cubic Feet/ Fluid Barrel) Gravit		
···									· ······	10		KCCWIO	
°,)2 =			(P _w) ² =		(OPEN FLO		VERABILITY % (/) CALCUL P _a - 14.4) +			-) ² = 0.207	
(P _c) ² - (I		(P _c) ² - (P _w) ²		Choose tormula 1 or 2: 1. P _c ² - P _a ² 2. P _c ² - P _d ² divided by: P _c ² - P _w ²	LOG of formula 1. or 2. and divide P2. P		Backpre Sid	essure Curve ppe = "n" or or ssigned dard Slope		Г٦	(P _d)∶	Open Flow Deliverability Equals R x Antilog (Mcfd)	
pen Flow Mcfd @ 14.65			65 psia	5 psia Deliverat					Mcfd @ 14.65 psia				
					Company, s		he is duly a	uthorized to		ne above repo	ort and that he ha		
			Witness (i	f any)		-	•	0		For C	Company	raff	
			For Comm	ission						Chec	ked by		

	are under penalty of perjury under the laws of the state of Kansas that I am authorized to request
exempt sta	atus under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
nd that tl	he foregoing pressure information and statements contained on this application form are true and
orrect to	the best of my knowledge and belief based upon available production summaries and lease records
	ent installation and/or upon type of completion or upon use being made of the gas well herein named.
I herel	by request a one-year exemption from open flow testing for the <u>Isernhagen 1-23</u>
as well o	n the grounds that said well:
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
	is not capable of producing at a daily rate in excess of 250 mcf/D
I furth	er agree to supply to the best of my ability any and all supporting documents deemed by Commission
taff as ne	ecessary to corroborate this claim for exemption from testing.
ate: 12-2	27-2005
	Signature: Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

Totals

.

Well Name: Islanhagn 1-23

		Ţ					
	C Ch	<u> </u>					
cnuniy	Gauge Sheet	1	:.				-
		<u> </u>		·			
ell Na	ime: Iserr	hagen	1-23	Month:] / C	ා ර		
	2	Ü		7			
ite	MCF	TP	СР	Wtr	Remarks		
	<u></u>				,		
1	10	<u> </u>	54	Ø	·		
2	10		55	Ø			· - 1
3	\$10		54	8			
4	10		54	ø			
5	10		54	6			;
ô	10		54	0			!
.7	10		5.5	Ø			
8	10		198	ď		-	
9	10		63	Ø	۸, ,		
10	1,		61	Ø			··· į
11	10		60	8			· · ·
12	10		62	ex	Shut in	201 @ 1:30P	0 600
13	20		60	Ø	>	6 1:30 P	156 05
14		`, .	712	Ø		4	<i>p</i> .
15	14		112	Ø			
16	12	·	78	Ø	-		-
17	10		54	8			-{
18	10		52	Ø			-
19	10		52	Ø			!
20	10.		57	Ø			
21	10		62	Ø			i.
22	/0		53	Ø		DERE	
23	10		(2)	8		RECE	1
24	10	, ,	49	Ø		DEC 3	d 2005
25	10		47	ø		KCCW	CHITA
6	.10		47	6		11000 20	
7	(5)		669	do	CO 18	-	1
8	3		82		CO 8		<i>I</i>
9	5		109				•
0	1/		64				!
1	is)
							:
	% 34.	*,					

}