KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	t:		_		(See Instruct	ions on Re	verse Side	;)				
Open Flow				Test Date	Test Date:				API No. 15			
Deliverabilty					9-20-2006				-023-20587 -	ن ، ده		
Company Rosewood Resources					Lease Isernhagen					Well Number 2-23		
County Location Cheyenne NWSE 23			Section 3		TWP 3S	, ,				Acres A	Attributed	
Field St. Francis				Reservoi Niobrar		1	Gas Gathering Con Branch Systems I				• .	
Completion Date 9/10/2004			, , , , , , , , , , , , , , , , , , , ,	Plug Bac 1508'	k Total Dept	h	Packer Set at					
Casing S 4 1/2"	Casing Size Weight 4 1/2" 10.5#			Internal 4.052	Diameter	Set at 1514'		Perforations 1316'		To 1352'		
Tubing S	Tubing Size Weight			Internal	Internal Diameter Set at			Perfo	orations	То		
	Type Completion (Describe) Single (Vertical)				Type Fluid Production Dry Gas			Pump Unit or Traveling Plunger? Flowing			(No)	
Producin	-	Annulus / Tubir	ıg)	% (% Carbon Dioxide			% Nitrog	gen	Gas Gr	Gas Gravity - G _g .6	
Vertical E	Vertical Depth(H)				Pressure Taps Flange					(Meter	Run) (P	rover) Size
	Buildun	: Shut in 9-2	20 ,	06 at 9	06 at 9:00 (AM) (PM) Taken.			21	20	06 at 9:05		(AM) (PM)
					06 at 9:05 (AM) (PM) Taken 9-					06 at 10:00	((AM) (PM)
					OBSERVE	D SURFACE	E DATA			Duration of Shut-	in 24	Hours
Static / Dynamic Property	Orific Size (inche	ize Prover Pressure		Flowing Well Head Temperature t		Casing Wellhead Pressure (P_w) or (P_t) or (P_c) psig psia		Tubing Wellhead Pressure (P_w) or (P_t) or (P_c) psig psia		Duration Liquid Prod (Hours) (Barrels		id Produced Barreis)
Shut-In						240	254.4					
Flow			-			37	51,4			24	0	
			T		FLOW STR	EAM ATTRI	BUTES		<u> </u>	1		т
Plate Coeffiecient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia	rover Pressure		Gravity Ti Factor F _g		Deviation Factor F _{pv}		Metered Flow R (Mcfd)	(Cubic Fe	GOR (Cubic Feet/ Barrel)	
,									27			
				(OPEN FL	OW) (DELIV	ERABILITY)	CALCUL	ATIONS		(P _a)	² = 0.2	07
(P _o) ² =		: (P _w) ² :		P _d =		6 (P	- 14.4) +	14.4 =	· · · · · ·	(P _d)	2 =	
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P _c) ² - (P _w) ²	$(P_w)^2 - (P_w)^2 = \begin{cases} Choose lomula 1 \text{ or } 2: \\ 1. P_c^2 - P_a^2 \end{cases}$ $(P_w)^2 = \begin{cases} P_c^2 - P_d^2 \\ P_c^2 - P_w^2 \end{cases}$ divided by: $P_c^2 - P_w^2$		LOG of formula 1. or 2. and divide by:		Backpressure Curve Slope = "n" or Assigned Standard Slope		LOG	Aniilou (nen Flow iverability B x Antilog (Mcfd)
	-							_				
Open Flo	Open Flow Mcfd @ 14.65 psia				·	Deliverability				Mcfd @ 14.65 psia		
									ne above repo	rt and that he ha		ledge of
ine facts s	tated the	erein, and that s	ald report is true	e and correc	t. Executed	this the _21	······································	day of	lovember		el l	20,00
A-1040-10-10-10-10-10-10-10-10-10-10-10-10-10	1,111,,	Witness	(if any)			1.000-00			For C	company		
		For Com	nission			_			Chec	ked by	DE	CEN/1

RECEIVED
DEC 0 4 2000
KCC WICHITA

exempt status under and that the foregot correct to the best of of equipment installa	penalty of perjury under the laws of the state of Kansas that I am authorized to request Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. Ing pressure information and statements contained on this application form are true and f my knowledge and belief based upon available production summaries and lease records ation and/or upon type of completion or upon use being made of the gas well herein named. It a one-year exemption from open flow testing for the Isernhagen 2-23
gas well on the grou	
i i i	ne) s a coalbed methane producer s cycled on plunger lift due to water s a source of natural gas for injection into an oil reservoir undergoing ER s on vacuum at the present time; KCC approval Docket No s not capable of producing at a daily rate in excess of 250 mcf/D
I further agree t	o supply to the best of my ability any and all supporting documents deemed by Commission o corroborate this claim for exemption from testing.
Date: 11-27-2006	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

DEC 0 4 2006

KCC WICHITA

Well Name: Isunhagen 2-23

Pumper: Month 9/06

	,			,				
							SPM	
Day	Static	Diff	MCF	Wtr	TP	СР	Cycle	Remarks
1.	161		25	<u> </u>		148		
2	104		27			91		
3	58		27			45		
4	49		27			36		
5	46		27		,	33		
6	46		27			33		
7	48					35		
8	52	<u> </u>	26			39		•
9	52	ļ	26		- 	39	i	
10	50		25			32		
11	52		25			39		
12	48		27			35		
13	48	ļ	26			35		
14	50		26			37		
15	50		26			37		
16	52		26			39 35		
17	48	· ·	25	_		35		
18	4/8		25			35		
19	48		25			35 1		
20	48		26			35		SI 9:00 CP 37 Open 9:05 CP 240
21			0				T-20-2	open 9:05 CP 240
22	178		37			165		7
23	79		32			66		
24	146		25			/33		
25	82		33			69		
26	158		27			145		
27	1.28		28			115		
28	120		28			119		
29	94		28			81 74		
30	87	• .	27			74		
31								
	•.	Totals			. ———			

Totals

RECEIVED

DEC 0 4 2006

KCC WICHITA

Well Name: TSunhagun 2-23

; ;

Month Pumper: SPM Static Diff MCF Wtr Day TP CP Cycle Remarks 3G

Totals 35 35 at well RECEIVED

DEC 0 4 2006

KCC WICHITA