


WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
211 No. Broadway  
Wichita, Kansas

NORTH



Locate well correctly on above  
Section Plat

Russell County. Sec. 35 Twp. 13 Rge. 14 (E) W (W)  
Location as "NE/CNW/SW" or footage from lines NW/SW/NW  
Lease Owner Louis M. Mai  
Lease Name Louis M. Mai - G.A. Dumler Well No. 1  
Office Address Russell, Kansas.  
Character of Well (completed as Oil, Gas or Dry Hole) \_\_\_\_\_  
Date well completed \_\_\_\_\_ 19\_\_\_\_  
Application for plugging filed \_\_\_\_\_ 19\_\_\_\_  
Application for plugging approved \_\_\_\_\_ 19\_\_\_\_  
Plugging commenced July 23 19 58  
Plugging completed July 30 19 58  
Reason for abandonment of well or producing formation \_\_\_\_\_

If a producing well is abandoned, date of last production \_\_\_\_\_ 19\_\_\_\_  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes.

Name of Conservation Agent who supervised plugging of this well Donald Truan  
Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 3268 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from 3268 feet to surface feet for each plug set.

Hole filled with sand from 3268 to 3255 (Pipe set at 3265)  
Five sacks of cement dumped in hole with dump bailer.  
Pipe pulled to 600 ft; Halliburton pump trucks circulated 45 sacks  
of mud, and pipe pulled to 300 ft, and displaced 50 sacks of cement  
and pipe pulled to surface; hole baled down below cellar and rock  
bridge installed and hole capped with 10 sacks of cement.

(If additional description is necessary, use BACK of this sheet)  
Name of Plugging Contractor Barnes and Sons pipe Pulling Co.,  
Address Russell, Kansas.

STATE OF \_\_\_\_\_, COUNTY OF \_\_\_\_\_, ss.  
\_\_\_\_\_  
(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Louis M. Mai  
Box 33 Russell, Kansas  
(Address)

SUBSCRIBED AND SWORN to before me this 1st day of August, 19 58

Richard L. Mai

Notary Public.

My commission expires February 15, 1960

PLUGGING  
FILE SEC 35 T. 13 R. 14W  
BOOK PAGE 103 LINE 4

RECEIVED  
STATE CORPORATION COMMISSION

AUG 4 1958

CONSERVATION DIVISION

15-1167-05856-00-00

WELL LOG  
G. A. Dumler # 1

05-26-1968

Contractor: Stearns Drilling Co.  
Commenced: 10-26-49  
Completed: 12-6-49

S/2 NW/4, Section 35, T13, R14W,  
Russell County, Kansas  
Elevation: 1836' D. F.

Casing Record

15-1/2"	293'
13-3/8"	523'
8-1/4"	2708'
7"	3159'
(U. R. 3174')	
5-1/2"	3265'
(cemented w/35 sxs.)	
7" Surface casing	325'
(Omission - 10"	865')

Water Record

3 bailer per hr.	40'-50'
H. F. W.	255'-265'
4-1/2 bailers per hr.	820'-830'
1 bailer per hr.	1255'-1260'
1/2 bailer per hr.	2910'
2 bailers per hr.	3005'
3-1/2 bailers per hr.	3080'
H. F. W.	3150'-3154'

Gas and Oil Shows:

Show of Gas	2365'-2370'
Show of Oil	2945'-2952'
Show of Oil	2985'-2990'
Show of Oil	3185'-3190'
Oil	3260'-3265'

	From	To
Clay	0	35
Blue shale	35	40
Sandy Shale	40	50
Blue Shale	50	255
Sand	255	265
Blue shale	265	290
Red Rock	290	297
Blue Shale	297	315
Red rock	315	325
Blue Shale	325	400
Sand and Iron	400	410
Shale	410	415
Lime	415	425
Blue Shale	425	465
Iron	465	470
Blue Shale	470	505
Red rock	505	865
Lime Anhydrite	865	893
Red rock	893	1030
Blue Shale	1030	1080
Red rock	1080	1135
Blue Shale	1135	1255
Salt	1255	1485
Blue Shale	1485	1495
Lime	1495	1535
Shale	1535	1540
Lime	1540	1605
Red rock	1605	1618
Lime	1618	1652
Red rock	1652	1660
Shale	1660	1675
Lime	1675	1705
Red rock	1705	1715
Lime	1715	1865
Brown Shale	1865	1875
Lime	1875	1895
Blue Shale	1895	1910
Lime	1910	1935
Shale	1935	1940
Lime	1940	1945
Shale	1945	1965
Lime	1965	2065

	From	To
Red rock	2065	2080
Lime	2080	2130
Shale	2130	2135
Red rock	2135	2155
Lime	2155	2160
Shale	2160	2170
Lime	2170	2210
Shale and shells	2210	2235
Lime	2235	2255
Blue Shale	2255	2275
Shale and shells	2275	2335
Red rock	2335	2345
Blue shale	2345	2355
Lime	2355	2365
Shale	2365	2375
Lime	2375	2380
Blue shale	2380	2420
Lime	2420	2445
Shale	2445	2490
Lime	2490	2500
Shale	2500	2507
Lime	2507	2535
Shale and shells	2535	2615
Lime	2615	2640
Shale	2640	2700
Lime	2700	2715
Shale	2715	2720
Lime	2720	2805
Shale	2805	2810
Lime	2810	2830
Shale	2830	2840
Lime	2840	2930
Shale	2930	2935
Lime	2935	2953
Shale	2953	2955
Lime	2955	2962
Red rock	2962	2985
Lime	2985	3005
Shale	3005	3010
Lime	3010	3140
Shale	3140	3145
Lime	3145	3190

PLUGGING  
FILE SEC. 35 T. 13 R. 14W  
BOOK PAGE 103 LINE 4

WELL LOG  
G. A. Dunler # 1

Shale	3190	3200
Lime	3200	3215
Shale	3215	3220
Lime	3220	3245
Shale	3245	3250
Lime	3250	3268

Total Depth 3268'

STATE OF KANSAS )  
( SS  
COUNTY OF RUSSELL )

I hereby certify that the above information is true and correct to the best of my knowledge.

Richard L. Mai

Subscribed and sworn to before me this 23rd day of May.

Betty Jean Galysaudt  
Notary Public

My Commission Expires: 8-9-58

PLUGGING  
FILE SEC. 35 T 13 R HW  
BOOK PAGE 103 LINE 4

15-167-05856-00-00


WELL LOG BUREAU KANSAS GEOLOGICAL SOCIETY  
508 E. Murdock, Wichita, Kansas

Company - TEARNS PETRO.  
Farm - G. A. Dumler No. 1

SEC. 35 T. 13 R. 14W  
NW SW NW

Total Depth. 3268  
Comm. 10-26-49 Comp. 12-6-49  
Shot or Treated.  
Contractor. Stearns Drlg. Co.  
Issued. 2-25-50

County. Russell  
KANSAS



15 1/2" 293' CASING:  
13 3/8" 523'  
10" 865'  
8 1/4" 2708'  
7" 3159' U.R. 3174'

Elevation. \_\_\_\_\_

Production. Phys. 75 bbls.

Figures Indicate Bottom of Formations.

clay	35	shale blue	2420
shale blue	40	lime	2445
shale sdy	50	shale	2490
shale blue	255	lime	2500
sand	265	shale	2507
shale blue	290	lime	2535
red rock	297	shale & shells	2615
shale blue	315	lime	2640
red rock	325	shale	2700
shale blue	400	lime	2715
sand & iron	410	shale	2720
shale	415	lime	2805
lime	425	shale	2810
shale blue	465	lime	2830
iron	470	shale	2840
shale blue	505	lime	2930
red rock	865	shale	2935
lime anhyd.	893	lime	2953
red rock	1030	shale	2955
shale blue	1080	lime	2962
red rock	1135	red rock	2985
shale blue	1255	lime	3005
salt	1485	shale	3019
shale blue	1495	lime	3140
lime	1535	shale	3145
shale	1540	lime	3190
lime	1605	shale	3200
red rock	1618	lime	3215
lime	1652	shale	3220
red rock	1660	lime	3245
shale	1675	shale	3250
lime	1705	lime	3268
red rock	1715	Total Depth	
lime	1865		
shale brown	1875		
lime	1895		
shale blue	1910		
lime	1935		
shale	1940		
lime	1945		
shale	1965		
lime	2065		
red rock	2080		
lime	2130		
shale	2135		
red rock	2155		
lime	2160		
shale	2170		
lime	2210		
shale & shells	2235		
lime	2255		
shale blue	2275		
shale & shells	2335		
red rock	2345		
shale blue	2355		
lime	2365		
shale	2375		
lime	2380		
shale			

WATER RECORD:  
3BWP 40-50'  
HFW 255-265'  
4 1/2 BWP 820-830'  
1BWP 1255-1260'  
1/2 BWP 2910'  
2BWP 3005'  
3 1/2 BWP 3080'  
HFW 3150-3154'

Gas & Oil Shows:  
Show of gas 2365-2370'  
Show of oil 2945-2952'  
Show of oil 2985-2990'  
Show of oil 3185-3190'  
Oil 3260-3265'

12-09-1953

<b>PLUGGING</b>			
WELL	SEC 35	T 13	R 14W
BOOK	PAGE 147	LINE	10