Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Open FI Delivera			Test Date	e:			AP	I No. 15 - 07	13-ZW	95-00-	
Company					Lease		•	····		Well Number	
Lobo Production,		Inc		Adam	s - #	cAte		1-20			
County	CII	Location SW-SE		Section 20			RNG (E/W) 41W		•	Acres Attributed	
heyenne Field				Reservoir				thering Conne	ction		
nkelman				Niobrara			KN			, , , , , , , , , , , , , , , , , , , 	
Completion Da 12/20/7			Plug Back Total Depth				Packer				
Casing Size	Weight		Internal Diameter		Set at 1310 '		Perforations 1216 ¹		τ _ο 1251'		
4.5 Tubing Size	10.5# Weight		Internal Diameter		Set at		Perforations				
Tubing Oizo	110.9			, , , , , , , , , , , , , , , , , , , ,							
Type Completion			Type Flui	id Production	1		Pump U	nit or Traveling			
	(Annulus / Tubing)	% Carbo	n Dioxide			% Nitro	jen .		avity - G	
Vertical Depth(I	н)			Pressu	ıre Taps					600 Run) (Prover) Size	
Tornour Dopun	•••								-	MeterRün	
Propouso Builde	up: Shut in <u>11</u>	/13 x	X00 _a ,8:	: 00	(AM)(PM)	aken '	11/14	. XX			
					\bigcirc						
Well on Line:	Started	19	at		(AM) (PM)	aken		19	at	(AM) (PM)	
····		,	-	OBSERVE	D SURFACE	DATA			Duration of Shut-	in Hou	
Static / Orifice Circle one:		Pressure	Flowing Well Head Temperature		Casing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Tubing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)	
Dynamic Siz	Meter of Differential Line Prover Pressure in (h)										
Property inch	nes psig	Inches H ₂ 0	t	t	psig	psia	psig	psia			
Shut-In					110						
Flow											
				FLOW STR	EAM ATTRI	BUTES					
Plate	Circle one:	Press	Grav		Flowing	Dovi	iation	Metered Flow	GOR	Flowing	
Coeffiecient	Meter or Prover Pressure	Extension	Fac	tor Te	emperature Factor	Fa	ctor	R	(Cubic Fee	Fluid Gravity G _m	
(F _b) (F _p) Mcfd	psia	√ P _m x H _w	F	,	F _n	F	pv	(Mcfd)	Barrel)		
	,				******						
		<u> </u>	OPEN EL	OW) (DELIVE	PARII ITY)	CAL CUL	ATIONS				
))2 =	· (P)2=	•	P _d =			- 14.4) +		:	(P _a)² (P _d)²	= 0.207 =	
ε/		Choose formula 1 or 2:		Г ¬	1	ure Curve				Open Flow	
(P _c) ² - (P _a) ²	(P _c) ² - (P _w) ²	1. P _c ² -P _a ²	LOG of formula		Slope	= "n"	пх	LOG	Antilog	Deliverability	
(P ₂) ² - (P ₄) ²	$ (P_w)^2 = $		1. or 2. and divide p2. p2		Assigned				Annog	Equals R x Antilog Mcfd	
		divided by: Pc2 - Pw2	by:		Standar	d Slope				MCIG	
			ļ			 	_				
pen Flow Mcfd @ 14.65 psia			psia	sia Deliverability				Mcfd @ 14.65 psia			
The undersi	gned authority, on	behalf of the Co	mpany, stat	es that he is	duly authoriz	ed to mal	ke the ab	ove report and	that he has knowl	edge of the facts	
ated therein, an	nd that said report	is true and corre	ct. Execute	d-this-the ===	15	day of		Decembe	r	XXX <u>00</u> .	
				PORATION CO			0	/ 1		,	
	Witness (i		Conf			4	hns	For C	ompany		
	***************************************	· w.,,	D۲	C 1 9 20	300			. 51 0			
	For Comm	niesioo	gy ba		_			Check	ed by		

CONSERVATION DIVISION

exemple and that the best tion and	status under Rule K.A.R. 82-3-304 on behalf of the operator <u>Lobo Production</u> , <u>Inc.</u> It the foregoing information and statements contained on this application form are true and correct to tof my knowledge and belief based upon gas production records and records of equipment installation of type completion or upon use of the gas well herein named. Streby request a permanent exemption from open flow testing for the <u>Adams-McAtee 1-20</u> If on the grounds that said well:
Date:	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is incapable of producing at a daily rate in excess of 150 mcf/D
	Signature: <u>John San Allra</u> owner/operator

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.