

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

OPERATOR: License # 3728
Name: Roger Kent dba R J Enterprises
Address 1: 22082 NE Neosho Road
Address 2: _____
City: Garnett State: KS Zip: 66032 + 1918
Contact Person: Roger Kent
Phone: (785) 448-6995 or 448-7725
CONTRACTOR: License # 3728
Name: Roger Kent dba R J Enterprises
Wellsite Geologist: n/a
Purchaser: n/a

Designate Type of Completion:

- ☒ New Well ☐ Re-Entry ☐ Workover
- ☒ Oil ☐ WSW ☐ SWD ☐ SIOW
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW
☐ OG ☐ GSW ☐ Temp. Abd.
☐ CM (Coal Bed Methane)
☐ Cathodic ☐ Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD
☐ Conv. to GSW

- ☐ Plug Back: _____ Plug Back Total Depth: _____
☐ Commingled Permit #: _____
☐ Dual Completion Permit #: _____
☐ SWD Permit #: _____
☐ ENHR Permit #: _____
☐ GSW Permit #: _____

May 14, 2010	June 10, 2010	June 10, 2010
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 001-30020-00-00

Spot Description: _____
NE_NW_NE_SE Sec. 34 Twp. 23 S. R. 21 ☒ East ☐ West
2,475 Feet from ☐ North / ☒ South Line of Section
825 Feet from ☒ East / ☐ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☒ SE ☐ SW

County: Allen

Lease Name: Norman Unit Well #: 8-N

Field Name: Davis-Bronson

Producing Formation: Mississippian

Elevation: Ground: 954 Kelly Bushing: n/a

Total Depth: 640 ft. Plug Back Total Depth: 634.1 ft.

Amount of Surface Pipe Set and Cemented at: 20 Feet

Multiple Stage Cementing Collar Used? ☐ Yes ☒ No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: surface

feet depth to: 634.1 ft. w/ 60 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: Drilled with fresh water - air dry

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West

County: _____ Permit #: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Dorinda Akanda

Title: Agent Date: October 5, 2010

KCC Office Use ONLY

☒ Letter of Confidentiality Received

Date: _____

☐ Confidential Release Date: _____

☒ Wireline Log Received

☐ Geologist Report Received

☐ UIC Distribution

ALT ☐ I ☒ II ☐ III Approved by: Dg Date: 10/11/10

Operator Name: Roger Kent dba R J Enterprises Lease Name: Norman Unit Well #: 8-N
 Sec. 34 Twp. 23 S. R. 21 ☒ East ☐ West County: Allen

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run: Gamma Ray/Neutron/CCL Drillers Log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum See attached Log
--	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface		7 in.		20 ft.	Portland	60	Fly Ash Mix
Production		2-7/8"		634.1 ft.			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
34	571.0 - 587.0		
15	591.0 - 598.0		

TUBING RECORD:		Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or ENHR.			Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	---	---

KCC WICHITA

OCT 13 2010

RECEIVED

GARNETT TRUE VALUE HOMECENTER

410 N Maple
Garnett, KS 66032
(785) 448-7108 FAX (785) 448-7135

Merchant Copy

INVOICETHIS COPY MUST REMAIN AT
MERCHANT AT ALL TIMES!

Page: 1

Invoice: **10160153**Special :
Instructions :

Time: 14:22:28

Ship Date: 08/18/10

Invoice Date: 08/18/10

Due Date: 07/08/10

Date rep #: MIKE

Acct rep code:

Sold To: **ROGER KENT**

22083 NE NEGSHO RD
GARNETT, KS 66032

Ship To: **ROGER KENT**(785) 448-8895 **NOT FOR HOUSE USE**

(785) 448-8895

Customer #: 0000357

Customer PO:

Order By:

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
-10.00	-10.00	P	PL	CPMP	MONARCH PALLET	14.0000 PL	14.0000	-140.00
360.00	360.00	P	BAG	CPPO	PORTLAND CEMENT-94#	8.0900 BAG	8.0900	2912.40

	FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER	Sales total	\$2772.40
	SHIP VIA ANDERSON COUNTY					
	RECEIVED COMPLETE AND IN GOOD CONDITION					
	X					
					Taxable	2772.40
					Non-taxable	0.00
					Tax #	
					Sales tax	188.53

8TH
T 101

1 - Merchant Copy

TOTAL \$2960.93

R. J. Enterprises
22082 NE Neosho Rd
Garnett, KS 66032

Norman 8-N

Start 5-14-10

Finish 6-10-10

2	soil	2
6	clay & rock	8
20	lime	28
3	shale	31
5	lime	36
4	shale	40
19	lime	59
164	shale	223
22	lime	245
67	shale	312
29	lime	341
41	shale	382
19	lime	401
8	shale	409
7	lime	416
96	shale	512
3	lime	515
50	shale	565
5	sandy shale	570
17	oil sand	587
4	sandy shale	591
7	bk sand	598
3	dk sand	601
39	shale	640

set 20' 7"
ran 634.1' 2 7/8
cemented to surface
with 60 sxs.

RECEIVED

OCT 04 2010

KCC WICHITA

odor
good show
show
good show
show
T.D.