KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 Form must be Signed All blanks must be Filled

WELL COMPLETION FORM **WELL HISTORY - DESCRIPTION OF WELL & LEASE**

	API No. 15 - 037-22113 - 0000
	Spot Description: W2_W2_NW_SW Sec. 34 Twp. 28 S. R. 22 F East West
	1,960 Feet from North / South Line of Section
KS Zip: 66701 + 2834	5,260 Feet from V East / West Line of Section
	Footages Calculated from Nearest Outside Section Corner:
RECEIVED	□ NE □ NW ☑ SE □ SW
SEP 3 0 2010	County: Crawford
3EF 3 0 2010	Lease Name: Giefer Well #: INJ 12
KCC WICHITA	Field Name: Walnut SE
	Producing Formation: Bartlesville
	Elevation: Ground: 974 Est. Kelly Bushing:
ry Workover	Total Depth: 425 Plug Back Total Depth:
SWD SIOW	Amount of Surface Pipe Set and Cemented at: 20 Fee
ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes No
GSW Temp. Abd.	If yes, show depth set:Feet
	If Alternate II completion, cement circulated from: 425
ol., etc.):	feet depth to: top w/ 78 sx cmt
follows:	SX OIII
	Drilling Fluid Management Plan
	(Data must be collected from the Reserve Pit)
Original Total Depth:	Chloride content:ppm Fluid volume: bbls
Conv. to ENHR Conv. to SWD	Dewatering method used:
Conv. to GSW Plug Back Total Depth	Location of fluid disposal if hauled offsite:
rmit #:	·
rmit #:	Operator Name:
rmit #:	Lease Name: License #:
rmit #;	Quarter Sec TwpS. R East West
rmit #·	County: Permit #:
10 8/14/10	
TD Completion Date or Recompletion Date	

INSTRUCTIONS: An original and two copies of this f Kansas 67202, within 120 days of the spud date, recom of side two of this form will be held confidential for a per tiality in excess of 12 months). One copy of all wireline BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

OPERATOR: License # 6766

CONTRACTOR: License # 33734 Hat Drilling

Purchaser: Plains Marketing LP Designate Type of Completion:

CM (Coal Bed Methane)

Name:

Name: _

Address 1: Address 2: City: _Fort Scott

Contact Person: Phone: (620

Wellsite Geologist:

✓ New Well

Oil

Gas

OG

Operator: _ Well Name: _

Original Comp. Date: _

Deepening

Plug Back:

SWD

☐ ENHR

☐ GSW

Recompletion Date

Spud/Date/or

Commingled

Dual Completion

N & W Enterprises

1111 S. Margrave

Tom NOrris

☐ wsw

D&A

Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:

Re-perf.

223-6559

Re-Entry

SWD

✓ ENHR

☐ GSW

Permit #:

Permit #:

Permit #: _

Permit #:

Date Réached TD

State: KS

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge

Signature: Honus K	Manual Manual
Title: Puer.	Date: 9/20/10

KCC Office Use ONLY	
Letter of Confidentiality Received	
Date:	
Confidential Release Date:	
Wireline Log Received	
Geologist Report Received	
UIC Distribution	
ALT I I III Approved by: Date: Date:	L
- / · · · · · · · · · · · · · · · · ·	_

Operator Name: N 8	& W Enterprises			Lease	Name: _	Giefer		Well #: IN .	J 12			
Sec. 34 Twp.28	s. R. <u>22</u>	✓ East] West	County	: Crav	vford				· · · · · · · · · · · · · · · · · · ·		
INSTRUCTIONS: Stime tool open and cl recovery, and flow rat line Logs surveyed.	osed, flowing and shu tes if gas to surface to	ut-in pressures est, along with	s, whether si final chart(s	hut-in pres	sure rea	ched static level,	hydrostatic pr	ressures, bottom h	ole temp	perature, fluid		
Drill Stem Tests Take		☐ Yes	√No		 ✓L	og Formatio	n (Top), Depth	and Datum		Sample		
(Attach Additional Sheets) Samples Sent to Geological Survey		✓ Yes	✓ Yes		Name Bartlesville		Тор 384			Datum 394		
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		☐ Yes ✓ Yes ✓ Yes	☑ No ☐ No ☐ No		Dartie	SVIIIC			•			
List All E. Logs Run: Gamma Ray/I	Neutron											
		Report all		RECORD	V Ne	ew Used	ion etc					
Purpose of String	Size Hole Drilled	Size Ca Set (In	asing	Weig Lbs.	ght	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives		
Surface Casing	12"	8" ·		6.5lbs		20ft	Portland #1	l 6 Sacks				
Production String	oduction String 5 5/8" 2 7/8"			6.5lbs		424.4ft	Portland #1	78 Sacks				
Purpose:	Depth					JEEZE RECORD	Time or	ad Danna Addition				
Perforate Protect Casing Plug Back TD	Top Bottom	Type of Cement		# Sacks Used		Type and Percent Additives						
Plug Off Zone			:									
Shots Per Foot		ON RECORD - Footage of Each				1	cture, Shot, Cem	nent Squeeze Record f Material Used)	i	Depth		
2 shots per foot 384 - 394 RE			CEIVE	D	10 sack sand	d frac			384 - 394			
	-			3 0 20				***************************************				
				WICH								
				• • • • • • • • • • • • • • • • • • • •	177			****				
TUBING RECORD:	Size: 2 7/8"	Set At: 424.4ft		Packer At	l:	Liner Run:	Yes 🗸	No		<u> </u>		
Date of First, Resumed	Production, SWD or EN	L	oducing Methor	od:	g 🗌	Gas Lift O	ther (Explain)					
Estimated Production Per 24 Hours	Oil	Bbls.	Gas I	Mcf	Wate		ols.	Gas-Oil Ratio		Gravity		
							Т					
DISPOSITION Sold	ON OF GAS: Used on Lease	Open		ETHOD OF Perf.	COMPLE Dually		nmingled	PRODUCTIO	N INTER	√AL:		
(If vented, Sut		Other		_ · · · · · · · · · · · · · · · · · · ·	(Submit A		nit ACO-4)					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Kepley Well Service, LLC

19245 Ford Road Chanute, KS 66720

Cement in 2 7/8"

Sales Tax

Date Invoice # 8/17/2010 A-45149

Amount

1,272.00

0.00

Cement Treatment Report

424

N & W Enterprise Inc. 1111 S. Margrave Fort Scott, KS 66701 (x) Landed Plug on Bottom at 700 PSI
() Shut in Pressure
(x)Good Cement Returns
() Topped off well with sacks
(x) Set Float Shoe

TYPE OF TREATMENT: Production Casing HOLE SIZE: 5 5/8"
TOTAL DEPTH: 425

3.00

7.30%

Well Name	Terms	Due Date	
	Net 15 days	8/17/2010	
Service	or Product	Qty Per Foot F	Pricing/Unit Pricing

Giefer #12 Crawford County Section: 34 Township: 28 Range: 22

Total \$1,272.00

Payments/Credits \$0.00

Balance Due \$1,272.00

Hooked onto 2.7/8" casing. Established circulation with 2 barrels of water. GEL. METSO, COTTONSEED ahead, blended 70 sacks of straight cement, dropped rubber plug, and pumped 2.4 barrels of water.

SEP 3 0 2010