For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Special Sput Date November 15, 2010 north dep year 33813	Form KSC	DNA-1, Certification of Com	pliance with the Kansas	Surface Owner Notification Act, MUST be submitted with thi	s form.
OPERATOR: Licenset 33813 OPERATOR: Licenset Sale	Expected Spud Date:			Spot Description:	
OPERATOR: Locaroed 33813 Control Price State S		month day	year	_ NE _ NE _ NW Sec. 23 Two 9 S.	R. ²³ □E⊠W
Section Sect		33813			
Address 2: P.O. Bux 701 Address 2: Coty, Resel Subset 63 Zip 67965 + 0701 Contract Person: James Schoenberger Phone 258-483-4034 CONTRACTOR: Licensel 31948				2,310 feet from F /	W Line of Section
Address 2: Open Assess		/ LLC			N Ellic of occion
Courts_Contact Person. James Schoenberger Phone				15 SECTION. Micegolai I illegulai ?	
Contact Person. James Schoenberger Prone. 75:846-2049 CONTRACTOR: Loansel 31548 Contractor: 3 of Holes Co		C4-4 KS 7:	67665 . 0701		erse side)
Find Name Second Storage Sto	Contact Person, James Sc		<u> </u>	County: Graham	
CONTRACTOR: Licensed: 31548 Showery Offling Co. Inc.		andemberger		Lease Name: Brandyberry	_ Well #: 1
Name Discovery Chilling Co. Inc. Well Class: Type Equipment Well Dijled For. Well Class: Well Class	Thorie.			Field Name: Wildcar Vesper North	
Name Discovery Chilling Co. Inc. Well Class: Type Equipment Well Dijled For. Well Class: Well Class	CONTRACTOR: License#.	31548 🗸		Is this a Prorated / Spaced Field?	Yes X No
Seismic Enh Rec Slorage Slor	Name: Discovery Drilling Co	, inc.		Target Formation(s): LKC	
Seismic Enh Rec Slorage Slor	Mail Dallad Cor:	Mell Class:	Time Equipment	Nearest Lease or unit boundary line (in footage): 330	
Seismic				Ground Surface Elevation: 2343	
Public water supply well within one mile: residual position of the properties of					
Seismic Jis of Notes Other		· — — · · · · · · · · · · · · · · · · ·		·	
Depth to bottom of usable water: \$\psi \frac{\psi	`		Cable		
Gownorm Surface Pipe by Alternate:	 	of Holes Other		Don'th to hottom of water, 1996 1100	
Length of Surface Pipe Planned to be set200	Other:			Depth to bottom or usable water:	
Operator: Well Name: Original Completion Date Original Total Depth: Directional, Deviated or Horizontal wellbore? Water Source for Drilling-Operations: Water Source Apply for Permit with DWR Water Source for Drilling For Parmit with DWR Water Source for Drilling For Parmit with DWR Wate	THE CHARACT AND LONG	information as follows:		Surface Pipe by Alternate:	
Well Name Original Completion Date Original Total Depth: Directional, Deviated or Horizontal wellbore? Yes No Water Source for Drilling Operations: Water Sour	LII OVVVO. OIG WEII	Intorriabon as follows.		Length of Surface Pipe Planned to be set: 200	
Formation at Total Depth: LKC Valet Survey Completed or Horizontal wellbore? Valet Survey Completed or Horizontal wellbore? Valet Survey Completed or Horizontal wellbore? Valet Survey Completed Survey	Operator:			Length of Conductor Pipe (if any):	
Wester Source for Drilling-Operations: Wester Source for Drilling-Operation Wester Source for Drilling-Operation Wester Source for Drilling-Operation of Wester Source for Drilling-Operation of Present with Drilling-Operation of Source for Drilling-Operation or Drilling-Operation or Operation or Operation or Operation Drilling-Operation Drilling-Operation Operation Drilling-Operation Operation Drilling-Operation Operation Drilling-Operation Drilling-Operation Operation Drilling-Operation Drilling-Operation Operation Drilling-Operation Operation Drilling-Operation Operation Drilling-Operation Operation Dr	Well Name:			Projected Total Depth: 3950	
West West West More	Original Completion Da	ete: Original T	otal Depth:	Formation at Total Depth: LKC	
West West West More					
If Yes, true vertical depth: DWR Permit #: (Note: Apply for Permit with DWR Yes Note: Apply for Permit Server Yes Note: Apply f	Directional, Deviated or Ho	rizontal wellbore?	Yes X No	Well X Farm Pond Other:	
RCC DKT #: Will Cores be taken? Yes No No No No No No No N	If Yes, true vertical depth:				
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 2 2010 NOV 1 2 2	Bottom Hole Location:				7
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: NOV 1 2 2010 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top, in all cases surface pipe shall be set. The minimum and placement is necessary prior to plugging; 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Novemeber 3,2010 Signature of Operator or Agent For KCC Use ONLY API #15 - OLO 5 - 23 706 - OLO 5 - (File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date; File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pt Application (form CDP-1) with Intent to Drill; File Drill Pt Application (form CDP-1) with Intent to Drill; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. I well will not be device	KCC DKT #:			Will Cores be taken?	″ ∏Yes ⊠No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shalf be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shalf be set by circulating cement to the top; in all cases surface pipe shalf be setCHITA through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. 7. Or pursuant to Appendix 'B' - Eastern Kanasas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. 1. hereby certify that the statements made herein are true and to the best of my knowledge and belief. 1. Date: Novemeber 3,2010 Signature of Operator or Agent Minimum surface pipe required Application (form CDP-1) with Intent to Drill; 2. File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; 3. File Drill Pit Application (form CDP-1) with Intent to Drill; 4. File Drill Pit Application (form CDP-1) with Intent to Drill; 5. File acreage attribution plat according to field proration orders; 6. Obtain written approval before disposing or inject				w	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 2 2010 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set CHITA The well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any asble water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Novemeber 3,2010 Signature of Operator or Agent: Minimum surface pipe required					RECEIVED
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set CLITA through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix 18" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Novemeber 3,2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 0 5 - 23 706 - 6eet Minimum surface pipe required	T	- CP Ab A Ab			VECEIVED
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set CMTA through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or producion casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Novemeber 3,2010 Signature of Operator or Agent For KCC Use ONLY API # 15 - 2 3 7 0 0 - 6eet Minimum surface pipe required Approved by: White	= -	-		ugging of this well will comply with K.S.A. 55 et. seq.	NOV 1 2 2010
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set CHITA 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and seller. Date: Novemeber 3,2010 Signature of Operator or Agent	It is agreed that the follow	ing minimum requirements	s will be met:		MOA 1 5 5010
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Novemeber 3,2010 Signature of Operator or Agent. For KCC Use ONLY API # 15 - 0 0 5 - 23 7 0 0 - 0 feet Minimum surface pipe required feet feet per ALT. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit expired Date: Well will not be drilled or Permit Expired Date: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:	2. A copy of the appro	oved notice of intent to drill	shall be posted on each		CC WICHITA
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Novemeber 3,2010 Signature of Operator or Agent. For KCC Use ONLY API # 15 - 0 0 5 - 23 706 - 000 API # 15 - 0 10 5 - 23 706 - 000 Conductor pipe required					half be set
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-c, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Novemeber 3,2010 Signature of Operator or Agent Title: Agent For KCC Use ONLY API # 15 - 0 0 5 - 23 70 0 - 000 ACT (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) Well will not be drilled or Permit Expired Date: Well will not be drilled or Permit Expired Signature of Operator or Agent:	•	-			
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Novemeber 3,2010 Signature of Operator or Agent For KCC Use ONLY API # 15 - 0 0 5 - 23 7 0 0 - 00 - 00 - 00 - 00 - 00 - 00 -					to plugging;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Novemeber 3,2010 Signature of Operator or Agent: Title: Agent For KCC Use ONLY API # 15 - 0 0 5 - 23 700 - 000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I Pil Approved by: White I - 22 - 20 I i (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:					of amount place
I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Novemeber 3,2010 Signature of Operator or Agent: Novemeber 3,2010 Signature of Operator or Agent: Signature of Operator or Agent					
hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Novemeber 3,2010 Signature of Operator or Agent					
For KCC Use ONLY API # 15 - 0 65 - 23 706 - 000 Conductor pipe required	•	•			ocmonary.
For KCC Use ONLY API # 15 - 0 0 5 - 23 70 0 - 00 feet Conductor pipe required feet Minimum surface pipe required feet per ALT. I DI Approved by: WWW -22 - 20 This authorization expires: 1 - 22 - 20 This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Spud date: Agent: Well will not be drilled or Permit Expired Date: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: Signature of Operator o	I hereby certify that the st	latements made herein are	true and to the best of the	my knowledge and belief.	
For KCC Use ONLY API # 15 - 0 0 5 - 23 70 0 - 00 feet Conductor pipe required feet Minimum surface pipe required feet per ALT. I DI Approved by: WWW -22 - 20 This authorization expires: 1 - 22 - 20 This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Spud date: Agent: Well will not be drilled or Permit Expired Date: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: Signature of Operator o	na. Novemeher 3 20	010		UNTYHUUNGUU Tala. Agent	
For KCC Use ONLY API # 15	Date:	Signature of Operato	or Agency Art 1 1	Tibe.	
API # 15 - 23 706 - 00 - 00 - 00 - 00 - 00 - 00 - 00	EK0011 0MIV			Remember to:	
ACT (RSUNA-1) with Intent to Drill; Conductor pipe required	FOR ACC USE ONLY	22706-07	ഹ	 File Certification of Compliance with the Kansas Surface C 	Owner Notification
Minimum surface pipe required	API # 15 - UUS	4 1			W
Minimum surface pipe required	Conductor pipe required	None	feet	• • • • • • • • • • • • • • • • • • • •	1
Approved by: IIII 1-22-201 This authorization expires: 1-22-201 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Agent: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:		200		•	·
This authorization expires: 1/-22-20 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Spud date: Agent: Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:	, ,		icer bei vri' []		
(This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent	Approved by:	F .:			
Spud date:	This authorization expire	s: <u> -22-20 </u>			(within 60 days);
Spud date: Agent: please check the box below and return to the address below			nths of approval date.)	· · · · · · · · · · · · · · · · · · ·	1
Spud date: Agent Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:					, , , , , , , , , , , , , , , , , , ,
Signature di Operator di Auterit.	Spud date:	Agent:		prease check the box below and return to the address bek	
Signature di Operator di Auterit.				hard -	\
	Mail to	KCC - Conservation Div	rision.	Signature of Operator or Agent:	حب ب

130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY
API # 15 - 065 - 23706 - 0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Jason Oil Company LLC	Location of Well: County: Graham		
Lease: Brandyberry			
Well Number: 1			
Field: Wildcat	Sec. 23 Twp. 9 S. R. 23 E 🔀 W		
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: - NE - NE - NW	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.


	7					
 		********	*******		******	

	•					
 						
 				••••		
	•					

NOTE: In all cases locate the spot of the proposed drilling locaton.

LEGEND

0	Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location



NOV 1 2 2010

in plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KCC WICHITA

15-065-23 706-00-00 KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CF	•1 (Plugging Application)	
OPERATOR: License # 33813 Name: Jason Oil Company LLC	Well Location:	23	
Name: Jason Oil Company LLC	NE_NE_NW Sec. 23 Twp. 9 S. R.	Eas X West	
Address 1: P.O. Box 701	County: Graham		
Address 2:	Lease Name: Brandyberry	Nell #: _1	
Contact Person. James Schoenberger	If filing a Form T-1 for multiple wells on a lease, enter the legal description the lease below:		
Contact Person: James Schoenberger Phone: (785) 483-4204 Fax: (785) 445-3404			
Email Address:			
Surface Owner Information: Name: Willis Brandyberry Address 1: 210 N Pence	When filing a Form T-1 involving multiple surface own		
Address 1: 210 N Pence	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.		
Address 2:			
Address 2:			
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered Select one of the following:	nk batteries, pipelines, and electrical lines. The locati on the Form C-1 plat, Form CB-1 plat, or a separate p	ons snown on the plat plat may be submitted.	
☑ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,	located: 1) a copy of the Form C-1, Form CB-1, For being filed is a Form C-1 or Form CB-1, the plat(s)	rm T-1, or Form	
I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling	wner(s). To mitigate the additional cost of the KCC	performing this	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with the P-1 will be returned.	nis form, the KSONA-1	
		RECEIVED	
hereby certify that the statements made herein are true and correct to Date: November 3,2010 Signature of Operator or Agent		NOV 1 2 2010	
Signature of Operator or Agent 1777	THUE: U	KCC WICHITA	

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Jason Oil Company, LLC			License Number: 33813	
Operator Address: P.O. Box 701		Rus	sell Kansas 67665	
Contact Person: James Schoenberg	ger		Phone Number: 785-483-4204	
Lease Name & Well No.: Brandyberry	1		Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit X Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: X Proposed Existing If Existing, date constructed: Pit capacity: 3,000 (bbls)		NENENW Sec23Twp9R23East X West330Feet from X North / South Line of Section2,310Feet from East / X West Line of Section GrahamCounty	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used? Clay soil	
Pit dimensions (all but working pits):	Length (fee		Width (feet)	
			edures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile of the state of the sta	. 4 7	Depth to shallo Source of infor		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s		Drilling, Works	over and Haul-Off Pits ONLY: al utilized in drilling/workover: tking pits to be utilized: 3	
flow into the pit? Yes No	pilieu Itulus (0	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED NOV 1 9 2010				
November 3,2010 Date Signature of Applicant or Agent KCC WIC			ignature of Applicant or Agent KCC WICHIT	
CC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				