For KCC Use: Effective Date: District

130 S. Market - Room 2078, Wichita, Kansas 67202

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:11/29/2010	Spot Description:	
month day year		□w
33365	(0/0/0/0)	_
OPERATOR: License#	To the or	
Name: Layne Energy Operating, LLC	Teet from X E / W Line or	Section
Address 1: 1900 Shawnee Mission Parkway	Is SECTION: Regular Inregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Mission Woods State: KS Zip: 66205 + 2001	County: Wilson	
Contact Person: Victor H. Dyal	Lease Name: Hummer Well #: 16C-28	
Phone: 913-748-3960	Field Name: Lefontaine Unnamed	
33606		
CONTRACTOR: License#33606 Name: Thomton Air Rotary, LLC	Is this a Prorated / Spaced Field?	XINO —
Name:	Target Formation(s): Cattleman Sands	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 980'	
	Ground Surface Elevation: 887 fe	et MSL
XOil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	No _
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	No No
Disposal Wildcat Cable	Depth to bottom of fresh water: 150'	<u>~</u> 3*
Seismic : # of Holes Other	Depth to bottom of usable water: 200'	
Other:		
of OMMAN: ald wall information as follows:	Surface Pipe by Alternate:	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 1300'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian	<u></u>
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR	
KCC DKT #:		N/1.
	Will Cores be taken?	N ₀
	If Yes, proposed zone:	-
	ורו	
ΔFFI	IDAVIT RE	CEIVED
		CEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug		
		CEIVED / 2 3 2010
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	gging of this well will comply with K.S.A. 55 et. seq.	/ 2 3 2010
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	nging of this well will comply with K.S.A. 55 et. seq. NO drilling rig;	/ 2 3 2010
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 0. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b.	oging of this well will comply with K.S.A. 55 et. seq. NOT drilling rig; by circulating cement to the top; in all cases surface pipe shall be set	
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 0. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.	/ 2 3 2010
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the district of the same and the same and the same and the district of the same and	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging;	/ 2 3 2010
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the same and the same and the same and the same appropriate district office will be notified before well is either plugges.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in;	/ 2 3 2010
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.	/ 2 3 2010
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drilling and the approved notice of intent to drill shall be posted on each of the drilling and the approved notice of intent to drill shall be posted on each of the drilling and the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	/ 2 3 2010
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	/ 2 3 2010
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drilling and the approved notice of intent to drill shall be posted on each of the drilling and the approved notice of intent to drill shall be posted on each of the drilling and the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	/ 2 3 2010
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the driving all unconsolidated materials plus a minimum of 20 feet into the start of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If when the surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing.	/ 2 3 2010 WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	/ 2 3 2010 WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the driving all unconsolidated materials plus a minimum of 20 feet into the start of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If when the surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing.	/ 2 3 2010 WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the drill shall be posted on each of the drill shall be posted on eac	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If the work of the surface within 120 DAYS of spud date. Title: Manager of Engineer Remember to:	/ 2 3 2010 WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the drill shall be posted on each of the drill shall be posted on eac	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Fict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If y knowledge and belief. Title: Manager of Engineer. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification.	/ 2 3 2010 WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district office prior as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and to the best of the statements. Signature of Operator or Agent: Date: 11/22/2010 Signature of Operator or Agent: Signatur	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Fict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If y knowledge and belief. Title: Manager of Engineer Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;	/ 2 3 2010 WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the drill shall be posted on each of the drill shall be posted on eac	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. I ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. I who we will be a surface within 120 DAYS of spud date. 34,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. I with Intent to Siller in the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;	2 3 2010 WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the drill shall be posted on each of the drill shall be posted before well unconsolidated materials plus a minimum of 20 feet into the shall be understood of the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the specified before well is either to th	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. I ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If y knowledge and belief. Title: Manager of Engineer Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	/ 2 3 2010 WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the drill shall be posted on each of the drill shall be posted before well unconsolidated materials plus a minimum of 20 feet into the shall be understood of the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the specified before well is either to th	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Interest of plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If y knowledge and belief. Title: Manager of Engineer Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	2 3 2010 WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> to the	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Into the fict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If y knowledge and belief. Title: Manager of Engineer Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	2 3 2010 WICHITA ering 28 38
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved intent of surface pipe as specified below <i>shall be set</i> to though all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the statements. For KCC Use ONLY API # 15 - 205 - 27889 - 00 - 00 Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Into the fict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If y knowledge and belief. Title: Manager of Engineer Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	2 3 2010 WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> to the	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Interest office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If y knowledge and belief. Title: Manager of Engineer Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	2 3 2010 WICHITA ering 28 30 4
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved intent of surface pipe as specified below <i>shall be set</i> to though all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the statements. For KCC Use ONLY API # 15 - 205 - 27889 - 00 - 00 Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. In the set underlying formation in the set on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If the set of the kcc District office prior to any cementing. If the knowledge and belief. Title: Manager of Engineer Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)	2 3 2010 WICHITA ering 28 30 4
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved intent of surface pipe as specified below <i>shall be set</i> to though all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the statements. For KCC Use ONLY API # 15 - 205 - 27889 - 00 - 00 Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. I cot office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. B3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. I with which is which i	2 3 2010 WICHITA ering 28 30 4
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified approved notice of intent to drill <i>shall be</i> posted on each of the specified approved notice of intent to drill <i>shall be</i> posted on each of the specified approved on the approved notice of intent to drill <i>shall be</i> posted on each of the specified approved to the specified below <i>shall be</i> set be through all unconsolidated materials plus a minimum of 20 feet into the specified appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be approved by that the statements made herein are true and to the best of the specified approved by: Date: 11/22/2010	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. In the set underlying formation in the set on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If the set of the kcc District office prior to any cementing. If the knowledge and belief. Title: Manager of Engineer Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)	2 3 2010 WICHITA ering 28 30 4

For KCC Use ONLY API # 15 205 27889-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include Items 1 through 5 at the bottom of this page.

Hummer Hummer Hober 166-28	1005 feet from N / 2'S Line of S 980 feet from 2'E / W Line of S Sec. 28 Twp. 30 S. R. /4 D'E W			
r of Acres attributable to well TR/QTR/QTR of acreage: _N E NW_SE - SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary Section corner used: NE NW SE SW			
PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kanses Surface Owner Notice Act (House Bill 2032). You may attach a separete plet if desired.				
rou mey auech a s	LEGEND			
	O Well Location Tank Battery Location Pipeline Location			
	Electric Line Location Lease Road Location			
	EXAMPLE			
	EXAMPLE			
	EXAMPLE 1980			

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section tines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

RECEIVED NOV 2 3 2010 KCC WICHITA

15-205-27 889-00-00 KANSAS CORPORATION COMMISSION OU & GAS CONSERVATION DIVISION

OIL & GAS CONSERVATION DIVISION

FROM LANCE WITH TH

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Intent)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License # 33365	Well Location:	
OPERATOR: License #	NE_NW_SE_SE_Sec. 28 Twp. 30 S. R. 14 XEas West	
Address 1: 1900 Shawnee Mission Parkway	County: Wilson	
	Lease Name: Hummer Well #: 16C-28	
City: Mission Woods State: KS Zip: 66205 + 2001 Contact Person: Victor H. Dyal Phone: (913) 748-3960 Fax: (913) 748-3950 Email Address: vdyal@layneenergy.com	If filing a Form T-1 for multiple wells on a lease, enter the legal description the lease below:	
913 748-3960 Face (913) 748-3950		
Email Address: vdyal@layneenergy.com		
Surface Owner Information: Name: Dimple Dene Hummer Address 1: 5901 Forrest Ledge Address 2:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following: X	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form	
CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a	being filed is a Form C-1 or Form CB-1, the plat(s) required by this	
I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface ov task, I acknowledge that I am being charged a \$30.00 handling	cknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
I hereby certify that the statements made herein are true and correct to	the best of my knowledge and belief.	
Date: 11/22/2010 Signature of Operator or Agent:	Title: Manager of Engineering	

RECEIVED NOV 2 3 2010

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365	
Operator Address: 1900 Shawnee	Mission Park	way	Mission Woods KS 66205
Contact Person: Victor H. Dyal		Phone Number: 913-748-3960	
Lease Name & Well No.: Hummer	No: Hummer 16C-28		Pit Location (QQQQ):
Type of Pit:	Pit is:		NE NW SE SE
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 28 Twp. 30 R. 14 🔀 East 🗌 West
Settling Pit X Drilling Pit	If Existing, date cor	nstructed:	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		980 Feet from X East / West Line of Section
(a WF Supply At 1140. of Teal Difficult		(bbls)	WilsonCounty
Is the pit located in a Sensitive Ground Water	Area? Yes 🚫 I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? XYes No	Artificial Liner?	io	How is the pit lined if a plastic liner is not used? Made of clay
Pit dimensions (all but working pits):	30 Length (fee	et)20	Width (feet) N/A: Steel Pits
Depth fr	om ground level to dee	epest point:	3 (feet) No Pit
			15.505.
Distance to nearest water well within one-mile of pit: Depth to shallo Source of infor		west fresh water feet. mation:	
None feet Depth of water well feet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Drilling,		Drilling, Work	over and Haul-Off Pits ONLY:
		of information: sured	
		flow into the pit? Yes No	spinou noida to
I hereby certify that the above states	ments are true and com	rect to the best of	my knowledge and belief.
		1/1/2	NOV 2 3 20
11/22/2010 Date	_ 0	Will H	Grafure of Applicant or Agent KCC WICH
	KCC	OFFICE USE C	Liner Steel Pit X RFAC RFAS
Date Received: 11-23-10 Permit Nur	nber:	Perm	it Date: <u>II - 23 - (O</u> Lease Inspection: KYes No



Mark Parkinson, Governor Thomas E. Wright, Chairman Joseph F. Harkins, Commissioner Ward Loyd, Commissioner

November 23, 2010

Layne Energy Operating, LLC 900 Shawnee Mission Parkway Mission Woods, KS 66205-2001

RE: Drilling Pit Application

Hummer Lease Well No. 16C-28

SE/4 Sec. 28-30S-14E Wilson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File