For KCC Use:	12-7-	2010
Effective Date:	10-1	20,0
District #	<u> </u>	
SGA? Yes	Mo	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

expected Spud Date:	11/30/10		Spot Description:	
	month da	y year	SE NE SW NE Sec. 16 Two	0. 24 S. R. 16 XE W
	30345			m N / S Line of Section
PERATOR: License# _ lame: Piqua Petro Inc.			1,340 feet from	m 💢 E / 🦳 W Line of Section
ddress 1: 1331 Xylan F		ATTICATED ATTENDED	Is SECTION: Regular Imegular?	
				
	State KS	Zip: 66761 +	(Note: Locate well on the Section	Plat on reverse side)
Contact Person: Greg L			County: Woodson	25.10
hone: 620-433-0099		1 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	Lease Name: Wingrave	Well #: 35-10
	32070		Field Name: Vernon	
CONTRACTOR: License lame: _John E. Leis	S# 02073		Is this a Prorated / Spaced Field? Target Formation(s): Squirrel	Yes No
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage	e): <u>520'</u>
	, min	Mud Rotary	Ground Surface Elevation: Est. 1011	feet MSL
	h Rec X Infield prage Pool Ext.	Air Rotary	Water well within one-quarter mile:	XYes ☐No
	posal Wildcat	Cable	Public water supply well within one mile:	Yes X No
	# of Holes Other	Cable	Depth to bottom of fresh water: 125'	
Other:		MPN VV V TOO	Depth to bottom of usable water: 150'	
			Surface Pipe by Alternate: XIII	
If OWWO: old we	ell information as follows:		Length of Surface Pipe Planned to be set: 40	, 🗸
			Length of Conductor Pipe (if any): none	
•	LUNE A JACOB VIEW		Projected Total Depth: 1150	
	Date: Origin		Formation at Total Depth: Squirrel	TO A TRANSPORTER AND AN ARCHITECTURE AND
Original Completion	Date: Origin	iai iotai Deptii	Water Source for Drilling Operations:	
Directional, Deviated or I	Horizontal wellbore?	Yes No	Well X Farm Pond Other:	
•				
			DWR Permit #:(Note: Apply for Permit wi	THE CHAPTER
			Will Cores be taken?	∏Yes ⊠No
			If Yes, proposed zone:	
		AF	If Yes, proposed zone:	
"he undersigned hereb	oy affirms that the drilling,		• •	eq.
•	oy affirms that the drilling, owing minimum requirem	completion and eventual pli	FIDAVIT	eq.
t is agreed that the folk	owing minimum requirem	completion and eventual pluents will be met:	FIDAVIT	
t is agreed that the folk	owing minimum requiremoriate district office prior	completion and eventual pluents will be met: to spudding of well;	FIDAVIT ugging of this well will comply with K.S.A. 55 et. se	RECEIVED
t is agreed that the folk	owing minimum requiremoriate district office prior	completion and eventual pluents will be met: to spudding of well;	FIDAVIT ugging of this well will comply with K.S.A. 55 et. se	RECEIVED
t is agreed that the folk 1. Notify the approp 2. A copy of the app 3. The minimum an	owing minimum requirem oriate district office prior to proved notice of intent to nount of surface pipe as s	completion and eventual pli ents will be met: to spudding of well; drill shall be posted on each specified below shall be set	FIDAVIT ugging of this well will comply with K.S.A. 55 et. se h drilling rig; by circulating cement to the top; in all cases surfa-	RECEIVED DEC 0 1 2010
t is agreed that the folk 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry I	owing minimum requirem oriate district office prior to proved notice of intent to nount of surface pipe as sonsolidated materials plus hole, an agreement between	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the een the operator and the dis	FIDAVIT ugging of this well will comply with K.S.A. 55 et. se th drilling rig; by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necess	RECEIVED DEC 0.1 2010
t is agreed that the folk 1. Notify the approp 2. A copy of the approp 3. The minimum an through all uncor 4. If the well is dry l 5. The appropriate	owing minimum requirem oriate district office prior I proved notice of intent to nount of surface pipe as a nsolidated materials plus hole, an agreement betwe district office will be notifi	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the operator and the dised before well is either plugged.	FIDAVIT ugging of this well will comply with K.S.A. 55 et. se h drilling rig; by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necessed or production casing is cemented in;	RECEIVED DEC 0 1 2010 ace pipe shall be set 1 2010 sary plkGGMMCHITA
t is agreed that the folk 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry l 5. The appropriate 6. If an ALTERNATI	owing minimum requirem oriate district office prior I proved notice of intent to nount of surface pipe as a noolidated materials plus hole, an agreement betwee district office will be notifice. E II COMPLETION, produ	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each pecified below shall be set a minimum of 20 feet into the een the operator and the dis ed before well is either plugg uction pipe shall be cemente	FIDAVIT ugging of this well will comply with K.S.A. 55 et. se h drilling rig; by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within the	RECEIVED DEC 0 1 2010 ace pipe shall be set 1 2010 sary placeGraphCHITA 120 DAYS of spud date.
t is agreed that the folk 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry I 5. The appropriate 6. If an ALTERNATI Or pursuant to A	owing minimum requirem oriate district office <i>prior</i> I proved notice of intent to nount of surface pipe as a nsolidated materials plus hole, an agreement betwee district office will be notifice E II COMPLETION, produppendix "B" - Eastern Kai	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the een the operator and the dis ed before well is either plugg uction pipe shall be cemente sas surface casing order #	FIDAVIT ugging of this well will comply with K.S.A. 55 et. se th drilling rig; by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are	RECEIVED DEC 0 1 2010 ace pipe shall be set 1 2010 sary ploc Graph CHITA 120 DAYS of spud date. ea, alternate II cementing
t is agreed that the folk 1. Notify the approp 2. A copy of the app 3. The minimum an through all uncor 4. If the well is dry I 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be completed	owing minimum requirem oriate district office <i>prior</i> to proved notice of intent to nount of surface pipe as a nsolidated materials plus hole, an agreement betwee district office will be notifice E II COMPLETION, produ- ppendix "B" - Eastern Kail and within 30 days of the service produce the service of the service of the service to the service of the ser	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the sen the operator and the disted before well is either pluguation pipe shall be cemented as surface casing order # spud date or the well shall be	FIDAVIT ugging of this well will comply with K.S.A. 55 et. se in drilling rig; by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necessiged or production casing is cemented in; ad from below any usable water to surface within a 133,891-C, which applies to the KCC District 3 are as plugged. In all cases, NOTIFY district office p	RECEIVED DEC 0 1 2010 ace pipe shall be set 1 2010 sary ploc Graph CHITA 120 DAYS of spud date. ea, alternate II cementing
t is agreed that the folk 1. Notify the approp 2. A copy of the app 3. The minimum an through all uncor 4. If the well is dry I 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be completed	owing minimum requirem oriate district office <i>prior</i> to proved notice of intent to nount of surface pipe as a nsolidated materials plus hole, an agreement betwee district office will be notifice E II COMPLETION, produ- ppendix "B" - Eastern Kail and within 30 days of the se	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the een the operator and the dis ed before well is either plugg uction pipe shall be cemente sas surface casing order #	FIDAVIT ugging of this well will comply with K.S.A. 55 et. se in drilling rig; by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necessiged or production casing is cemented in; ad from below any usable water to surface within a 133,891-C, which applies to the KCC District 3 are as plugged. In all cases, NOTIFY district office p	RECEIVED DEC 0 1 2010 ace pipe shall be set 1 2010 sary ploc Graph CHITA 120 DAYS of spud date. ea, alternate II cementing
t is agreed that the folk 1. Notify the approp 2. A copy of the app 3. The minimum an through all uncor 4. If the well is dry I 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be completed.	owing minimum requirem oriate district office <i>prior</i> I proved notice of intent to nount of surface pipe as a nsolidated materials plus hole, an agreement betwee district office will be notifice E II COMPLETION, produ- ppendix "B" - Eastern Kai red within 30 days of the se estatements made herein	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the operator and the dised before well is either pluguation pipe shall be cemented as surface casing order # spud date or the well shall be are true and to the best-of-	riph drilling rig; by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office production and belief.	RECEIVED DEC 0 1 2010 ace pipe shall be set 1 2010 sary phocographic HITA 120 DAYS of spud date. ea, alternate II cementing rior to any cementing.
t is agreed that the folk 1. Notify the approp 2. A copy of the app 3. The minimum an through all uncor 4. If the well is dry I 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be completed	owing minimum requirem oriate district office <i>prior</i> to proved notice of intent to nount of surface pipe as a nsolidated materials plus hole, an agreement betwee district office will be notifice E II COMPLETION, produ- ppendix "B" - Eastern Kail and within 30 days of the se	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the operator and the dised before well is either pluguation pipe shall be cemented as surface casing order # spud date or the well shall be are true and to the best-of-	riphysister of the second of t	RECEIVED DEC 0 1 2010 ace pipe shall be set 1 2010 sary phocognity of 17A 120 DAYS of spud date. ea, alternate II cementing
t is agreed that the folk 1. Notify the approp 2. A copy of the app 3. The minimum an through all uncor 4. If the well is dry I 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be completed thereby certify that the loate: 11/30/10	owing minimum requirem oriate district office <i>prior</i> I proved notice of intent to nount of surface pipe as a nsolidated materials plus hole, an agreement betwee district office will be notifice E II COMPLETION, produ- ppendix "B" - Eastern Kai red within 30 days of the se estatements made herein	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the operator and the dised before well is either pluguation pipe shall be cemented as surface casing order # spud date or the well shall be are true and to the best-of-	riph drilling rig; by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office production and belief.	RECEIVED DEC 0 1 2010 ace pipe shall be set 1 2010 sary phocographic HITA 120 DAYS of spud date. ea, alternate II cementing rior to any cementing.
t is agreed that the folk 1. Notify the approp 2. A copy of the app 3. The minimum an through all uncor 4. If the well is dry I 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be completed.	owing minimum requirem oriate district office <i>prior</i> to proved notice of intent to mount of surface pipe as subsolidated materials plus hole, an agreement between district office will be notifice. Il COMPLETION, produppendix "B" - Eastern Kared within 30 days of the substance of Cope	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the een the operator and the disted before well is either pluguotion pipe shall be cemente assa surface casing order # spud date or the well shall be are true and to the best of the state of Agent:	ritte: Attitus of the second o	RECEIVED DEC 01 2010 ace pipe shall be set 1 2010 sary phocognition of spud date. ea, atternate II cementing rior to any cementing. gent
t is agreed that the folk 1. Notify the approp 2. A copy of the app 3. The minimum an through all uncor 4. If the well is dry I 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be completed thereby certify that the loate: 11/30/10	owing minimum requirem oriate district office prior to proved notice of intent to mount of surface pipe as a nacidated materials plus hole, an agreement between district office will be notifice. Il COMPLETION, produppendix "B" - Eastern Kared within 30 days of the seasternents made herein. Signature of Operation of the seasternents made.	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the een the operator and the disted before well is either pluguotion pipe shall be cemente assa surface casing order # spud date or the well shall be are true and to the best of the state of Agent:	ritle: A	RECEIVED DEC 01 2010 ace pipe shall be set 1 2010 sary phocognition of spud date. ea, atternate II cementing rior to any cementing. gent
t is agreed that the folk 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum and through all uncord 4. If the well is dry left of the appropriate 6. If an ALTERNATI Or pursuant to Amust be completed thereby certify that the loate: 11/30/10 For KCC Use ONLY API # 15 - 2	owing minimum requirem oriate district office prior to proved notice of intent to mount of surface pipe as a nasolidated materials plus hole, an agreement between district office will be notifice. Il COMPLETION, produppendix "B" - Eastern Kaised within 30 days of the set attements made herein. Signature of Ope	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the distention pipe shall be cemented uses surface casing order # sipud date or the well shall be are true and to the best of the state of Agent:	in drilling rig; It by circulating cement to the top; in all cases surface underlying formation. It ict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within a 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office profits to the complete of the KCC District of the plugged. Title: A Remember to: File Certification of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent	RECEIVED DEC 01 2010 ace pipe shall be set 1 2010 sary phooggraphic HITA 120 DAYS of spud date. ea, atternate II cementing erior to any cementing. gent s Surface Owner Notification t to Drill;
t is agreed that the folk 1. Notify the approp 2. A copy of the approp 3. The minimum an through all uncor 4. If the well is dry I 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be completed thereby certify that the loate: 11/30/10 For KCC Use ONLY API # 15 - 2 Conductor pipe require	owing minimum requirem oriate district office prior to proved notice of intent to mount of surface pipe as a nasolidated materials plus hole, an agreement between district office will be notifice. Il COMPLETION, produppendix "B" - Eastern Kared within 30 days of the set attements made herein. Signature of Ope 17 - 27745 Mone	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the dis ed before well is either plug action pipe shall be cemente assa surface casing order # upud date or the well shall be are true and to the best-of- arator or Agent:	In drilling rig; It by circulating cement to the top; in all cases surface underlying formation. It ict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within a 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office profits to the complete of the complete	RECEIVED DEC 01 2010 ace pipe shall be set 1 2010 sary phooding the set 1 2010 sary phooding to phooding the set 1 2010 say phooding the set 1 2010 say phooding to phooding to phooding to any cementing. gent s Surface Owner Notification t to Drill; f spud date;
t is agreed that the folk 1. Notify the approp 2. A copy of the approp 3. The minimum and through all uncor 4. If the well is dry l 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be completed thereby certify that the loate: 11/30/10 For KCC Use ONLY API # 15 - 2 Conductor pipe required Minimum surface pipe in the appropriate to the surface of the surface pipe in	owing minimum requirem oriate district office prior to proved notice of intent to mount of surface pipe as a nasolidated materials plus thole, an agreement between district office will be notifice. Il COMPLETION, produppendix "B" - Eastern Kared within 30 days of the set attements made herein. Signature of Ope 17 - 27745 Mone 19 day 19 one 1	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the distention pipe shall be cemented uses surface casing order # sipud date or the well shall be are true and to the best of the state of Agent:	In drilling rig; It by circulating cement to the top; in all cases surface underlying formation. It ict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within a 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office profits to the KCC District 3 are a plugged. In all cases, NOTIFY district office profits knowledge and belief. Remember to: File Certification of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days or File acreage attribution plat according to field pit.	RECEIVED DEC 01 2010 ace pipe shall be set 1 2010 sary place Graph CHITA 120 DAYS of spud date. ea, atternate II cementing erior to any cementing. gent s Surface Owner Notification t to Drill; f spud date; roration orders;
t is agreed that the folk 1. Notify the approp 2. A copy of the approp 3. The minimum and through all uncor 4. If the well is dry l 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be completed thereby certify that the loate: 11/30/10 For KCC Use ONLY API # 15 - 2 Conductor pipe require	owing minimum requirem oriate district office prior to proved notice of intent to mount of surface pipe as a nasolidated materials plus hole, an agreement between district office will be notifice. Il COMPLETION, produppendix "B" - Eastern Kared within 30 days of the set attements made herein. Signature of Ope 17 - 27745 Mone 12-2-2010	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the en the operator and the disted before well is either pluguation pipe shall be cemented as surface casing order # sipud date or the well shall be are true and to the best of the state of the set of	rid drilling rig; by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are eplugged. In all cases, NOTIFY district office profits to the completion of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days or File acreage attribution plat according to field profits.	RECEIVED DEC 0 2010 ace pipe shall be set 2010 sary placeGold GHTA 120 DAYS of spud date. ea, atternate II cementing erior to any cementing. gent s Surface Owner Notification at to Drill; f spud date; foration orders; o workover or re-entry;
t is agreed that the folk 1. Notify the approp 2. A copy of the app 3. The minimum an through all uncor 4. If the well is dry I 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be completed thereby certify that the Date: 11/30/10 For KCC Use ONLY API # 15 - 2 Conductor pipe require Minimum surface pipe I	owing minimum requirem oriate district office prior to proved notice of intent to mount of surface pipe as a nasolidated materials plus hole, an agreement betwee district office will be notifice. Il COMPLETION, produppendix "B" - Eastern Kared within 30 days of the set attements made herein. Signature of Ope 7 - 2 7 7 4 5 Mone required 40 12 2 2 2 0 0	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the en the operator and the disted before well is either pluguation pipe shall be cemented as surface casing order # sipud date or the well shall be are true and to the best of the state of the set of	ride Certification of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days or File acreage attribution plat according to field provided proportion of Submit Plugging is supported to Submit plugging is completed.	RECEIVED DEC 01 2010 ace pipe shall be set 2010 sary ploc Graph CHITA 120 DAYS of spud date. sa, atternate II cementing arior to any cementing. gent s Surface Owner Notification at to Drill; f spud date; foration orders; foration orders; for workover or re-entry; completed (within 60 days);
t is agreed that the folion 1. Notify the appropriate A copy of the appropriate A complete A conductor pipe require Approved by: 1. Notify the appropriate A copy of the appropriate A copy of the appropriate A conductor pipe require Approved by: 1. Notify the appropriate A copy of the appropriate A co	owing minimum requirem oriate district office prior to proved notice of intent to mount of surface pipe as a nasolidated materials plus hole, an agreement betwee district office will be notifice. Il COMPLETION, produppendix "B" - Eastern Kared within 30 days of the set attements made herein. Signature of Ope 7 - 2 7 7 4 5 Mone required 40 12 2 2 2 0 0	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the een the operator and the disted before well is either pluguation pipe shall be cemented assas surface casing order # spud date or the well shall be are true and to the best of the state of	riging of this well will comply with K.S.A. 55 et. set. and drilling rig; by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within a 133,891-C, which applies to the KCC District 3 are explugged. In all cases, NOTIFY district office profits to the complete of the comp	RECEIVED DEC 01 2010 ace pipe shall be set 2010 sary plocGold GHTA 120 DAYS of spud date. aa, afternate II cementing rior to any cementing. gent s Surface Owner Notification t to Drill; f spud date; foration orders; for workover or re-entry; completed (within 60 days); cting salt water.
t is agreed that the folion 1. Notify the appropriate A copy of the appropriate A complete A conductor pipe require Approved by: 1. Notify the appropriate A copy of the appropriate A copy of the appropriate A conductor pipe require Approved by: 1. Notify the appropriate A copy of the appropriate A co	owing minimum requirem oriate district office <i>prior</i> to proved notice of intent to incount of surface pipe as subsolidated materials plus hole, an agreement between district office will be notifice. Il COMPLETION, produppendix "B" - Eastern Kared within 30 days of the substantial of the subsolidation of the substantial of the substan	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the een the operator and the disted before well is either pluguation pipe shall be cemented assas surface casing order # spud date or the well shall be are true and to the best of the state of	In drilling rig: In drilling	RECEIVED DEC 0 1 2010 ace pipe shall be set 1 2010 sary phococolory of spud date. sa, alternate II cementing rior to any cementing. gent s Surface Owner Notification t to Drill; f spud date; roration orders; o workover or re-entry; completed (within 60 days); cting salt water.
t is agreed that the folion 1. Notify the appropriate of the well is dry left or pursuant to Amust be completed between the control of the c	owing minimum requirem oriate district office <i>prior</i> to proved notice of intent to incount of surface pipe as subsolidated materials plus hole, an agreement between district office will be notifice. Il COMPLETION, produppendix "B" - Eastern Kared within 30 days of the substantial of the subsolidation of the substantial of the substan	completion and eventual pluents will be met: to spudding of well; drill shall be posted on each specified below shall be set a minimum of 20 feet into the een the operator and the disted before well is either pluguation pipe shall be cemented assas surface casing order # spud date or the well shall be are true and to the best of the state of	riging of this well will comply with K.S.A. 55 et. set. and drilling rig; by circulating cement to the top; in all cases surface underlying formation. trict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within a 133,891-C, which applies to the KCC District 3 are explugged. In all cases, NOTIFY district office profits to the complete of the comp	RECEIVED DEC 01 2010 ace pipe shall be set 2010 sary placeGraphCHITA 120 DAYS of spud date. ea, atternate II cementing rior to any cementing. gent s Surface Owner Notification at to Drill; f spud date; foration orders; foration orders; forworkover or re-entry; completed (within 60 days); cting salt water. see: authorized expiration date) didress below.

For KCC Use ONLY
API # 15 - 207-27745-00-00


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Piqua Petro Inc.	Location of Well: County: Woodson	
Lease: Wingrave	1,840	_ feet from X N / S Line of Section
Well Number: 35-10	1,340	feet from X E / W Line of Section
Field: Vernon	Sec. 16 Twp. 24	S. R. 16 🔀 E 🔲 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NE - NE - SW - NE	Is Section: Regular or Irregular	
se.	If Section is Irregular, locat Section corner used: N	e well from nearest corner boundary.

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).



In plotting the proposed location of the well, you must show:

- DEC 0 1 2010
- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-207-27745-00-00

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

PERATOR: License # 30345	Well Location:		
Name: Piqua Petro Inc. Address 1: 1331 Xylan Rd	SE_NE_SW_NE_Sec. 16 Twp. 24 S. R. 16 XEas West		
	County: Woodson Lease Name: Wingrave Well #: 35-10		
Address 2: KS 7: 66761	Lease Name: Well #:		
ontact Person: Greg Lair	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
contact Person: Greg Lair thone: (620) 433-0099 Fax: (620) 468-2204			
mail Address: n/a			
urface Owner Information:			
lame: William H. Cox	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface		
ddress 1: 117 Hess Rd	owner information can be found in the records of the register of deeds for the		
ddress 2:	county, and in the real estate property tax records of the county treasurer.		
he KCC with a plat showing the predicted locations of lease roads, tal	nodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
the KCC with a plat showing the predicted locations of lease roads, tal	nodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat		
the KCC with a plat showing the predicted locations of lease roads, take preliminary non-binding estimates. The locations may be entered select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be	nodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface elocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form to being filed is a Form C-1 or Form CB-1, the plat(s) required by this		
the KCC with a plat showing the predicted locations of lease roads, take preliminary non-binding estimates. The locations may be entered select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,	nodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface elocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form to being filed is a Form C-1 or Form CB-1, the plat(s) required by this, and email address. I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this		
the KCC with a plat showing the predicted locations of lease roads, take are preliminary non-binding estimates. The locations may be entered select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling.	nodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface elocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form in being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ing fee, payable to the KCC, which is enclosed with this form.		
the KCC with a plat showing the predicted locations of lease roads, take preliminary non-binding estimates. The locations may be entered select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling the second option, submit payment of the \$30.00 handling the second option, submit payment of the \$30.00 handling the second option, submit payment of the \$30.00 handling the second option.	nodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface elocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form in being filed is a Form C-1 or Form CB-1, the plat(s) required by this, and email address. I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ing fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 RECEIVED.		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Piqua Petro Inc.		License Number: 30345		
Operator Address: 1331 Xylan Rd		Piqua KS 6676	1	
Contact Person: Greg Lair		Phone Number: 620-433-0099		
Lease Name & Well No.: Wingrave	35-	10	Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE SW NE	
Emergency Pit Burn Pit	▼ Proposed	Existing	Sec. 16 Twp. 24 R. 16 🔀 East 🗌 West	
Settling Pit X Drilling Pit	If Existing, date constructed:			
Workover Pit Haul-Off Pit	Pit capacity:(bbls)		1,100 Feet from X East / West Line of Section	
(If WP Supply API No. or Year Drilled)			Woodson County	}
Is the pit located in a Sensitive Ground Water A	urea? Yes 🔀	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? X Yes No	Artificial Liner?	io	How is the pit lined if a plastic liner is not used? clay soil	
Pit dimensions (all but working pits):	5 Length (fee	et) 8	Width (feet) N/A: Steel Pits	ヿ
	om ground level to dee	epest point:	3 (feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining notuding any special monitoring.	
N/A		Watch that	clay soil is holding water	
Distance to nearest water well within one-mile	of pit:	•	west fresh water 20 feet.	
1100feet Depth of water well	20 feet	Source of infor measured		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:	The second secon	Type of materia	al utilized in drilling/workover: shale and limestone	-
Number of producing wells on lease: Number of w		Number of wor	king pits to be utilized:	- }
Barrels of fluid produced daily: Abandonment		procedure: back fill back in	-	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must I	pe closed within 365 days of spud date. RECEIVED	_
I hereby certify that the above statem	nents are true and con	rect to the best of	my knowledge and belief. DEC 0 1 2010	ĺ
		11/1.		
11/30/10 Date		Si ONUCA	gnature of Applicant or Agent KCC WICHITA	٩
KCC OFFICE USE ONLY				
	NGC !	OF FRE USE U	Liner Steel Pit RFAC RFAS	
Date Received: 12-1-10 Permit Num	ber:	Perm	it Date: 12-1-0 Lease Inspection: X Yes No	

Mark Parkinson, Governor Thomas E. Wright, Chairman Joseph F. Harkins, Commissioner Ward Loyd, Commissioner

December 1, 2010

Piqua Petro Inc. 1331 Xylan Rd Piqua, KS 66761

RE:

Drilling Pit Application

Wingrave Lease Well No. 35-10

NE/4 Sec. 16-24S-16E Woodson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File