KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

2 7 pt

Type Test:				(See Instruct	tions on Rev	erse Side)			
☐ Open Flow ✓ Deliverabilty			Test Date: 4/15/08			API No. 15 181-20283 - Do - O					
Company LOBO PRODUCTION, INC.			Lease SCHIELDS			Well Number 2					
County Location SHERMAN C SE/4			Section TWP 32 7S				RNG (E/W) 39W			Acres Attributed	
Field GOODLAND GAS FIELD				Reservoir NIOBRARA				Gas Gathering Connection LOBO PRODUCTION, INC.			
Completion Date 6/22/90				Plug Back Total Depth 1087'				Packer S	Set at		
Casing Size Weight 4.5			Internal C	Diameter		Set at Perf 1097' 100		rations O'	To 1034'		
Tubing Size	Tubing Size Weight			Internal Diameter Set at			t	Perforations		То	
Type Completion (Describe) SINGLE GAS				Type Fluid Production				Pump Unit or Traveling PI NO		Plunger? Yes / No	
Producing Thru (Annulus / Tubing)			% Carbon Dioxide				% Nitrogen		Gas Gr .59	Gas Gravity - G _g .59	
Vertical Depth(H)			Pressure Taps				· · · · · · · · · · · · · · · · · · ·	•	Run) (Prover) Size		
Pressure Buildu	up: S	Shut in	4 2	08 at 1	1:45	(PM)	Taken_4/	15	20	08 _{at} 12:45	(AM) (PM)
Well on Line:	:	Started	20) at		(AM) (PM)	Taken		20	at	(AM) (PM)
					OBSERVE	D SURFACE	DATA			Duration of Shut-	in_25.08_ Hours
Dynamic Siz	mic Size Prover Pressure in		Flowing Well Head Temperature t t		Wellhead P	Casing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Rubing ad Pressure (P ₁) or (P ₂)	Duration (Hours)	Liquid Produced (Barrels)	
Shut-In			2			20	μsια	psig	psia		
Flow											
	<u></u>		I	1	FLOW STR	EAM ATTRI	BUTES				
Plate Coeffiecient (F _b) (F _p) Mcfd		Circle one: Meter or ver Pressure psia	Press Extension	Grav Fact F _s	tor	Flowing Temperature Factor F _{II}	Fac	ation ctor	Metered Flov R (Mcfd)	V GOR (Cubic Fe Baπel)	Flowing Fluid Gravity G _m
/P)2 ~		(D)2 -				ERABILITY) % (P.				(P _a) ⁽	e = 0.207
$(P_c)^2 = $: $(P_c)^2 \cdot (P_b)^2$ or $(P_c)^2 \cdot (P_d)^2$		$ (P_c)^2 \cdot (P_w)^2 = $		LOG of formula 1. or 2. and divide p 2 p 2		% (P _c - 14.4) + 1 Backpressure Curve Slope = "n" Assigned Standard Stope		n x LOG		Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)
			divided by: P _c - P _u	+	<u></u>	0.00.100		-	·		
			f								
Open Flow Mcfd @ 14.65 psia Del					Deliverabil	verability Mcfd @ 14.65 psia					
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 31st day of HECEIVED RECEIVED RECEIVED											
		Witness (i		К		RPORATION (UN		company ked by	

	sclare under penalty of perjury under the laws of the state of Kansas that I am authorized to request status under Rule K.A.R. 82-3-304 on behalf of the operator LOBO PRODUCTION, INC.
	it the foregoing pressure information and statements contained on this application form are true and
correct	to the best of my knowledge and belief based upon available production summaries and lease records
	oment installation and/or upon type of completion or upon use being made of the gas well herein named. The reby request a one-year exemption from open flow testing for the SCHIELDS 2
	If on the grounds that said well:
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
	is not capable of producing at a daily rate in excess of 250 mcf/D
l fu	rther agree to supply to the best of my ability any and all supporting documents deemed by Commission
staff as	necessary to corroborate this claim for exemption from testing.
Date:_	7/31/08
	Signature: Jalus Lardez

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

7.23

- 9 10 - -1.128 William of the summer of the control of the second

> MEASUREMENT AUDITORS COMPANY

3075874961 # 5

S 44 64 5

MARATHON DIL CO. P.O. BOX 1155 LAMAR, COLORADO 81052

GAS CHROMATOGRAPH ANALYSIS

MAC CUST/STAT : 8498810031

CUST STAT NO :

CUST STAT NAME & SCHIELDS #2 SEC. 32-TWNP. 7 S - RNGE. 39 W

FIELD

SENT BY:

. SHERMAN

COUNTY STATE

: KANSAS

:14,730 DRY PRESSURE BASE SAMPLING DATE : 10/15/91 :N/A SOURCE :N/A SAMPLED BY :G. EDWARDS ANALYZED BY :N/A PRESSURE DATE OF ANALYSIS :10/25/91 FLOW TEMP :N/A 1109 MUN NUMBER ACCOUNT CODE : 0000-3200-01145YYY01011

	والمجالة والمناه والمناه معرور فروزي برهون الامن الماسا المناه المناه المناه	91 gay 100 1116 116 116 116 117 117 117 117	CURRENT	GFM @	
COMPONENT			MOLE %	14.730 D	_
DXYGEN	MA ATA PAR ATA MAY AND MAY AND	,	.00%		
NITROGEN			2.84%		
CO2			2.43%		•
METHANE			93.70%	•	
ETHANE			.81%	,216	-
E I MANS PROPANE			- 17%	.046	
I-BUTANE			.03%	.009	
N-BUTANE			. 03%	, 008	
N-BUTANE I-PENTANE			.00%	0	
N-PENTANE			.00%	Q	
			.00%	Ó	
HEXANES +			.00%	Q O	
HELIUM		N/A	• • •		
		N/A			
HYDROGEN		N/A			
H28		137.73			
	TOTAL		100.00%	, 2 79	

	. 5963		
22090		D GRAVITY @14.730 SAT	953.9
Benda	RTU/CU. FT.	@14.730 DRY	970.7
GE000	BTUYOU FT.	@14.650 SAT	948.6
	BTU/CU. FT.	@14.650 DRY	965.5
פפטאפי	BIO/COL III	7 FACTOR	. 9981